SHOP ESSENTIALS PROMOTION!

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- Non-oscillating
- All-metal construction
- Fully enclosed motor, 120 V, 1/4 HP
- 6' SJT power cord

MATRIX

• Adjustable height and a heavy-duty round base for added stability



Model		CF	М	No. of	Promo
No.	Blade"	High	Low	Speeds	Price
EA642	24	11040	7760	2	295.00
EA646	30	9500	7440	3	315.00



GOJO[®] PUMICE HAND CLEANER

 Quick-acting lotion formula with scrubbing particles for cleaning a broad range of industrial soils, medium dirt and grease

- Orange citrus scent
- 1 gallon with pump

Model No.	MFG No.	Promo Price
NI254	0955-04	18.95

GOĴO

CHILL-ITS® 6700 **COOLING BANDANAS** Non-toxic, super-absorbent acrylic polymers SEB134 expand and absorb just enough water to provide a cooling sensation for up to four hours Soak in cold water 2-5 minutes to activate Reusable, just re-soak • Tie closure SEB139 SEB13 Model MFG Promo

No.	No.	Colour	Price
SEB128	12306	Blue Western	2.35
SEB134	12304	Green Camouflage	2.35
SEB136	12305	Red Western	2.35
SEB137	12307	Blue	2.35
SEB139	12341	Flames	2.35

C-CLAMPS

- Manufactured from SG ironLarge swiveling pad adapts
- to the correct angle
- Textured powder coat finish on frame and black oxide on spindle



Model No.	Clamping Capacity"	Throat Depth''	Min. Proof Test lbs.	Promo Price
TYB504	4	2 11/32	1200	21.95
TYB505	6	3	1400	27.95
TYB506	8	3 1/8	1700	36.95
TYB507	10	3 1/2	2200	48.95

Pricing in effect until September 16, 2016 or while quantities last. Taxes and freight extra. Issue #SDW7321NA DUE TO CURRENT MARKET FLUCTUATIONS, PRICES MAY VARY WITHOUT PRIOR NOTICE.



FLOOR FANS

• 3-speed, 120 V/60 Hz, 1/4 HP motor • All-metal construction • Chrome finish

*					MATRIX*
Model No.	Blade''	High	CFM Med	Low	Promo Price
EA528	16	2370	1950	1560	79.95
EA290	18	4725	3850	2975	115.00

LIGHT INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 2-speed, 120 V/60 Hz motor
- ٠ All-metal construction, chrome grill stand and base painted black
- Adjustable height and heavy-duty ٠ base for added stability
- 6' SJT type power cord
- Oscillating



MATRIX

Model			CF	м	Promo
No.	Blade''	HP	High	Low	Price
EA282	26	1/5	7525	4050	275.00
EA283	30	1/3	8778	6780	305.00

LIGHT INDUSTRIAL **DRUM FANS**

- 120 V/60 Hz, 2-speed motor • All-metal construction • 6" casters with handle
 - 6' SJT type power cord

						INDUSTRIAL PRODUCTS
Model			CF	М	Wt.	Promo
No.	Blade"	HP	High	Low	lbs.	Price
EA286	28	2/5	8050	6500	22	362.00
EA288	36	3/5	11 200	9100	30.5	429.00

20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 1/4 HP, 120 V/60 Hz motor
- All-metal construction
- Adjustable pedestal height
- 6' SJT type power cord
- CFM: 5950/4550/3850
- Tilting head

	INDUSTRAL PRODUCTS	
Model No.	Promo Price	
EA289	169.00	

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- Wall mount
- All-metal construction
- Fully enclosed motor, 120 V
- 6' SJT power cord
- Oscillating

MATRIX

INDUSTRIAL PROD						
Model			CF	м	No. of	Promo
No.	Blade"	HP	High	Low	Speeds	Price
EA645	24	1/3	9200	7680	2	275.00
EA649	30	1/4	10560	7760	3	295.00

24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- CFM: 8550/7770/7040



MATRIX

INDUSTRIAL PRODUCTS	
Model No.	Promo Price
EA476	289.00



SQWINCHER® LIQUID CONCENTRATE

- Specially formulated no-stir formula
- Screw-on cap allows you to
- reseal and store the bottle
- 64-oz. bottle size yields 5 gallons



Model No.	MFG No.	Flavour	Promo Price
SAF862	11025	Grape	19.85
SAP552	11027	Mixed Berry	19.85
SR933	11020	Lemonade	19.85
SR934	11021	Orange	19.85
SR935	11022	Fruit Punch	19.85
SR936	11023	Lemon-Lime	19.85
SR937	11024	Tropical Cooler	19.85

SOWINCHER® POWDER PACK DRY MIX

- Powder pack form
- Mixes quickly and easily with water
- 47.66-oz. package yields 5 gallons





Model No.	MFG No.	Flavour	Promo Price
SAF871	11061	Orange	15.35
SEC587	11063	Lemon-Lime	15.35

SOWINCHER® OWIK STIK LITE

- Calorie and sugar free single-serve pouches
- Simply tear open the pouch, pour the powder • into a 20-oz. bottle of water, and shake
- Fifty 0.11-oz. packets per bag



MFG Model Promo No. No. Flavour Price **SAN505** 11060100-OR Orange 38.45/Bag **SAN506** 11060102-FP Fruit Punch 38.45/Bag SEI282 11060101-SL Strawberry Lemonade 38.45/Bag 11060453-MB **SAP496 Mixed Berry** 38.45/Bag

CHILL-ITS® 6710CT **COOLING TRIANGLE HATS**

- Advanced PVA material keeps you cool without the bulk
- Activates guickly and easily when run under water for 1 minute
- ٠ Evaporative cooling process keeps you cool all day
- Lightweight and low profile for use with hard hats and helmets
- Tie closure for personal fit ٠
- Reusable, just re-soak



SEI653

12523


WORK CEAL			SEC685
Model No.	MFG No.	Colour	Promo Price
SEC686	12587	Blue	10.75
SEC685	12586	High Visibility Lime-Yellow	10.75
SEI651	12584	Navy Western	10.75





Model No.	MFG No.	Size	Promo Price
SAP936	12533	Medium	52.50
SAP937	12534	Large	52.50
SAP938	12535	X-Large	52.50
SAP939	12536	2X-Large	52.50

3



MAX-LITE® LOW PRESSURE FOAM EAR PLUGS

- Preshaped plugs offer long-term user comfort
- Ideal for those with smaller ear canals
- NRR of 30 dB, CSA Class AL





	Safety Products
Size	Promo Price
Medium	8.00/Pair
Large	8.15/Pair
X-Large	8.45/Pair
	Medium Large

HPPE LINED SPLIT COWHIDE **CUT RESISTANT GLOVES**

- Seamless fitted HPPE liner
- Superior cut, abrasion and tear resistance
- Sewn with Twaron® thread for higher seam strength and resistance
- Rubberized safety cuff
- Full leather-tipped fingers and knuckle strap
- Gauge: 10
- Cut Level: EN 388 Level 5

ZENTH

Survey rioudees		
Model No.	Size	Promo Price
SDN114 SDN162	Large X-Large	12.65/Pair 13.25/Pair

SEISMIC[®] EYEWEAR

- Protection against impact, sun, wind, dust and debris
- Adjustable flame-resistant headband provides an excellent fit
- Frame colour: Black

UVEX

SM559

Certified to the requirements of the CSA Z94.3 standard only with subframe in place



SBA825

by Honeywell			
Model No.	MFG No.	Lens Tint	Promo Price
SBA822	S0600	Clear/Hardcoat	12.75
SBA823	S0600X	Clear/Uvextra [®] AF	13.40
SBA824	S0600D	Clear/Dura-Streme [®] AF	17.15
SBA825	S0601X	Espresso/Uvextra® AF	13.40
SBA826	S0602X	Amber/Uvextra® AF	13.50
SBA827	S0604X	Mirror/Uvextra [®] AF	14.50



ZEN(TH



20-GALLON

SEJ935

SEH964


ULTRA-IBC SPILLPALLET PLUS®

- All polyethylene construction will not rust or corrode
- Low profile and forkliftable • Overall dim.:
- 62" L x 62" W x 28" H
- Deck: 52" x 52"
- Sump capacity: 360 gallons
 - Weight: 324 lbs.
- Meets EPA container storage regulations



SAP075

Model	MFG	Description	Promo
No.	No.		Price
SAP075	1157	Without Drain	1450.00
SAP076	1158	With Drain	1480.00



Model No.	Dimensions W" x D" x H"	No. of Shelves	No. of Doors	Capacity Gallons	Promo Price
SDN642	23 x 18 x 35	1	1	12	457.50
SDN644	35 x 22 x 35	1	2	22	631.50
SDN646	43 x 18 x 44	1	2	30	705.00
SDN647	43 x 18 x 65	2	2	45	853.50
SDN648	34 x 34 x 65	2	2	60	1035.00

TYPE II ACCUFLOW™ SAFETY CANS

- Stainless steel flame arrester
- Large ID zone
- Safe-Squeeze® trigger for • controlled pouring
- Leakproof, self-closing lid vents automatically
- 11 1/2" O.D. x 18" H •
- Capacity: 5 US gallons
- FM approved, UL/ULC listed •

♦ JUSTRITE[®]

0====			
Model No.	MFG No.	Hose Width"	Promo Price
SEA232	7250120	5/8	92.25
SEA233	7250130	1	92.25

UNIVERSAL BONDED SORBENTS

- 100% bonded polypropylene fibre Ideal for applications that require •
- increased tensile strength More durable than traditional •
- meltblown sorbents
- Low linting and permits • an easy clean up
- Antistatic and made of up to . 90% recycled material
- Absorbs more than 25 times their weight

ZENTH

Survey in	ounco				
Model No.	Weight	Dim.	Absorbency /Pkg. Gal.	Qty /Pkg.	Promo Price
PADS					
SEJ935	Heavy	15" x 17"	30	100	71.25/Pkg.
SEJ940	Medium	15" x 17"	25	100	56.25/Pkg.
SEH961	Light	15" x 17"	15	100	48.75/Pkg.
SEH962	Light	15" x 17"	30	200	78.75/Pkg.
ROLLS					
SEH966	Heavy	150' x 30"	50	1	153.00/Roll
SEH965	Heavy	150' x 15"	25	1	90.00/Roll
SEH964	Medium	150' x 30"	40	1	135.00/Roll
SEH963	Medium	150' x 15"	20	1	75.00/Roll

SURE-GRIP® EX AEROSOL CAN CABINET

- Double-wall, welded, 18-gauge construction with 1 1/2" air insulation
- Fits up to twenty-four aerosol cans on two easy roll-out shelves
- U-Loc[™] handle comes with two keys, accepts optional padlock
- Haz-Alert[™] reflective warning labels offer visibility under dark conditions
- 21" W x 18" D x 27" H
- Meets NFPA and OSHA regulations

💫 JUSTRITE[®]

Model No.	MFG No.	Promo Price
SAQ045	890500	1210.50



SEA232

OUTDOOR VINYL EXTENSION CORDS

- 3-conductor SJTW, 300-V grounding
- Vinyl jacket protects against rough use, chemicals, and moisture and provides added flexibility

auroratools[.]

SINGLE TAP

Model No.	Length'	AWG	Colour	Amps	Watts	Promo Price
HEAVY-D	UTY					
XC482	25	14/3	Orange	15	1875	22.95
XC483	50	14/3	Orange	15	1875	37.95
XC484	100	14/3	Orange	13	1625	69.95
EXTRA H	EAVY-DUTY					
XC485	25	12/3	Yellow	15	1875	29.95
XC486	50	12/3	Yellow	15	1875	52.95
XC487	100	12/3	Yellow	15	1875	89.95

XC491

ıŲ)،

TRIPLE TAP

Model No.	Length'	AWG	Amps	Watts	Promo Price
HEAVY-D	UTY				
XC488	25	14/3	15	1875	27.95
XC489	50	14/3	15	1875	47.95
XC490	100	14/3	13	1625	85.95
EXTRA H	EAVY-DUTY				
XC491	25	12/3	15	1875	36.95
XC492	50	12/3	15	1625	64.95
XC493	100	12/3	15	1625	104.95

TRIPLE OUTLET REELS

- Wall or ceiling mount hardware included
- Quick release tab for conversion to portable use



Model No.	MFG No.	Cable Length'	Outlet Amps	Promo Price
DB978	8040-T	40	15	214.00
DB979	8050-T	50	13	214.00
· · · · · · · · · · · · · · · · · · ·				

DEFENDER[®] MINI MOBI LED INSPECTION LIGHT

- 20 LEDs deliver 55 lumens
- Tough ABS body, rubber overmold and shatterproof lens
- Run time: 3 hours (high), 8 hours (70% power)
 Includes: Integrated floor stand, hanging
- hook and magnet, and three AA batteries

Model	MFG	Promo
No.	No.	Price
XD067	E712848	27.95



PORTABLE HAI WORK LIGHTS • Wattage: 500 W • Housing material: Stee • Adjustable tilting hear • Halogen bulbs include • XC950: Adjustable tri for desired height	el d ed		xc950
Model No.	Lumens	7	Promo Price
XC949	8000		19.95
XC950	16000		59.95

RECHARGEABLE LED WORK LIGHTS

- Lightweight design
- 3-4 hour run time with full charge
- Includes: Hanging hook, powerful magnet, 110 V adaptor and 12 V car plug

XC662

auroratools[.]

Model No.	No. of LED	1	Promo Price
XC661	90	6	58.95
XC662	160	-	69.95

LED WORKLIGHT

• 50 bright white LEDs provide long lamp life (50000-hour average)

Iamp life (50000-hour average)
15' 16/3 SJT cord,13-A grounded outlet

Removable magnet mount and dual hooks



7	Model	MFG	Promo
	No.	No.	Price
U	XC413	LED5015G	99.95

WOBBLELIGHT® SELF-RIGHTING WORK LIGHTS Floating shock system protects bulb from impact Runs cool to the touch No set up - plugs into 120 VAC supply CProBuilt Professional Lighting, Ltc

Lighting Area'	Height"	Lumens	Wattage	Promo Price
CENT LAMP				
20	27	5000	85	199.00
ALIDE LAMP				
30-42	36	15000	175	399.00
78-110	36	40000	400	499.00
	Area' CENT LAMP 20 ALIDE LAMP 30-42	Area' Height" CENT LAMP 20 27 ALIDE LAMP 30-42 36	Area'Height"LumensCENT LAMP20275000ALIDE LAMP30-423615000	Area!Height"LumensWattageCENT LAMP2027500085ALIDE LAMP30-423615000175

THICKNESS GAUGE

- Digital display provides exact readings without guess
- Automa Measur
- aluminu polyeth and not
- Measur • 1.5 to 2


REE

Model

HX399

No.

atic i res tl um, i nyler dula ring	material calibration he thickness of stee red copper, zinc, qu ie, PVC, grey cast ir r cast iron range:	artz glass	•		- Local
200 r	nm in #45 steel				
	MFG No.	Promo Price		1	
	TM-8811	399.00	1		





0000

100

Ŧ



222	pil	•		• Built-in laser pointer identifies target area
D	1		-58° t	• Temperature range: o 932°F (-50° to 500°C)
				stance to spot size ratio Automatic data hold
				in. temperature display
				REED
		Model	MFG	Promo
		No.	No.	Price
		IB537	R2002	79.90

INSPECTION CAMERA

- 3.2" colour screen with 320 x 240 pixel resolution
- Save high resolution JPG images and live video
- Camera diameter: 17 mm (0.66")

Mod No. IA674



el	MFG	Promo	
	No.	Price	
4	BS-150	269.00	

HEAT STRESS METER Measures air and globe temperatures, and humidity to determine heat stress index • In/Out function displays the WBGT value with or without direct sun exposure View individual temperatures in °F or °C • Built-in RS-232 interface

REEL		
Model No.	MFG No.	Promo Price
IA639	8778	199.00

AUTOLOCK MEASURING TAPES


• High visibility with rubber comfort grip

- Automatic blade lock
- Recessed lock release
- TLZ075 comes with
- magnetic end hook

Lufkin®

No.	Blade	Graduations	Promo Price
AL725	1" x 25'	in/ft.	9.95
AL748CME	1" x 26'/8 m	in/cm	9.95
AL725MAG	1" x 25'	in/ft.	15.95
	No. AL725 AL748CME	No. Blade AL725 1" x 25' AL748CME 1" x 26'/8 m	AL725 1" x 25' in/ft. AL748CME 1" x 26'/8 m in/cm

TJZ389



METAL-WIZZ® SNIP

• Cuts curves, straight or any combination • Non-slip serrated jaw • Spring-action for fast, effortless feed • Cuts up to 20-gauge low carbon cold-rolled steel • Length: 9" Cut length: 1 3/8"



BALL PEIN FIBREGLASS HAMMER

- Rust-resistant, forged black head with polished poles
- Professional quality fibreglass handle
- Permabond[®] construction between head and handle
- Comfortable black cushion grip
- Head: 16 oz.
- Length: 12 3/4"



Model MFG Promo No. No. Price TJ594 11426 21.95

CABLE CUTTERS

• High-leverage jaws with shear-cut blades • Cuts up to: 4/0 aluminum cable (not ACSR), 2/0 soft copper cable • Plastic covered, non-slip grips • Overall length: 9 1/2"



H.K. Porter

Model	MFG	Promo
No.	No.	Price
TBG092	0890CSJ	38.50

METALMASTER® COMPOUND SNIPS

- Non-slip serrated jaws
- Length: 9 3/4"
- 18-gauge steel

Wicc®



1100				
Model No.	MFG No.	Cut Length"	Grip Colour	Promo Price
CUT LEFT				
VQ280	M1R	1 3/8	Red	19.95
CUT RIGHT				
VQ281	M2R	1 3/8	Green	19.95
CUT STRAIC	SHT			
VQ282	M3R	1 1/2	Yellow	19.95

HEX KEY SETS

- Chrome vanadium steel for strength and durability
- Tips are chamfered for ease of entry and proper fit



auroratools[.]

Model No.	Key Sizes	Promo Price
SAE - SHOR	T ARM (13 KEYS)	
TNB731	1/20", 1/16", 5/64", 3/32", 7/64", 1/8",	7.65
	9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	
METRIC - SH	IORT ARM (9 KEYS)	
TNB732	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm,	6.25
	4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm, 10.0 mm	

16-PC. SCREWDRIVER SET



SIXPAC PLUS[™] SCREWDRIVER

- Solid handle for maximum comfort and torque
- Anodized aluminum alloy shank for years of use
- Includes: 7 bits (Robertson #1, #2, #3, Phillips #1, #2, slotted 3/16", 1/4")



Model	MFG	Promo
No.	No.	Price
VE476	88001	14.95

LOCKING PLIERS

- Tempered chrome vanadium steel jaws
- Hardened tension bar with toggle
- mechanism provides secure locking action
- Smooth screw adjustment for easy and rapid setting
- Steel grip
- Meets ANSI standards



OFF-SET BENCH VISE

- Heavy-duty industrial grade vise
- V notched hardened jaws for vertical gripping
- Ideal for tall work pieces
- Hardened anvil striking surface used for forming and shaping
- Safety locking plate in base prevents the vise from slippage
- Jaw width: 6"
- Jaw opening: 6 1/2"
- Throat depth: 4"
- Fixed mount

auroratools°

Model	Promo
No.	Price
TYL103	159.00

1/4" AIR SCREWDRIVER

- 1/4"-18 NPT air inlet, 6 CFM
- 1800 RPM; 0.5 HP
- Torque range: 45-115 ft-lbs.
- 3/8" hose size





• 10000 RPM • 5 CFM • 1/4"-18 NPT air inlet • 3/8" hose size

auroratools

Model No.	Promo Price
THZ674	149.00

auroratools [.]	
Model No.	Promo Price
TLV495	112.00



AIR FLUX CHIPPER

- 1/4"-18 NPT air inlet
- 4400 BPM, 9 CFM
- Lightweight and compact
- with paddle-style trigger • Low noise, low vibrations
- Overall length: 10 1/4"
- Includes 35 mm flat chisel



AIR NEEDLE SCALER

- 1/4"-18 NPT air inlet
- 4000 BPM, 9 CFM
- Lightweight and compact with paddle style trigger
- Low noise, low vibrations
- Overall length: 16"
- Includes 19 needles



auroratools[.]

Model	Promo
No.	Price
TLZ131	189.00

MAXPRO AIR TOOL SWIVEL CONNECTOR

1/4" NPT

Universal connector that connects portable air tools to an air line Improve tool maneuverability, minimize operator fatigue and extends hose life • Swivel 360° at two pivot points,

allowing the air hose to drop directly to the floor

OPRI	NG	
lodel o.	MFG No.	Promo Price
LZ018	62.705C	14.90

Μ Ν TL

STANDA	IE TOOLS® EX ARD SERIES ABINETS	ТЕР608	тер595	ТЕР608
High glossSecure tubHigh densi	drawers TEP59			TEP610
Model No.	No. of Drawers	Dimensions L" x W" x H"	Description	Promo Price
TEP610	11	41 1/2 x 18 x 40 1/2	Rolling Tool Cabinet	1195.00
TEP608	8	41 1/2 x 17 3/4 x 21 3/8	Tool Chest	875.00
TEP595	6	16 x 18 x 34 3/4	Tool Cabinet	519.00
TEP593	3	15 1/4 x 18 x 54 3/4	Tool Side Cabinet	679.00

HEAVY-DUTY JOBSITE CHESTS

- Site-Vault[™] security system
- Ez-Loader® 7-gauge skid bolsters allow fork lift from any side
- Grip-Rite[™] recessed lifting channel
- Heavily reinforced lid and body
- Textured powder paint finish



JOBOX

Model No.	MFG No.	Dimensions L" x W" x H"	Wt. Ibs.	Promo Price
TEP092	1-652990	36 x 20 x 23 3/4	98	449.00
TEP136	1-653990	42 x 20 x 23 3/4	118	499.00
TEP137	1-654990	48 x 24 x 27 3/4	148	569.00
TEP156	1-655990D	60 x 24 x 27 3/4	182	699.00
TEP158	1-658990	72 x 24 x 27 3/4	220	789.00



PLASTIC TOOL BOXES

- Polypropylene fabrication
 - ABS plastic latches
- Removable inner trays
- Deep storage compartmentsPadlock eye for safe storage
- TLV084

auroratools

Model No.	Description			nensic W"			Promo Price
	•	_	~		~		
TLV084	1 Removable Inner Tray, 2 Parts Boxes, 1 Organizer	171/2	х	91/2	х	8	24.95
TLV086	1 Removable Inner Tray, 3 Organizers, 2 Drawers	22	х	11	Х	141/2	49.95

WELDER'S BOX

- Compact and portable
- Heavily-reinforced 16-gauge steel construction
- Notched upper side for storing tools connected to supply hoses
- 30" W x 16" D x 12" H
- Weight: 33 lbs.

JOBOX

Model	MFG	Promo
No.	No.	Price
TEP348	650990D	199.00

ATB300 TOOL BOXES

- Double wall steel construction
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Non-slip drawer liners
- High-gloss powder coat scratch-resistant black paint
- Heavy-duty casters except TEP312

TEP312



auroratools°

Model No.	No. of Drawers		mensions W" x H"	Capacity lbs.	Wt. Ibs.	Promo Price
TEP312	4	26 x	12 x 14 1/2	375	41	179.00
TEP313	5	27 x	18 x 31	500	85	299.00
TEP315	7	27 x	18 x 35 1/2	700	102	359.00
TEP317	11	42 x	18 x 40	1320	175	749.00



JOBBER DRILL SET

- Material: High speed steel
- Point angle: 118°
- 29-piece set which includes fractional sizes 1/16" to 1/2" by 1/64"
- TiN coated tip
- Self centering split point

MFG

0574317

No.

Case included

DORMER

Model

TCP405

No.



1	 Finish: Pu cludes 29 jobbe from 1/16" to Self-center 	h speed steel nt angle: 135° rple and gold r length drills, 1/2" by 1/64"
Model No.	MFG No.	Promo Price
TCP404	091010	115.00

Promo

110.00

Price

JOBBER DRILL SET

- Material: High speed steel
- Point angle: 118°
- Finish: Steam oxide
- Includes 29 jobber length drills, from 1/16" to 1/2" by 1/64"
- Case included

		PRECISION
Model No.	MFG No.	Promo Price
TCP413	099977	99.00

CURVED-HANDLE SCRATCH BRUSHES

- Durable hardwood handles that have a smooth finish for extra comfort
- Brush length: 6"
- Overall length: 14"
- Wire rows: 3 x 19
- Trim length: 1 1/8" •



Model No.	MFG No.	Fill Material	Promo Price
TC065	1777	Steel	2.25
TC068	1777SS	Stainless Steel	5.45
TT167	1777B	Brass	5.25


CIRCULAR CRIMPED WIRE END BRUSHES

- Fill diameter: 0.014"
- Application type: Steel
- Shank size: 1/4" •
- RPM: 20000 •
- Ideal for burr, weld scale, corrosion and paint removal

Model No.	MFG No.	Brush Dia."	Fill Length"	Promo Price
QM452	E303	1 1/2	7/16	8.75
NU461	E323	2	1/2	7.95
QM458	E333	3	7/16	11.75



Model No.	MFG No.	Brush Dia.''	No. of Knots	RPM	Promo Price
TT265	814T	4	32	20000	14.45
TT271	815T	4 7/8	48	12500	17.95
TC019	816T	5 7/8	48	12500	21.95



SMALL CLEANING SCRATCH BRUSHES

- Ideal for multi-applications
- Brush length: 1 1/2" •

TON BRUSHES

- Overall length: 7 3/4"
- Wire rows: 3 x 7
- Trim length: 1/2"
- Handle: Wood

	LA E	,	
Model	MFG	Fill	Promo
No.	No.	Material	Price
TC070	SB2088SS	Stainless Steel	2.25
TC073	SB2088B	Brass	2.40

11110



WIRE WHEEL BRUSHES

- Face width: 3/16"
- Fill diameter: 0.020"
- Arbor size: 5/8"-11
- Knot type: Stringer

hard to reach contact areas

PRO-LINE® HP PAINT MARKERS High performance paint markers work well on oily, soapy and wet surfaces Excellent on most metals, coatings, plastics, glass, ceramics and other non-porous materials

Model No.	MFG No.	Colour	Promo Price
PE507	096960	White	2.75
PE508	096961	Yellow	2.75
PE509	096962	Red	2.75
PE510	096963	Black	2.75

BLUE LAYOUT DYE

- Fast-drying, non-flaking, non-etching, will not peel
- Designed for pattern-making
- Heat resistant, non-corrosive
- Adheres to metal or glass
- Net size: 12 oz.



Model	MFG	Promo
No.	No.	Price
AA180	C00603000	7.45



 Sacrificial coating that inhibits corrosion on ferrous metals

 Excellent touch-up for repair of galvanized substrates

 Recommended dry film thickness of 1.5 to 3.0 mils, VOC-compliant

 Dries to touch in 30 minutes

• Net size: 14 oz.

AB485

C05916

Model
No.MFG
No.Promo
PriceAA185C0073900013.75

SPOTCHECK® PENETRANT

- Non-destructive test method provides the detection of surface discontinuities (flaws) in ferrous and non-ferrous test materials
- Ideal for applications where portability is required
- 16-oz. aerosol

SKL-SP2 REMOVABLE PENETRANT

- Offers maximum reliability in the detection of surface-open flaws and discontinuities
- Ideal on non-porous ceramics and other similar materials
- Use at temperatures between 40°F-125°F

SKL-WP2 WATER WASHABLE PENETRANT

• General purpose

SKC-S SOLVENT CLEANER

- Non-chlorinated cleaner/remover
- Used as a pre-cleaner, a post cleaner and a penetrant remover

SKD-S2 SOLVENT DEVELOPER

- Ready-to-use suspension of white developing particles in a fast drying solvent
- Non-chlorinated



		Contraction of the second seco	
NP701	TTU436	NP703	NP702

Model No.	MFG No.	Description	Promo Price
NP701	01-5155-78	Penetrant	22.25
TTU436	01-5190-78	Water Washable Penetrant	23.95
NP703	01-5750-78	Solvent Cleaner	17.95
NP702	01-5352-78	Solvent Developer	21.75

• Electroch • Dry times • Heat resi	GALVANIZED SION INHIBITOR nemically protects bare metal 15-30 mins. stant, flexible coating rellow, chalk, crack or peel	Lb2 ,	
Model No.	MFG No.	Promo Price	· Company of the
			the second s

12.45




- Designed for MIG and TIG applications
- Body machined from class "A" brass bar stock
- Chrome-plated housing cap
- Accurate measurement of gas flow up to 50 SCFH
- 2", 4000 PSI inlet gauges for easy reading
- Outlet connection: 5/8"-18 RH (F), 0.32" orifice
- UL listed

Model No.	MFG No.	Max. Inlet/Delivery Pressure (PSI)	Inlet Connection	Promo Price
ARGON				
331-1540	190AR-50	0-50	CGA580	95.00
CO ₂				
331-1575	190CD-45	0-45	CGA320	95.00



Model No.	MFG No.	Description	Promo Price
312-4276	QDB10	Torch-to-Hose	59.25
312-4280	QDB20	Hose-to-Hose	61.25
312-4284	QDB30	Regulator-to-Hose	61.25

Model No.	MFG No.	Promo Price	5
333-9120750400	80-44TP	120.00	





Model No.	Description	Promo Price
TTV219	Regulator	42.50
722-1010	10 ['] Hose	22.75
722-1030	20' Hose	41.95

 TIP-NIP TIP REFACER For easy, fast precision tip resurfacing Insert tip and give a few turns Pitted tip is resurfaced for new performance Extends tip life 	
Model No.	Promo Price
NT820	15.95

SOAPSTONES & HOLDERS

- All-metal construction holders
- Positive lock adjustment
- Each holder comes with one soapstone
- 144 white soapstones per box





NT639		WELD MATE
Model No.	Description	Promo Price
NT639	Flat Soapstone Holder	2.45/Ea.
NT225	Flat Soapstone - 144 Pieces	24.25/Box
NT638	Round Soapstone Holder	2.79/Ea.
NT226	Round Soapstone - 144 Pieces	21.95/Box

HEAVY-DUTY GROUND CLAMPS

- Nickel-plated steel
- Forged brass conductors and braided copper strap
- Heavy-duty spring provides positive contact at jaws
- Includes Allen wrench

Model No.	Amps	Promo Price
NT668	300	12.95
NT669	500	15.25



ORIGINAL BERNARD[®] SHORTSTUB[™] ELECTRODE HOLDER

- 2000-lb. gripping pressure Offers better visibility
- Greater hand-to-arc distance • 1/16" - 1/4" electrode capacity
 - 400 amps

XBERNARD

_			· //= =========
	Model No.	MFG No.	Promo Price
	360-9001	40B	47.95

DRYROD® TYPE I PORTABLE ELECTRODE OVEN

- Heating elements provide uniform, continuous heat for 100% protection of electrodes
- Features include a preset thermostat of 300°F, an indicator light and removable power cord with locking power inlet
- 100/240 V AC/DC @ 60 watts
- Capacity: 10 lbs.
- cUL listed



INTERNATIONAL		
Model No.	MFG No.	Promo Price
382-1205500	1205500	345.00

TOUGHFLEX™ WELDING CABLE

- Durable and flexible
- Highly flexible annealed 30 (0.010) gauge bare copper conductor, insulated with an EPDM jacket and paper separator
- Durable jacket resists cuts, tears, abrasion, grease, oil, water and flame
- Operating temperature range: -50°C to 105°C (-58°F to 221°F)
- Rated to 600 V
- Ideal for any welding application that requires leads, grounds, and stinger/whips
- Custom lengths and jacket colours available upon request



KALAS

	••		
MFG No.	Gauge	Promo Price	
02T1050B0000	#2	82.75/Box	
01T1050B0000	#1	106.00/Box	
10T1050B0000	1/0	129.00/Box	
20T1050B0000	2/0	160.00/Box	
02T1100B0000	#2	165.00/Box	
01T1100B0000	#1	210.00/Box	
10T1100B0000	1/0	259.00/Box	
20T1100B0000	2/0	319.00/Box	
	No. 02T1050B0000 01T1050B0000 10T1050B0000 20T1050B0000 02T1100B0000 01T1100B0000 10T1100B0000	No. Gauge 02T1050B0000 #2 01T1050B0000 #1 10T1050B0000 1/0 20T1050B0000 2/0 02T1100B0000 #2 01T1100B0000 #1 10T1100B0000 #1 10T1100B0000 #1	



NT668

WELD MATE	PIPELINER WELDERS' GLOVES
	 Premium split cowhide leather exterior construction Full grain cowhide leather interior provides incomparable comfort Excellent abrasion resistance Protective leather patch on back of left hand Reinforced thumb extends wear life Sewn with Kevlar[®] thread to avoid burning
Model	Promo

No.	Size	Promo Price
SAV008	Large	11.75/Pair
SEB930	X-Large	12.50/Pair

WELDERS' CAPS

- Athletic mesh lining to allow sweat to quickly evaporate
- Preshrunk and presoftened lightweight fabric, flame retardant until washed
- Air-cushioned front lining for comfort and sweat absorbency
- Assorted styles include: Happy Hour, Nautical, Free Spirit, Safari, Paradise, Camo, Feast and Wild
- 12 per package



HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle
- 500000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
- Includes: 10' neoprene hose, striker and on/off valve

Model	MFG	Promo	4
No.	No.	Price	
312-4904	WB-101	99.95	





HEADGEAR PADS & SWEATBANDS

• Field-tested to improve helmet grip

5X-Large

- Absorbent air-cushioned layer lined with 10% fleece cotton
- Velcro fastening system, fits all major brands of headgear
- Flame retardant headgear pads
- Two per package

TTV018

NT843



79.95



64-66

Model No.	Description	Promo Price
620-3100V	Non-Suspender Pads	3.50/Pkg.
620-3200V	Suspender Pads	3.50/Pkg.
SAM548	Sweatbands w/Elastic Strap	3.50/Pkg.

VEGAVIEW2.5 WELDING HELMET

- Brightest view in light state and grind mode at shade level 2.5
- External infinite shade level adjustment enables welders to manually adjust their shade level from 8-12
- Sensitivity control prevents ADF from responding too soon or not at all to their arc flash
- Opening delay allows welders to adjust the time it takes to switch from dark to light
- Black unpainted
- Meets CSA standard Z94.3



Pricing in effect until September 16, 2016 or while quantities last. Taxes and freight extra. Issue #SDW7321NA DUE TO CURRENT MARKET FLUCTUATIONS, PRICES MAY VARY WITHOUT PRIOR NOTICE.