Fall & Winter 2020 HOLIDAY SAVINGS

Proudly Canadian



30 PC VARIABLE SPEED OSCILLATING MULTI-TOOL KIT & ACCESSORIES

• Each kit includes a sanding back-up pad with hook and loop backing, 24 sanding papers (60, 80 and 120 grit) with hook and loop backing, 35mm Tru-cut narrow offset saw blade, 52mm rigid offset scraper blade, hex. key, and sturdy carrying case



6500W **GASOLINE GENERATOR** WITH ELECTRIC START

KCG-6502GE • Powerful 10 HP,

1

- 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
 Duplex outlet: 120V/20 Amp. AC
 Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and
- resets for safe operation CSA & EPA approved

GENERATOR HOME CONNECTION KIT K-X7500 Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid VC conduit, 1-1/4" spade bit, 1/2 PVC sleeve connector, 2 insulating gaskets and mounting hardware

K-L1430-25EXT

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C) Female receptacle with lighted end

5100W **GASOLINE GENERATOR** WITH WHEEL KIT

KCG-5100G Powerful 8 HP,

- 4 stroke air cooled OHV engine
- AVR system and electronic ignition
 Low all shut-off with indicator light protects the engine
 Duplex autlet: 120V/20 Amp. AC
 Twist lock autlet: 120V/240V/30 Amp. AC
 AC double throw circuit breaker and resets

Plunge Base

NEW

• CSA & EPA approved

0





OPTIONAL 4 pc. Accessory Kit KM-130 e ija, lona knife ija scissors ija & axe ija)

10" TABLE SAW WITH RIVING KNIFE <<u>C-5006</u>R

21111

Powerful 15 Amp., 4,800 RPM ball bearing motor Blade tilts 0° to 45° for versatile angle cutting Comes with 10"

Comes with tinned /

NEW

ripping blade, rip fence, alı iler gauge guide, miter gauge, p stick, bl<u>ade wrenche</u>

(miter and bevel)up to 45° to the left Comes complete with a 2 position vertical hold down vise, retractable extension wings, dust bag, blade socket wrench and 40 tooth carbidetipped blade

16 PCS. 3.6V

9136 KIT COMES WITH

1 x Charger

QUICK SELECT SCREWDRIVER KIT

1 x 3.6V Li-ion Screwdriver

2 x Magnetized bit holders

12 x 1/4" Hex. shank bits (2 x PH1, 2 x PH2, 2 x

NEVER LOOSE A

PH3,2 x S1, 2 x S2, 2 x 6mm Flat)

SCREWDRIVER BIT AGAIN

10" SLIDING COMPOUND

The two 6 magnetized bit cartridges

keepyour most popular bits at hand

MITER SAW WITH

TWIN LASER

Compound cuts

8380

Includes 10" carbide blade

Heavy-duty steel stand included



Aluminum plunge l with 1-1/2" plung Fixed Base capacity and fine depth adjustment with 3 preset NEV

5 GALLON (20L) ASH VACUUM 8521AV

Powerful 7.5 Amp., 6 Peak HP motor
5 US Gallon (20L) ash container
Superior filtration system with HEPA

***//\\\

- cartridge filter
- carriage niter Top mounted blower port & carry handle Convenient 10 ft. power cord Comes complete with HEPA cartridge filter, durable 3 ft. x -11/4" hose and 9" aluminum nozzle

DESIGNED TO CLEAN COLD ASH FROM FIREPLACES, WOOD STOVES, PELLET STOVES AND BARBECUES

Replacement HEPA cartridge filter <VAC-1142

WWW.KINGCANADA.COM











AIR COMPRESSORS **SING** INDUSTRI

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-1410A

- 125 PSI maximum tank pressure
- ASME safety valve 1/4" universal "one touch"
- quick connect coupler · Air pressure regulator and large easy to read
- pressure gauges

Powerful 2.5 HP. Ultra-quiet motor only 60 decibels

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

of over 3000 hours

ASME safety valve

• Light weight aluminum tanks • 3.80 CFM @ 40 PSI

120 PSI maximum tank pressure

- 2.35 CFM @ 90 PSI Extra long pump life
 - - Durable oil-free pump with minimal

AIR COMPRESSOR

10 GALLON

KC-10020SQ • Ultra-quiet, 3 HP (peak) motor, 75 dB 125 PSI maximum tank pressure • 150 PSI max pressure 5.6 CFM @ 40 PSI 4 4 CEM @ 90 PSI maintenance



8498 **ULTRA-QUIET OIL-FREE**

- Durable oil lubricated pump
- 20 gallon tank
 7.4 SCFM @ 40 PSI 5.7 SCFM @ 90 PSI
- Air Pressure Regulator and
- easy to read
- Pressure Gauges

5 PEAK HP AIR COMPRESSOR UTC/HEAD S= 20=74=57=115=112

3 GALLON AIR COMPRESSOR 8438

ASME safety valve

KING

- Durable oil lubricated pump
 1.0 CFM @ 40 PSI
 0.60 CFM @ 90 PSI
- Air pressure regulator and e asy to read pressure gauges
 Convenient reset feature

3 GALLON OIL FREE AIR COMPRESSOR & 2" BRAD NAILER KIT

ASME safety

0

8438/8200B Kit includes:

4.6 GAULON (223233)

2HP(PEAK)(60Decibels

NI Includes: • Kit comes with powerful 18 ga. x 2" brad nailer (70-100 PSI) which drives standard 18 ga. brad nails from 5/8" to 2", 1/4" x 25ft. coil air hose, two 1/4" female couplers, 1/4" male fitting, tire inflator, air blower, air blower adaptor, inflating nozzle, inflating needle, oil bottle and hex. keys

2 GALLON **2 GALLON** AIR COMPRESSOR AIR COMPRESSOR 8449C

Durable oil lubricated pump 2.70 SCFM @ 40 PSI 2.30 SCFM @ 90 PSI

- Air pressure regulator and easy to read pressure gauges

1.5 HP 2 Gallon tank



PLUS

ASME safety valve

ASME safety valve

1-1.5 HP air compressor (8449C) 1-18 gauge x 2" brad nailer kit (8200B) 1-3/8" x 25' air hose 300 PSI

(KAH-3825)



ASME safety valve

3 (\circ)

5 GALLON

TWIN TANK

AIR COMPRESSOR

5 GALLON TWIN TANK AIR COMPRESSOR & **BRAD NAILER** COMBO KIT 8488C/8200NH25

Kit includes: 1-5 gallon air compressor
1-18 gauge x 2" brad nailer kit (8200B) 1-3/8" x 25' air hose 300 PSI (KAH-3825)



ASME safety valve



COMPRESSOR ONLY

o





СОМВО КІТ



5 115

ASME safety valve



(a) col coups

ALL THE PART AND REAL PARTY.









