SPRING & 2021 SUMMER









ARCTIC FLEX

RELWITH MERID POLYMERAIR HOSE K-5038FRL

50 ft. x 3/8"

• All-Weather Flexibility (-40°C to 65°C)

Comes with wall mounting hardware


MANUALAIRIJOSE RELWIIIIIMERID POLYMER<mark>AIRIJOSE</mark> K-10014FRL

100 ft. x 1/4"

All-Weather Flexibility (-40°C to 65°C)

360° swivel base







300 PSI MAXIMUM PRESSURE



K-10058GH $5/8" \times 100 \text{ ft.}$ **Extreme All-Weather Flexibility Kink resistant**

Think KING when RENOVATING





8354N Variable speed 0-2900 SPM

Tool-less blade clamp system

Accepts standard 1/2" shank blades

Comes with a wood cutting blade, metal cutting blade and adjustment hex, key



Includes 10" carbide blade

WET-DRY VACUUM Double filtration system Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand. 20L dust bag, foam filter, reusable filter, 10" floor sweep

and crevice tool

7 1/4" 12 AMP. **CIRCULAR SAW**

8307N

Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45°

Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide

5" RANDOM **ORBIT SANDER**

8305

1.5 Amp. motor

Comes complete
with 9 PC. accessories

5" DISC HOOP AND **LOOP SANDING** PAPER KIT



2 GALLON ULTRA-QUIET OIL-FREE AIR COMPRESSOR

2 HP (peak) motor, 60 decibels

125 PSI maximum tank pressure

150 PSI max pressure3.8 CFM @ 40 PSI

• 2.35 CFM @ 90 PSI

Durable oil-free











VARIABLE SPEED HAND-HELD BLOWER/VACUUM

116 CFM, max air speed 195 km/h (121 mph)
Variable speed (6,000-14,000 RPM) Trigger lock-on button for continuous operation Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.



1/4 SHEET PALM SANDER

8351N

- Powerful 1.5 Amp. motor operates at 14,000 opm
- · Comes with 60, 100 grit sandpaper, rear vacuum port, detachable dust bag and sandpaper punch plate



DETAIL PALM SANDER

8303N

- 1.2 Amp. motor
- Comes with 12 pieces of abrasives (4 x 80 grit, 4 x 120 grit, 4 x 180 grit) and dust port adaptor





KW-168





1/3 SHEET PALM SANDER

8352

1.6 Amp. motor operates

at 24,000 opm Comes with 12 pieces of abrasives, dust port adaptor and sandpaper punch plate





KW-163





DUAL TEMPERATURE HEAT GUN

8300N Powerful 1,500 watt

motor Comes complete with heat gun, 4 nozzles, 5pc. paint scraper kit





8356VS

Belt speed 390-1250 FPM
Highly efficient dust

collection system

Comes with sanding belt and dust bag



3"x 21" SANDING BELT KITS						
	Model	Belt Size	Grit	Units/Kit	Price	
State of the last	SB-321-40	3"x 21"	40	1	\$1.99	
	SB-321-60	3"x 21"	60	1	\$1.99	
	SB-321-80	3"x 21"	80	1	\$1.99	
	SB-321-120	3"x 21"	120	1	\$1.99	

3 1/4" PLANER

8333

• 4.4 Amp. motor • 16,000 cuts per minute



VARIABLE SPEED ORBITAL JIG SAW WITH LASER

8329

- 6.5 Amp. motor Tool-less quick release
- blade change system Comes with jig saw blades, edge guide, dust chute, hex. keys





8353N 10,000 - 33,000 RPM Comes with 40" Flex Shaft, 135 PC. assorted accessories &



180 PC. **ROTARY TOOL ACCESSORY KIT**

KW-145



PORTABLE VARIABLE SPEED METAL **CUTTING BANDSAW** KC-8377

Variable speed dial for 0-420 SFPM
 Cutting capacity of 5" x 5"
 Blade tension lever for quick

adjustments

Comes with standard 44-7/8" x 1/2" 0.025"-14 TPI metal cutting blade



Optional

Miter Stand Turns this Bandsaw into a Cut-off Saw SS-8377



KC-8306

ĪŪĞ

- Motor: 7 Amp. 10,800 RPM
- Robust fence with 0 to 90° and 90° to 135° tilt adjustments with positive stops at 45° & 90°
- 45° location notch allows indexing off the outside of a mitered joint
- Kit includes biscuit joiner with 4" carbide tipped blade, dust bag, hex. key and plastic carrying case



1/2" DRILLING & MIXING KIT

KC-8316

- 0 600 RPM 9 Amp. motor
- · Variable speed trigger with lock-on button
- · Double gear reduction for added torque
- Rear D-handle rotates 360°
 Comes with 1/2" chuck,
- 3 galvanized mixing paddles (10mm hex. shank), wrench and sturdy carrying case

3 1/2" MINI PLUNGE SAW KIT

8335L

- Compact hand held plunge saw can cut wood plastic,ceramic tile, aluminum and even sheet metal
- Make plunge cuts up to 1-1/8" Worm-drive power transmission system for greater cutting power
- Comes complete with 3 blade set (24 tooth carbide tipped blade, segmented diamond blade and 80 tooth HSS blade), dust extraction hose, edge guide and blade changing hex. key















INFRARED DIGITAL THERMOMETER WITH LASER POINTER Temperature range (-50°C~550°C (-58°F~1022°F) 16 PCS. 3.6V **QUICK SELECT SCREWDRIVER KIT** 9136 KIT COMES WITH 1 x 3.6V Li-ion Screwdriver 1 x Charger 2 x Magnetized bit holders 12 x 1/4" Hex. shank bits (2 x PH1, 2 x PH2, 2 x PH3,2 x S1, 2 x S2, 2 x 6mm Flat) **NEVER LOOSE A** SCREWDRIVER BIT AGAIN The two 6 magnetized bit cartridges keepyour most popular bits at hand 3/8" ELECTRIC DRILL 8302N • 3.3 Amp. motor 3/8" Keyless chuck Forward/reverse switch Non-Slip soft grip 3/8" ELECTRIC DRILL 8304N • 5 Amp. motor 3/8" Keyless chuck Forward/reverse switch Non-Slip soft Grip 1/2" HAMMER DRILL

8309N

 Forward/ reverse switch

Drill or hammer

mode switch

8310ADN

• 3.5 Amp. motor

• Non-Slip soft grip 35.99

1/2" IMPACT

WRENCH

7.5 Amp. motor Impacts 2700 BPM • Maximum Torque 240 /ft.-lbs Comes with 4 sockets 11/16", 3/4", 13/16", and 7/8"

 0-1500 RPM Forward/reverse switch

Depth stop gauge

for depth drilling

3/8" VARIABLE SPEED 🐴

Double Insulation

RÍGHT ANGLE DRILL

















KM-090







10" RANDOM **ORBIT POLISHER**

 Ball Bearing construction 10" Tapered foam



THE KING CANADA



KM-030

APPLICATOR & BUFFING

BONNETS KIT

Double Insulation

5

AIR COMPRESSORS

3 GALLON **AIR COMPRESSOR**

8438

- Durable oil lubricated pump
- 1.0 CFM @ 40 PSI
 0.60 CFM @ 90 PSI
- Air pressure regulator and e
- asy to read pressure gauges

 Convenient reset feature

3 GALLON OIL FREE **AIR COMPRESSOR &** 2" BRAD NAILER KIT

8438/8200B

Kit includes:

If Includes:

Kit comes with powerful 18 ga. x 2"
brad nailer (70-100 PSI) which drives
standard 18 ga. brad nails from 5/8" to
2", 1/4" x 25ft. coil air hose, two 1/4"
female couplers, 1/4" male fitting, tire
inflator, air blower, air blower adaptor,
inflating nozzle, inflating needle,
coil bottle gad bey levis. oil bottle and hex, kevs

2 GALLON

8449C

- · Durable oil lubricated pump
- 2.70 SCFM @ 40 PSI
 2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressure gauges 2 Gallon tank

2 GALLON AIR COMPRESSOR AIR COMPRESSOR COMBO KIT

8449C/8200NH25

- Kit includes:
- 1- 1.5 HP air compressor (8449C) 1- 18 gauge x 2" brad nailer kit (8200B) • 1- 3/8" x 25' air hose 300 PSI
- (KAH-3825)

5 GALLON **TWIN TANK** AIR COMPRESSOR

8488C

- 3,400 RPM, 13 Amp. motor 5.0 CFM @ 40 PSI
- 4.0 CFM @ 90 PSI
- Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to 2 air tools





8488C/8200NH25

Kit includes:

- 1- 5 gallon air compressor
 1- 18 gauge x 2" brad nailer kit (8200B)
 1- 3/8" x 25' air hose 300 PSI (KAH-3825)









ASME safety valve



COMPRESSOR ONLY

COMBO KIT

COMPRESSOR ONLY

COMBO KIT

COMPRESSOR ONLY



COMBO KIT

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-1410A

- 125 PSI maximum tank pressure
- ASME safety valve
- 1/4" universal "one touch" quick connect coupler
- · Air pressure regulator and large easy to read pressure gauges

Powerful 2.5 HP, **Ultra-quiet motor** only 60 decibels

ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

- Light weight aluminum tanks
- 3.80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure

ASME safety valve 4.6 GALLON(2 X 2.3)

10 GALLON **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

KC-10020SQ

- Ultra-quiet, 3 HP (peak) motor, 75 dB
- 125 PSI maximum tank pressure
- 150 PSI max pressure
- 5.6 CFM @ 40 PSI
- 4.4 CFM @ 90 PSI
- Durable oil-free pump with minimal maintenance



5 PEAK HP AIR COMPRESSOR

8498

- · Durable oil lubricated pump
- 20 gallon tank
- 7.4 SCFM @ 40 PSI
- 5.7 SCFM @ 90 PSI
- Air Pressure Regulator and easy to read Pressure Gauges



ASME safety valve



HOT DEAL!

OT DEAL



3000 PSI **GASOLINE HIGH PRESSURE WASHER**

KPW-3001FM

- 3000 PSI, 2.3 GPM maximum water flow
- 25' high pressure hose and inlet hose quick connect coupling

7 HP 4 stroke air



RECIRCULATING

5 GALLON

KPW-205

- Safety lever has fusible link

Durable pump included

CLEANING BRUSH FOR PARTS WASHERS



5°x6° METAL CUTTING BANDSAW

KC-129C

- 3 speeds
 - (80-120-200 FPM) <
- Automatic shut-off switch

 Can be used horizontally or vertically

				I-METAL E			
7	Model			Blade Material	TPI	Thickness	
	KBB-115-10		1/2"	H.S.S.	10	.025"	\$14.99
	KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$14.99
	KBB-115-18	64 1/2"		H.S.S.	18	.025"	\$14.99
	KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025"	\$14.99
	KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$35.99
	KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$35.99
	KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$35.99

KC-9050

- 39" x 9mm flexible-obedient camera probe
 2.4" diagonal TFT-LCD color monitor,
- · Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries

INSPECTION CAMERA WIRELESS INSPECTION WITH LCD MONITOR CAMERA WITH RECORDABLE **LCD MONITOR**

Enhanced Laser Effect

KC-9200

KING

Kit includes: 39" x 9mm flexible-obedient camera probe probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 45° mirror, magnetic pick-up, pick-up hook, USB and





- KPW-220

- Durable pump included

GASOLINE GENERATORS

950W PORTABLE GENERATOR

KCG-951G

- Brushless alternator and electronic ignition
- Outlet: 120V/6.7 Amp. AC output
- Outlet: 12V/5.3 Amp. DC output
- AC and DC circuit breakers and reset buttons for safe operation
- Comes with DC cables and spark plug socket





1800W GASOLINE GENERATOR

KCG-1501GX

- Electronic ignition
- Low oil shut-off with indicator light protects the engine • Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output
- AC and DC circuit breakers for safe operation
- Comes with DC cables and spark plug socket
- Easy start recoil starter

5100W GASOLINE GENERATOR WITH WHEEL KIT

- KCG-5100G
 Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets
- CSA & EPA approved

8 HP

cooled OHV engine

3 HP

4 stroke air cooled OHV engine





6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-6502GE

AVR system and electronic ignition

- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

cooled OHV engine

10 HP

10000W GASOLINE GENERATOR WITH ELECTRIC START 15 HP cooled OHV engine

KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled motor AVR system and electronic ignition
- · Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
 AC double throw circuit breaker and resets for safe operation
- CSA & EPA approved

15,000W V-TWIN GASOLINE GENERATOR WITHELECTRIC START

KCG-15000GE

- AVR system and electronic ignition
 Two duplex outlets: 120V/20 Amp. AC
 Twist lock outlet: 120V/30 Amp. AC
 Outlet: 120V/240V/50 Amp. AC

12000W GASOLINE

- AC double throw circuit
- breaker and resets

KCG-12000GE

- Terminals: 12V/8.3 Amp DC with DC reset


20 HP

V-Twin horizontal shaft 4 stroke air cooled OHV engine










- ignition Low oil shut-off with indicator
- light protects the engine Ight profects the engine Two duplex outlets: 120V/20 Amp. AC Twist lock outlet: 120V/30 Amp. AC Outlet: 120V/240V/ 50 Amp. AC Keyed electric start and
- easy start recoil starter
- AC double throw circuit





GASOLINE WATER PUMPS

- 92' Total head lift (total height at sea level, to which water can be raised above original water level)
- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 4 hose adaptors,

Easy start recoil starter



Standard Accessories

7 HP 4 stroke air cooled OHV engine

USB**G**i



WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor



4000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-4000i

- Sine wave digital inverter generator provides stable current to power voltagesensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet 120V/30 Amp. AC output

Powerful 7.5 HP, 4 stroke air cooled OHV engine





GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10 tension cord lenath: 10 feet uge (AWG)/Cord: 12 (ŠJTW 4/C)



K-L1430-25-4T 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)

K-L1430-25EXT Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2 Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)











10" COMPOUND MITER **SAW WITH LASER**

8324N

- 15 Amp. motor, 4800 RPM
- Rotating table has 9 position stops at 0°, 15°, 22.5°, 30° and 45° right and left
- Comes with dust bag, extension bars and table vise

10" SLIDING DUAL **COMPOUND MITER SAW** WITH TWIN LASER

8385NS

- 15 Amp. motor, 5000 RPM
- Dual compound cuts miter and bevel) up to 45° left and right
- Comes with retractable extension wings, vertical hold down vise, and dust bag

12" SLIDING DUAL COMPOUND MITER SAW WITH TWIN LASER

8390NS

- 15 Amp. motor, 3,600 RPM belt drive motor
- Dual compound cuts (miter and bevel) up to 45°left & right
- Comes with dust bag, extension bars and table vise

Heavy-duty 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening **OPTIONAL** 4 pc. Accessory Kit KM-130 **BENCH** STAND SS-150 32 3/4" high



BENCH GRINDERS GRINDER KC-690 • 3.5 Amp. motor

• 3500 RPM de-or

KC-690L

• 3.5 Amp. motor • 3500 RPM

KC-890

• 7 Amp. motor • 3450 RPM

KC-895LS

• 1/2 HP 3 Amp. motor

• 1750 RPM

MULTI PURPOSE

SHARPENER KC-3900S



16" VARIABLE SPEED SCROLL SAW



1.5 Amp. motor

ELECTRIC

- Table tilts (angle cutting) up to 45°)
- Adjustable blade

tension knob







E)KING CANADA

9" WOOD BANDSAW **WITH LASER** KC-902C

> • Laser guide system indicates the cut line for reliable cuts every time • 0° to 45° square tilting table · Comes with blade, miter

gauge, rip fence, work light and light bulb

	59 1/2" WOOD CUTTING BANDSAW BLADES						
	Model	Length	Width	TPI	Thickness	Price	
A	KBB-9-6	59 1/2"	1/4"	6	.014"	\$19.9	
	KBB-9-8	59 1/2"	3/8"	8	.014"	\$19.9	

UNIVERSAL FOLDING MITER SAW STANDS



KC-701C

 Comes standard with 1/2" spindle, 5 drums (3/4", 1", 1-1/2", 2", 3"), 6 sanding sleeves (1/2" 3"- 80 Grit). 3/4", 1", 1-1/2", 2", 6 table inserts, washers and adjustment

Aluminum table tilts to allow angle sanding up to 45° Comes with adhesive

12" sanding disc Manual brake and miter gauge quickly stops sanding disc Integral 1-3/4" belt and 2" disc dust ports for shop vacuum hook-up ntegral 2" dust port

0



Disc size | Grit | Units/Kits | Price SD-6-K-60 SD-6-K-80 SD-6-K-120

4"x 36" SANDING BELT Belt Size | Grit | Units/Kits | Price SB-436-K-60 4"x36" 60 \$6.99 SB-436-K-80 4"x36" SB-436-K-100 4"x36" SB-436-K-120 4"x36

Solid cast-iron tables with

miter slots tilt from 0°-45°

Comes with sanding belt,

gauge and adjustment

hex. keys

adhesive sanding disc, miter

e the right to limit quantities. We reserve the right to correct any typographical and pictoria out notice. Articles may vary from illustration shown. Jers may not stock all products due to space a strictions and product expellebilis.