# SPRING & 2021 SUMMER











## 10" TABLE SAW **WITH RIVING KNIFE**



KC-5006R

- Blade tilts 0° to 45° for versatile
- angle cutting Comes with 10" carbidetipped ripping blade, rip fence, aluminum guide, miter gauge, push stick, blade

wrenches and

adjustment



RETRAGIABLEAIR LIOSE REELWITH LIMBRID POLYMERAIR HOSE K-5038FRL

50 ft. x 3/8"

• All-Weather Flexibility (-40°C to 65°C)

Comes with wall mounting hardware


MANUALAIRIJOSE RELWIIII IMERID POLYMER<mark>AIRIJOSE</mark> K-10014FRL


100 ft. x 1/4"

All-Weather Flexibility (-40°C to 65°C)

360° swivel base









K-5058GH  $5/8" \times 50 \text{ ft.}$ K-10058GH

 $5/8" \times 100 \text{ ft.}$ 



## WXWXXKINGGANADAAGOM

## **GASOLINE DIGITAL INVERTER GENERATORS** KCG-2001i Sine wave digital inverter generator provides stable current to power voltage-sentitive electronics Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablettes or any USB powered

equipment DC Cigarette Lighter Socket: 12V/8 Amp. DC output

 AC Duplex Outlet: 120V/ 13.3 Amp AC output







Think KING when RENOVATING





8354N

300 PSI MAXIMUM PRESSURE

Variable speed 0-2900 SPM

Tool-less blade clamp system

blade, metal cutting blade









## WET-DRY VACUUM Double filtration system

 Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand. 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice too

7 1/4" 12 AMP.

**CIRCULAR SAW** 

## 8307N

- Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45°
- Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide



## 5" RANDOM **ORBIT SANDER**

8305

1.5 Amp. motor

Comes complete
with 9 PC. accessories





## 2 GALLON ULTRA-QUIET OIL-FREE AIR COMPRESSOR

 2 HP (peak) motor, 60 decibels 125 PSI maximum tank pressure

150 PSI max pressure3.8 CFM @ 40 PSI

• 2.35 CFM @ 90 PSI Durable oil-free











## **VARIABLE SPEED HAND-HELD BLOWER/VACUUM**

116 CFM, max air speed 195 km/h (121 mph)
Variable speed (6,000-14,000 RPM) Trigger lock-on button for continuous operation Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.



## 1/4 SHEET PALM SANDER

8351N

- Powerful 1.5 Amp. motor operates at 14,000 opm
- · Comes with 60, 100 grit sandpaper, rear vacuum port, detachable dust bag and sandpaper punch plate



## **DETAIL PALM SANDER**

8303N

- 1.2 Amp. motor
- Comes with 12 pieces of abrasives (4 x 80 grit, 4 x 120 grit, 4 x 180 grit) and dust port adaptor









## 1/3 SHEET PALM SANDER

8352

- 1.6 Amp. motor operates
- at 24,000 opm Comes with 12 pieces of abrasives, dust port adaptor and sandpaper punch plate









## **DUAL TEMPERATURE HEAT GUN**

8300N Powerful 1,500 watt

motor Comes complete with heat gun, 4 nozzles, 5pc. paint scraper kit



#### 3" X 21" VARIABLE SPEED **BELT SANDER Powerful** 7.2 Amp. motor

8356VS

- Belt speed 390-1250 FPM
  Highly efficient dust
- collection system
- Comes with sanding belt and dust bag



4000												
3"x 21" SANDING BELT KITS												
	Model	Belt Size	Grit	Units/Kit	Price							
STATE OF THE OWNER, WHEN	SB-321-40	3"x 21"	40	1	\$1.99							
COMM	SB-321-60	3"x 21"	60	1	\$1.99							
MICH	SB-321-80	3"x 21"	80	1	\$1.99							
	SB-321-120	3"x 21"	120	1	\$1.99							

## 3 1/4" PLANER

8333



## VARIABLE SPEED ORBITAL JIG SAW WITH LASER

8329

- 6.5 Amp. motor Tool-less quick release
- blade change system Comes with jig saw blades, edge guide, dust chute, hex. keys





8353N

10,000 - 33,000 RPM Comes with 40" Flex Shaft, 135 PC. assorted accessories &



## 180 PC. **ROTARY TOOL ACCESSORY KIT**

KW-145



## PORTABLE VARIABLE SPEED METAL **CUTTING BANDSAW** KC-8377

Variable speed dial for 0-420 SFPM
 Cutting capacity of 5" x 5"
 Blade tension lever for quick

adjustments Comes with standard 44-7/8" x 1/2" 0.025"-14 TPI

metal cutting blade



## **Optional**

Miter Stand **Turns this Bandsaw** into a Cut-off Saw SS-8377



KC-8306

ING

- Motor: 7 Amp. 10,800 RPM
- Robust fence with 0 to 90° and 90° to 135° tilt adjustments with positive stops at 45° & 90°
- 45° location notch allows indexing off the outside of a mitered joint
- Kit includes biscuit joiner with 4" carbide tipped blade, dust bag, hex. key and plastic carrying case



## 1/2" DRILLING & MIXING KIT

KC-8316

- 0 600 RPM 9 Amp. motor
- · Variable speed trigger with lock-on button
- for added torque
- (10mm hex. shank), wrench and sturdy carrying case



## 3 1/2" MINI PLUNGE SAW KIT

8335L

- Compact hand held plunge saw can cut wood plastic,ceramic tile, aluminum and even sheet metal
- Make plunge cuts up to 1-1/8" Worm-drive power transmission system for greater cutting power
- Comes complete with 3 blade set (24 tooth carbide tipped blade, segmented diamond blade and 80 tooth HSS blade), dust extraction hose, edge guide and blade changing hex. key















## **INFRARED DIGITAL** THERMOMETER WITH LASER POINTER Temperature range (-50°C~550°C (-58°F~1022°F) 16 PCS. 3.6V **QUICK SELECT** SCREWDRIVER KIT 9136 KIT COMES WITH 1 x 3.6V Li-ion Screwdriver 1 x Charger 2 x Magnetized bit holders 12 x 1/4" Hex. shank bits (2 x PH1, 2 x PH2, 2 x PH3,2 x S1, 2 x S2, 2 x 6mm Flat) **NEVER LOOSE A** SCREWDRIVER BIT AGAIN The two 6 magnetized bit cartridges keepyour most popular bits at hand 3/8" ELECTRIC DRILL 8302N • 3.3 Amp. motor 3/8" Keyless chuck Forward/reverse switch Non-Slip soft grip 3/8" ELECTRIC DRILL 8304N • 5 Amp. motor 3/8" Keyless chuck Forward/reverse switch Non-Slip soft Grip 1/2" HAMMER DRILL

8309N

 Forward/ reverse switch

Drill or hammer

mode switch

8310ADN

• 3.5 Amp. motor

• Non-Slip soft grip

 0-1500 RPM Forward/reverse switch

Depth stop gauge

for depth drilling

3/8" VARIABLE SPEED

**RÍGHT ANGLE DRILL** 











grinder, 2 grinding wheels (1/8" & 1/4"),

5 sanding discs





OR KING CANADA









KM-090

# AIR COMPRESSORS

## 3 GALLON **AIR COMPRESSOR**

#### 8438

- Durable oil lubricated pump
- 1.0 CFM @ 40 PSI
   0.60 CFM @ 90 PSI
- Air pressure regulator and e
- asy to read pressure gauges

  Convenient reset feature

## 3 GALLON OIL FREE **AIR COMPRESSOR &** 2" BRAD NAILER KIT

8438/8200B

#### Kit includes:

If Includes:

Kit comes with powerful 18 ga. x 2"
brad nailer (70-100 PSI) which drives
standard 18 ga. brad nails from 5/8" to
2", 1/4" x 25ft. coil air hose, two 1/4"
female couplers, 1/4" male fitting, tire
inflator, air blower, air blower adaptor,
inflating nozzle, inflating needle,
coil bottle gad bey levis. oil bottle and hex, kevs

## 2 GALLON

#### 8449C

- · Durable oil lubricated pump
- 2.70 SCFM @ 40 PSI
  2.30 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressure gauges 2 Gallon tank

## 2 GALLON AIR COMPRESSOR AIR COMPRESSOR COMBO KIT


## 8449C/8200NH25


- Kit includes:
- 1- 1.5 HP air compressor (8449C) 1- 18 gauge x 2" brad nailer kit (8200B) • 1- 3/8" x 25' air hose 300 PSI
- (KAH-3825)

## 5 GALLON **TWIN TANK** AIR COMPRESSOR

#### 8488C

- 3,400 RPM, 13 Amp. motor 5.0 CFM @ 40 PSI
- 4.0 CFM @ 90 PSI
- Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to 2 air tools







**COMPRESSOR ONLY** 

**COMBO KIT** 



**COMPRESSOR ONLY** 



KING CANADA

**COMBO KIT** 



**COMPRESSOR ONLY** 



**5 GALLON TWIN** 

COMPRESSOR

COMBO KIT

Kit includes:

& BRAD NAILER

8488C/8200NH25

**TANK AIR** 

## **ULTRA-QUIET OIL-FREE AIR COMPRESSOR**

### KC-1410A

- 125 PSI maximum tank pressure
- ASME safety valve
- 1/4" universal "one touch" quick connect coupler
- · Air pressure regulator and large easy to read pressure gauges

Powerful 2.5 HP, **Ultra-quiet motor** only 60 decibels

## **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

## KC-4620A

- Light weight aluminum tanks
- 3.80 CFM @ 40 PSI
- 2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure

## ASME safety valve 4.6 GALLON(2 X 2.3)

2 HP (PEAK) (60 Decibels)

## 10 GALLON **ULTRA-QUIET OIL-FREE** AIR COMPRESSOR

## KC-10020SQ

ASME safety valv

- Ultra-quiet, 3 HP (peak) motor, 75 dB
- 125 PSI maximum tank pressure
- 150 PSI max pressure
- 5.6 CFM @ 40 PSI
- 4.4 CFM @ 90 PSI
- Durable oil-free pump with minimal maintenance



## **5 PEAK HP** AIR COMPRESSOR

#### 8498

- · Durable oil lubricated pump
- 20 gallon tank

ASME safety valve

- 7.4 SCFM @ 40 PSI
- 5.7 SCFM @ 90 PSI
- Air Pressure Regulator and easy to read Pressure Gauges





ASME safety valve

ASME safety valve

ASME safety valve



HOT DEAL!



## 3000 PSI **GASOLINE HIGH PRESSURE WASHER**

## KPW-3001FM

- 3000 PSI, 2.3 GPM maximum water flow
- 25' high pressure hose and inlet hose quick connect coupling

7 HP 4 stroke air



# RECIRCULATING

## 5 GALLON

KPW-205

- Safety lever has fusible link
- Durable pump included



CLEANING BRUSH FOR PARTS WASHERS



## 5° x6° METAL CUTTING BANDSAW

## KC-129C

- 3 speeds
- (80-120-200 FPM) <
- Automatic shut-off switch
- Can be used horizontally or vertically

				I-METAL E			
1	Model	Length	Width	Blade Material	TPI	Thickness	
Name and Address of the Owner, where	KBB-115-10	64 1/2"	1/2"	H.S.S.	10		\$14.99
DESCRIPTION OF THE PERSON NAMED IN	KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$14.99
	KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$14.99
	KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025"	\$14.99
	KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$35.99
	KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$35.99
	KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$35.99

KC-9050

- 39" x 9mm flexible-obedient camera probe
   2.4" diagonal TFT-LCD color monitor,
- · Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries

## INSPECTION CAMERA WIRELESS INSPECTION WITH LCD MONITOR CAMERA WITH RECORDABLE **LCD MONITOR**

Enhanced Laser Effect

KC-9200

KING

Kit includes: 39" x 9mm flexible-obedient camera probe probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 45° mirror, magnetic pick-up, pick-up hook, USB and Video cables, 4GB SD memory card and 4 AA batteries



## GASOLINE GENERATORS

## 950W PORTABLE GENERATOR

KCG-951G

- Brushless alternator and electronic ignition
- Outlet: 120V/6.7 Amp. AC output
- Outlet: 12V/5.3 Amp. DC output
- AC and DC circuit breakers and reset buttons for safe operation
- Comes with DC cables and spark plug socket





## **1800W GASOLINE GENERATOR**

#### KCG-1501GX

- Electronic ignition
- Low oil shut-off with indicator light protects the engine • Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output
- AC and DC circuit breakers for safe operation
- Comes with DC cables and spark plug socket
- Easy start recoil starter

## 5100W GASOLINE GENERATOR WITH WHEEL KIT

- KCG-5100G
   Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets
- CSA & EPA approved

# 3 HP

**8 HP** 

cooled OHV engine

4 stroke air cooled OHV engine





## 6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-6502GE

AVR system and electronic ignition

- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation



cooled OHV engine

## **10000W GASOLINE GENERATOR** WITH ELECTRIC START 15 HP

KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- · Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
  AC double throw circuit breaker and resets for safe operation
- CSA & EPA approved

## 15,000W V-TWIN GASOLINE GENERATOR WITHELECTRIC START

## KCG-15000GE

- AVR system and electronic ignition
   Two duplex outlets: 120V/20 Amp. AC
   Twist lock outlet: 120V/30 Amp. AC
   Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit
- breaker and resets
- Terminals: 12V/8.3 Amp DC with DC reset

## 20 HP

V-Twin horizontal shaft 4 stroke air cooled OHV engine





## 12000W GASOLINE GENERATOR WITH ELECTRIC START GASOLINE/PROPANE KCG-12000GE



### GENERATOR WITH ELECTRIC START KCG-12001GE-DF AVR system and electronic

- ignition Low oil shut-off with indicator
- light protects the engine
- Ight profects the engine Two duplex outlets: 120V/20 Amp. AC Twist lock outlet: 120V/30 Amp. AC Outlet: 120V/240V/ 50 Amp. AC Keyed electric start and
- easy start recoil starter AC double throw circuit breaker and resets



## GASOLINE WATER PUMPS

- 92' Total head lift (total height at sea level, to which water can be raised above original water level)
- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 4 hose adaptors,

Easy start recoil starter



Standard Accessories

7 HP 4 stroke air cooled OHV engine

USB**a**i



## WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor



## 4000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-4000i

- Sine wave digital inverter generator provides stable current to power voltagesensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet 120V/30 Amp. AC output





## GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



## GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10 tension cord lenath: 10 feet Gauge (AWG)/Cord: 12 (ŠJTW 4/C)



K-L1430-25-4T 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C) K-L1430-25EXT

Extension cord length: 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



## 50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2 Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)









## 10" COMPOUND MITER **SAW WITH LASER**

8324N

- 15 Amp. motor, 4800 RPM
- Rotating table has 9 position stops at 0°, 15°, 22.5°, 30° and 45° right and left
- Comes with dust bag, extension bars and table vise

## 10" SLIDING DUAL **COMPOUND MITER SAW** WITH TWIN LASER

8385NS

- 15 Amp. motor, 5000 RPM
- Dual compound cuts miter and bevel) up to 45° left and right
- Comes with retractable extension wings, vertical hold down vise, and dust bag

## 12" SLIDING DUAL **COMPOUND MITER SAW** WITH TWIN LASER

8390NS

- 15 Amp. motor, 3,600 RPM belt drive motor
- Dual compound cuts (miter and bevel) up to 45°left & right
- Comes with dust bag, extension bars and table vise

## Heavy-duty 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening **OPTIONAL** 4 pc. Accessory Kit KM-130 **BENCH** GRINDER STAND SS-150 32 3/4" high



**BENCH GRINDERS** 

KC-690 • 3.5 Amp. motor • 3500 RPM de-or

KC-690L • 3.5 Amp. motor

• 3500 RPM

KC-890 • 7 Amp. motor

• 3450 RPM

KC-895LS

• 1/2 HP 3 Amp. motor

• 1750 RPM



## 16" VARIABLE SPEED SCROLL SAW



1.5 Amp. motor

 Table tilts (angle cutting) up to 45°)

Adjustable blade tension knob





# KING CANADA

## 9" WOOD BANDSAW **WITH LASER** KC-902C

• Laser guide system indicates the cut line for reliable cuts every time • 0° to 45° square tilting table · Comes with blade, miter gauge, rip fence, work light and light bulb

Length KBB-9-6 59 1/2 KBB-9-8 59 1/2

## UNIVERSAL FOLDING MITER SAW STANDS



KC-701C

• 5.2 Amp. motor Miter gauge Adjustable tilting table

 Comes standard with 1/2" spindle, 5 drums (3/4", 1", 1-1/2", 2", 3"), 6 sanding sleeves (1/2" 3"- 80 Grit). 3/4", 1", 1-1/2", 2", 6 table inserts, washers and adjustment

Aluminum table tilts to allow angle sanding up to 45° Comes with adhesive 12" sanding disc

Manual brake and miter gauge quickly stops sanding disc Integral 1-3/4" belt and 2" disc dust ports for shop vacuum hook-up ntegral 2 dust port

Disc size | Grit | Units/Kits | Price SD-6-K-60 SD-6-K-80 SD-6-K-120

4"x 36" SANDING BELT Belt Size | Grit | Units/Kits | Price SB-436-K-60 4"x36" 60 \$6.99 SB-436-K-80 4"x36" SB-436-K-100 4"x36" SB-436-K-120 4"x36

Solid cast-iron tables with

miter slots tilt from 0°-45°

Comes with sanding belt,

gauge and adjustment

hex. keys

adhesive sanding disc, miter

## 0 **COMBINATION** 4"x 36" BELT AND **6" DISC SANDER** KC-705L-6