

KING
INDUSTRIAL

RE-TOOL YOUR METAL SHOP

FALL & WINTER 2021

PRICES IN EFFECT UNTIL DECEMBER 31ST, 2021

USE WHAT THE PROS USE



Proudly Canadian



29 PC. TITANIUM DRILL BIT SET KDB-29T

29 (1/16"-1/2" x 1/6 4")

\$39.99



Digital Readout
Mechanical variable speed system

12" BENCH VARIABLE SPEED DRILL PRESS KC-12HS-VS

- Powerful 1/2 HP, 5 Amp.
- Variable speeds (580 - 3200 RPM)
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys



Digital Readout
Mechanical variable speed system

NEW

NEW

\$459.99

15" FLOOR VARIABLE SPEED DRILL PRESS KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor
- 4" stroke capacity allows drilling workpieces up to 4" thick
- Variable speeds 2 (280 - 1100/ 900-3300) RPM
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

\$699.99

The Most Innovative Drill Presses EVER!



DVR with Adaptive Control™ Software
BY: KING INDUSTRIAL

DVR with Adaptive Control™ Software
BY: KING INDUSTRIAL

16" NOVA VIKING DVR DRILL PRESS 83705

- Powerful direct drive 1 HP high torque motor with no pulleys or belts to cause vibration
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable, knock-out wedge, adjustment wrench and hex. keys

\$1499.

18" NOVA VOYAGER DVR DRILL PRESS 58006

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts to cause vibration
- Spindle taper MT #2
- Comes with 5/8" drill chuck & key, firmware USB cable, knock-out wedge, adjustment wrench and hex. keys

\$2199.

MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

PDM-30

- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8
- 12 speeds (150-2500 RPM)



11 Amp. (220V)

OPTIONAL TABLE POWERFEED ATTACHMENT PFM-32

For # PDM-30

\$599.

5 PC. ACCESSORY BONUS PACKAGE FREE
INCLUDED WITH THE PURCHASE OF A PDM-30 MILLING DRILLING MACHINE
Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and face mill arbor

MILLING DRILLING MACHINE STAND SS-45

Heavy-duty steel construction

\$359.99

\$2699.

10" WET/DRY SHARPENER KIT KC-4900S

- Heavy-duty 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
- Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels



\$219.99

OPTIONAL 4 pc. Accessory Kit KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)

\$69.99

STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR KC-6160V3

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI



Thermally protected US Motor®
6.5 peak HP motor with reset

2 cylinder cast iron single stage oil lubricated pump

\$1099.

5 PC. CUTTER HOLDER SETS

KM-046

3/8" Shank

Fits: KC-0712ML, KC-1022ML, KC-1620CLM

\$65.

OPTIONAL

KM-124

Elevating block

with 7/16" T-slots (7-7/8" x 5-7/8" x 5")

\$179.

16" X 20" COMBO LATHE/MILL KC-1620CLM



- Two powerful 3/4 HP 110V motors
- Lathe chuck and drill chuck safety guards with limit switch protection and standard tool post safety guard
- Comes with 5" - 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

OPTIONAL STAND SS-1620CLM

(41-3/8" x 19-1/4" x 30-1/2")

\$449.

7" X 12" METAL CUTTING BANDSAW KC-712BC

- 11.5 Amp. motor
- Coolant system
- 4 speeds (85-130-180-235 FPM)



\$1749.

Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-10	93"	3/4"	H.S.S.	10	.032"	\$21.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$21.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$21.99
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$64.99
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$64.99

MILLING DRILLING MACHINES & ACCESSORIES

17" LONG STROKE DRILL PRESS with SAFETY GUARD



LONG STROKE

KC-119FC-LS

- 12.5 Amp. motor
- 12 speeds
- Spindle taper MT #3 (255-2750 RPM)
- 16 15/16" swing
- 6" stroke

\$1199.

17" DRILL PRESS



KC-118FC

- 12.5 Amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$799.

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



KC-118FC-LS

- 12.5 Amp. motor
- 16 speeds (240-3400 RPM)
- 17" swing
- 3 1/4" stroke
- 5/8" chuck

\$899.

22" DRILL PRESS



KC-122FC

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

\$1259.

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



KC-122FC-LS

- 12.5 Amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (180-4200 RPM)
- 4 3/4" stroke
- 3/4" chuck

\$1359.

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



KC-30HS-VS

- Powerful 1 HP motor
- E-stop 2 step activation safety switch with line voltage interruption in case of power failure
- Variable speeds: 400-5,000 RPM
- Comes with 5/8" drill chuck, chuck key and adjustment hex. keys

\$2699.

DRILL PRESS VISES



3"- KPV-3 **\$19.99**
 4"- KPV-4 **\$25.99**
 5"- KPV-5 **\$35.99**
 6"- KPV-6 **\$45.99**

52 PC. CLAMPING KITS



KCL-5212 **\$99.99**
 Fits 1/2" table slots
KCL-52 **\$99.99**
 Fits 5/8" table slots

CROSS SLIDE VISES



- Extremely versatile
- Makes lateral or longitudinal adjustments simple

4"-KCV-4N **\$65.**
 5"-KCV-5N **\$85.**
 6"-KCV-6N **\$109.99**

KEYLESS DRILL CHUCKS



KDC-12X **\$69.99**
 1/2"JT#33
KDC-58X **\$79.99**
 5/8"JT#3
KDC-34X **\$119.99**
 3/4"JT#4

COMPOUND SLIDE TABLE



KCT-618 **\$249.99**
 6" X 18 1/2" 1/2" T-slots

20 PC. TITANIUM COATED END MILL SET



KM-120 **\$179.99**
 TITANIUM NITRIDE COATED HIGH SPEED STEEL
 2 & 4 Flute
 (10 pcs. each) Imperial, Single End

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT

21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH




KC-40HS (220V)
KC-40HS-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper MT#3
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"

\$4999.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT

21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH



KC-40HC (220V)
KC-40HC-6 (600V)

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper R-8
- 6 Speeds (60-1500 RPM)
- Face Mill Capacity 4"
- End Mill capacity 3/4"
- Working surface of table 23"x 7 1/2"

\$5999.

POWER DOWNFEED & TAPPING RECIRCULATING COOLANT SYSTEM

28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH



KC-50

- 2 HP motor
- 27 1/2" swing
- 7" stroke
- Speeds (60-870 / 120-1740)
- 1 1/2" capacity
- Spindle taper MT#4
- 5/8" Chuck & key included

\$5999.

RADIAL DRILLING MACHINE WITH SAFETY GUARD



KC-35/SS-35 **\$4999.**

- 1.5 HP Motor
- 21 1/4" Max. distance spindle nose to table
- 38 1/2" swing
- MT #3 Spindle taper
- Speeds 5(340-3000 R.P.M.)
- 5 1/4" Spindle stroke
- 4 1/2" Column diameter
- 21 5/8" x 19 5/8" Table dimensions
- 14" Head travel
- 5/8" Size of T-Slot on table
- Complete with forward reverse switch, 1/2" chuck with key, safety guard and stand

MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH

KC-20VS-2

- 1 HP Motor
- 13" Max. distance spindle nose to table
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Speeds 2(50-1125 / 100-2250 RPM)
- 7 1/16" x 27 1/2" Table dimensions
- 1/2" Size of T-Slot on table
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box



OPTIONAL

MILLING DRILLING MACHINE STAND

SS-20VS

Heavy-duty steel construction

\$359.⁹⁹

\$2399.

FAGOR DIGITAL READOUT SYSTEMS

20i-M-1836

(Fits 1050VS)
2 AXIS with
18" x 36"
scales

\$1999.

30i-M-183616

(Fits 1050VS)
3 AXIS with
18" x 36" x 16"
scales

\$2899.



GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8

\$5999.

OPTIONAL

TABLE POWERFEED ATTACHMENT

PFM-32

For # KC-45

\$599.

OPTIONAL MILLING DRILLING MACHINE STAND

SS-45

\$359.⁹⁹

Heavy-duty steel construction



Column tilts 45° to the right or left

MINI MILLING DRILLING MACHINE

KC-15VS

- Powerful 3/4 HP single phase DC motor
- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Rubber chip guards on ways
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8-JT#33 chuck arbor, chuck guard, 2 T-slot nuts, oil bottle, adjustment wrenches and hex. keys

\$1099.



VERTICAL TURRET MILLING MACHINE

1050VS

- 5 HP Motor • ISO-40 Spindle taper
- Size of table 10" x 50" • Table travel 36"
- Saddle travel 16 1/2" • Knee travel 16"
- Quill travel 5" • 2 speed variable speed drive (70-500, 600-4200 RPM)
- Max. distance spindle to table 18"
- Distance spindle to column 24"
- Quill power feed (.0015", .003", .006")
- Ram movement 24"

\$14999.



TURRET HEAD SWIVELS 360°

INCLUDED

TABLE POWERFEED ATTACHMENT
(550 LBS TORQUE)
LONGITUDINAL

12" SLOW SPEED COLD CUT SAW

KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°

Blade not included



\$2999.

OPTIONAL
12" COLD CUT
SAW BLADE
KM-1200
(Made in Italy)

\$325.

18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015

- Straight shank taper ISO 40
- Draw Bar 5/8" W/I

KCS-R8-15

- Straight shank taper R8
- Draw Bar 7/16" NF 20

\$399.⁹⁹ ea.



DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6

Size 6"

KC-DPRT-8

Size 8"

\$139.⁹⁹ ea.



HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6

Size 6"

KC-HVRT-8

Size 8"

\$449.

\$625.



K-TYPE SWIVEL BASE MILLING VISES

3"-

4"-

6"-

8"-

KMV-3M

KMV-4M

KMV-6M


KMV-8M

\$109.

\$169.

\$199.

\$299.



TAILSTOCK FOR ROTARY TABLE

KC-TRT-6

Fits: KC-HVRT-6,
KC-HVRT-8

\$139.⁹⁹



PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

- Variable speed dial for 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever for quick adjustments
- Comes with standard 44-7/8" x 1/2" x 0.025" 14 TPI metal cutting blade

\$219.99

OPTIONAL

Miter Stand turns this Bandsaw into a Cut-off Saw
SS-8377

\$99.99

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$21.99
KBB-8376-BM-1418	44 7/8"	1"	14-18	.020"	\$21.99

5" x 6" METAL CUTTING BANDSAW

KC-129C

- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability

8 Amp. (110V)

\$679.

H.S.S. & BI-METAL BLADES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025"	\$15.99
KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$15.99
KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$15.99
KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025"	\$15.99
KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$37.99
KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$37.99
KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$37.99

5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

ADJUSTABLE HYDRAULIC CYLINDER

\$1049.

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch
- Adjustable ball bearing guides
- Portable design for easy movement

8 Amp. (110V)

10" x 18" METAL CUTTING BANDSAW

KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guide
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- To ensure reliable accurate cuts, both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves provide an even flow of coolant to the blade

PRECISION PRESSURE GAUGE INDICATES THE BLADE TENSION



H.S.S. BLADES				
Model	Length	Width	TPI	Price
KBB-225-10	122"	1"	10 .032"	\$37.99
KBB-225-14	122"	1"	14 .032"	\$37.99

**11.5 Amp. @ 220V
2.6 Amp. @ 600V**

PATENTED
TRU-LOCK quick locking vise system. Fully adjustable jaws for 0° to 45° angled cuts

Exclusive 24 Volt control panel

\$5599.

10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

**11.5 Amp. @ 220V
2.6 Amp. @ 600V**

- Variable Speeds (73-312 FPM)
- Carbide ball bearing blade guides
- Adjustable hydraulic downfeed control
- Swivel base from 0° to 45°
- Coolant system with regulator valves provide an even flow of coolant to the blade

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10 .032"		\$99.99
KBB-225-BM-812	122"	1"	8-12 .032"		\$99.99

PATENTED
TRU-LOCK quick locking vise system. Fully adjustable jaws for 0° to 45° angled cuts

Exclusive 24 Volt control panel

\$7799.

7" x 12" METAL CUTTING BANDSAW WITH GEAR DRIVE

KC-712GH-5

- Returning coolant system
- 3 (110-230-340 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

PATENTED GEAR DRIVE SYSTEM...

is the ONLY one in the Canadian market which allows the user to change speeds without stopping the machine.



PATENTED TRU-LOCK quick locking vise system

\$2499.

14 Amp. (110V)

9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V

- Returning coolant system
- Speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles



VARIABLE SPEED

8 Amp. (220V)

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$37.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$37.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99

\$7999.

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

6 Amp. (220V)

PATENTED TRU-LOCK quick locking vise system



\$3699.

17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



Blade speed digital readout

RESAW FENCE SYSTEM

23 1/2" x 17" cast iron table
Tilts 5° to the left & 45° to the right

2- 4" Dust chutes for dust collector hook-up

2 HP (8 Amp. @ 220V)

\$4299.

18" METAL CUTTING BANDSAW

KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



7.5 Amp. (220V)

\$5499.

METAL FORMING MACHINES

KING
INDUSTRIAL

16 GAUGE BOX AND PAN BRAKE

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

\$1399.

NEW HEAVIER DUTY MODEL

52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

\$2599.

COMBINATION ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Distance between shaft centers: 2"
- Depth of throat to frame: 7"
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

\$749.

ARBOR PRESS

KAP-3

- Precision cut steel rams and pinions for accurate operation
- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

\$379.

SHEAR, BRAKE AND ROLL

3 IN 1

METAL FORMING MACHINES

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

\$659.

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

\$999.

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

\$1599.

12" HAND SHEAR

KC-HS12

- Level arm with compensating spring
- Easy cutting across the entire length
- Rigid cutter body

\$275.

4 TON HAND NOTCHER

KC-N616

- Heavy cast-iron construction
- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

\$749.

SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

\$1899.

KC-S3622

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

\$899.

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

\$699.

FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs

\$3999.

BENCH GRINDERS

BENCH GRINDER STAND

SS-150

- Made of cast iron with coolant reservoir
- 32 3/4" high



\$89.99



KC-690
• 3.5 Amp. motor
• 3500 RPM

\$75.



KC-890
• 7 Amp. motor
• 3450 RPM

\$119.99



KC-1090
• 14 Amp. motor
• 1720 RPM

\$319.99

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND

KC-1295

- Robust cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Comes complete with floor stand, built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels



1.5 HP Direct Drive Motor (220V)

\$1599.

MAGNETIC SWITCHES

Comes with twist lock emergency stop button

KMAG-110-811	110V (8-11 Amp.)
KMAG-110-1114	110V (11-14 Amp.)
KMAG-110-1417	110V (14-17 Amp.)
KMAG-220-811	220V (8-11 Amp.)
KMAG-220-1114	220V (11-14 Amp.)
KMAG-220-1417	220V (14-17 Amp.)
KMAG-220-1721	220V (17-21 Amp.)



\$109.99 ea.

14" CUT-OFF SAW

8342LN

- Standard 14" abrasive wheel for cutting ferrous metal
- Heavy-duty steel base with foot pads minimizes vibration
- Quick release vise for holding workpiece, which allow cuts up to a 45° angle

DIGITAL FRACTIONAL CALIPER



KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included

\$29.99



Powerful 15 Amp. motor

\$179.99

2 HP METAL DUST COLLECTOR

KC-7300C

- 2 Step activation safety switch with line voltage interruption in case of power failure
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer is easy to access and clean
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



\$1599.

FIREPROOF 3" METAL DUST COLLECTION HOSES KIT

RATED 130°C

KM-102

Kits Includes: 2 - 8ft. (2.5M) 130° Fireproof hoses 4 - hose clamps (3")



\$79.99

3" X 79" METAL BELT SANDER

KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces



2 HP (220V)

Comes with Canadian made 80 Grit pure zirconia sanding belt

3" x 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$19.99
SB-379-80	3"x79"	80	1	\$19.99
SB-379-120	3"x79"	120	1	\$19.99

\$1049.



AIR COMPRESSORS & ACCESSORIES

SPRAY GUN KITS

8180

8182

8185

\$34.99

\$44.99

\$59.99

8190 HVLP

8195

\$69.99

\$95.

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

- KC-2051H2
- 150 PSI max pressure
 - 7.6 CFM @ 40 PSI
 - 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump



ASME
safety
valve

\$749.

AIR TOOL KIT 71 PC.

8171

Comes with
1/2" Impact,
Wrench,
3/8" Ratchet
Wrench, Air
Hammer
and 1/4"
Die Grinder

\$149.99



5.5 PEAK HP 24 GALLON AIR COMPRESSOR

KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump



ASME
safety
valve

\$849.

COMPRESSOR OIL BOTTLE

KW-077 (850ml) \$9.99



HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V3

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI
- High efficiency reed valves

3 cylinder cast iron
single stage oil
lubricated pump



ASME
safety
valve

\$1599.

TIRE INFLATION GUN WITH PRESSURE GAUGE

K-1630 \$23.99



HIGH OUTPUT 7.5 PEAK HP 80 GALLON AIR COMPRESSOR

KC-7180V3-MS

- 200 PSI max pressure
- 43 CFM @ 40 PSI
- 28 CFM @ 175 PSI

2 cylinder cast iron
single stage oil
lubricated pump

High Performance
Air Compressor with high
output of
28 CFM @ 175 PSI

NEW & IMPROVED



Comes
with
magnetic
starter

ASME
safety
valve

\$3699.

ARCTIC FLEX (-40°C to 65°C)



HYBRID POLYMER INDUSTRIAL AIR HOSES

K-2514H	25'x1/4"	\$21.99
K-2538H	25'x3/8"	\$29.99
K-5014H	50'x1/4"	\$33.99
K-5038H	50'x3/8"	\$44.99
K-10014H	100'x1/4"	\$54.99
K-10038H	100'x3/8"	\$65.99

RETRACTABLE AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE

\$109.99

K-5038FRL
50 ft. x 3/8"

- All-Weather Flexibility (-40°C to 65°C)
- Comes with wall mounting hardware



MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE

\$109.99

K-10014FRL
100 ft. x 1/4"

- All-Weather Flexibility (-40°C to 65°C)
- 360° swivel base



PREMIUM HYBRID POLYMER GARDEN HOSES



K-5058GH
5/8" x 50 ft.
\$45.

K-10058GH
5/8" x 100 ft.
\$75.

150 PSI (Working) / 450 PSI (Burst)
Extreme All-Weather Flexibility Kink resistant

WET-DRY VACUUMS

Double filtration system with
pleated cartridge filter

8530LPN

- Powerful 9 Amp., 4 Peak HP motor
- 8 US Gallon (30L) corrosion resistant plastic tank
- Convenient 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

Tank
water
drain

\$109.99

8540LST

- Powerful 10 Amp., 5 Peak HP motor
- 10 US Gallon (40L) corrosion resistant stainless steel tank
- Convenient 12 ft. power cord
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

Tank
water
drain

\$179.99

8560LST

- Powerful 10.5 Amp., 6.5 Peak HP motor
- 16 US Gallon (60L) corrosion resistant stainless steel tank
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, contoured handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

Tank
water
drain

\$299.99

HEPA CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller.

KVAC-1145
FITS: 8520LP,
8530LPN,
8531LPB,
8540LST,

\$39.

KVAC-1150
Fits: 8560LST

\$39.



LED WORK LIGHTS

KC-3002LED-ST
40W work light emits 6000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

\$149.99

KC-4002LED-ST
72W work light emits 8000 lumens

- Quick release latch
- For indoor and outdoor use in dry locations

\$219.99

KC-1501LED
15W Work light emits 1500 lumens

\$35.99

KC-3001LED
20W work light emits 3000 lumens

\$59.99

KC-4001LED
36W work light emits 4000 lumens

\$99.99

CORDLESS LED WORK LIGHTS

750 Lumen LED Worklight
KC-750LED-B

\$19.99

COMES WITH MAGNETIC BASE & 4 PANASONIC AA BATTERIES

10W Work light emits 1500 lumens
KC-1502LED-C

\$59.99

SANDBLAST CABINETS

WITH LED LIGHT

LED light for improved visibility

- LED light for improved visibility
- Gun comes with 4 different sized ceramic nozzles for different usages
- 2 rubber gauntlet gloves mounted in front
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors

KSB-110N-LED
\$215.

KSB-350-LED
\$699.

PRESSURE ABRASIVE SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

10 GALLON
KSB-10
\$259.99

20 GALLON
KSB-20
\$319.99

Protective blast hood included

2 TON FOLDING SHOP CRANE

KFC-2TC

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

\$369.99

INSPECTION CAMERA WITH LCD MONITOR

KC-9050

Kit includes:

- Camera handle, 9mm dia. x 39" flexible camera probe
- 2.4" diagonal TFT-LCD color monitor
- Kit comes with 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook) and 4 AA batteries

\$109.99

WIRELESS INSPECTION CAMERA WITH RECORDABLE LCD MONITOR

KC-9200

Kit includes:

- Camera handle, 39" x 9mm camera probe, 39" x 10mm camera probe extension, 3.5" TFT-LCD wireless color monitor, monitor Li-ion charger, 3 accessory tools (45° mirror, magnetic pick-up, pick-up hook), USB and Video cables, 4GB SD memory card and 4 AA batteries

\$219.99

HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

20 TON

Optional 9 PC. PUNCH & DIE KIT KM-045
\$119.

10 TON

\$349.99
KHP-10T-GGN

\$499.99
KHP-20T-GGN

ADHESIVE WINDOW PROTECTORS

KM-097
Fits: KSB-110N-LED
5 PC. KIT
\$25.

KM-098
Fits: KSB-350-LED
5 PC. KIT
\$25.

REPLACEMENT CERAMIC NOZZLES

KM-036
Fits: KSB-110N-LED & KSB-350-LED
4 PC. KIT
\$25.

ALL WEATHER HEAVY-DUTY SINGLE-TAP EXTENSION CORDS

(-40°C to 60°C) 12/3

Model	Length	AWG	Color	\$
K-2512-1T-YE	25'	12/3	YELLOW	36.99
K-2512-1T-RD	25'	12/3	RED	36.99
K-2512-1T-OR	25'	12/3	ORANGE	36.99

• 15A 125V, 1675W For indoor and outdoor use
• Ultra flexible / High visibility colors / Lighted ends

K-5012-1T-YE	50'	12/3	YELLOW	69.99
K-5012-1T-RD	50'	12/3	RED	69.99
K-5012-1T-OR	50'	12/3	ORANGE	69.99
K-5012-1T-GN	50'	12/3	GREEN	69.99

RECIRCULATING PARTS WASHERS

CLEANING BRUSH FOR PARTS WASHERS
KM-059
\$19.99

5 GALLON
KPW-205
Safety lever has fusible link
Durable pump included
\$85.

20 GALLON
KPW-220
Safety lever has fusible link
Durable pump included
\$199.99

40 GALLON
KPW-240
Safety lever has fusible link
Durable pump included
\$279.99

PORTABLE & GASOLINE GENERATORS & ACCESSORIES

950W PORTABLE GENERATOR

KCG-951G

- **Powerful 2 HP**, 2 stroke air cooled motor
- Brushless alternator and electronic ignition
- Outlet: 120V/6.7 Amp. AC output
- Outlet: 12V/5.3 Amp. DC output
- AC and DC circuit breakers and reset buttons for safe operation
- Comes with DC cables and spark plug socket

\$215.99



1800W GASOLINE GENERATOR

KCG-1501GX

- **Powerful 3 HP**, 4 stroke air cooled motor
- Electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output
- AC and DC circuit breakers for safe operation
- Comes with DC cables and spark plug socket
- Easy start recoil starter

\$399.99



5100W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

- **Powerful 8 HP**, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets
- CSA & EPA approved

\$469.99



6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-6502GE

- **Powerful 10 HP**, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

\$699.99



10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

- **Powerful 15 HP**, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation
- CSA & EPA approved

\$999.99



12000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

- **Powerful 18 HP**, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets

\$1099.99



GENERATOR HOME CONNECTION KIT

K-X7500



Outdoor to indoor receptacle kit

Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware

\$109.99

GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length:

10 feet

Gauge (AWG)/Cord:

12 (SJTW 4/C)

\$39.99



K-L1430-25-4T

Extension cord length:

25 feet

Gauge (AWG)/Cord:

10 (SJTW 4/C)

\$99.99



K-L1430R-25

Extension cord length:

25 feet

Gauge (AWG)/Cord:

10 (SJTW 4/C)

\$99.99



K-L1430-25EXT

Extension cord length:

25 feet

Gauge (AWG)/Cord:

10 (SJTW 4/C)

\$99.99



50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2

Cord length: 1.5 feet

Gauge (AWG)/Cord: 10 (SJTW 4/C)

\$69.99

Female receptacle with lighted end



12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-12001GE-DF

- **Powerful 18 HP**, 4 stroke air cooled motor
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets



Comes with propane tank connection cable



\$1299.99

GASOLINE WATER PUMPS

- 105" (KCG-2WPG) or 92" (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

Powerful 7 HP,
4 stroke air cooled
OHV engine

2"
NPT inlet
and outlet

Powerful 7 HP,
4 stroke air cooled
OHV engine

3"
NPT inlet
and outlet



KCG-2WPG
\$339.99



Standard
accessories



Standard
accessories

KCG-3WPG
\$399.99

WATER PUMP HOSE KITS

Each hose kit comes with a
type A threaded camlock adaptor

CLEAR PVC REINFORCED
SUCTION HOSES

FLAT PVC
DISCHARGE HOSES



\$119.99 **\$199.99** **\$89.99** **\$119.99**
KW-252 KW-253 KW-502 KW-503
2" X 25 ft 3" X 25 ft 2" X 50 ft 3" X 50 ft

GASOLINE ENGINES

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction

KCG-65
Powerful 6.5 HP,
4 stroke air cooled
OHV engines

\$229.

KCG-130
Powerful 13 HP,
4 stroke air cooled
OHV engines

\$449.



PALLET TRUCKS

**5500 LBS
CAPACITY**

KC-2145N-NYL
(21" X 45")
Nylon wheels
429.99

KC-2748N-NYL
(27" X 48")
Nylon wheels
429.99

KC-2748NP
(27" X 48")
Poly wheels
429.99



**3000 PSI GASOLINE
HIGH PRESSURE
WASHER**

KPW-3001FM

- 3000 PSI, 2.3 GPM maximum water flow
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose quick connect coupling
- Comes with 10" pneumatic wheels for portability and 4 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

7 HP

\$499.99



3 position control handle

Max. raised height of forks 7 1/2"

Min. height of forks 2.95"

**QUICK RELEASE
FOOT PEDAL**

**QUICK RELEASE
FOOT PEDAL**

15,000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- **Powerful 20 HP**, V-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset

**AUTO-IDLE DOWN
FUNCTION** extends
running time by
automatically
adjusting engine
speed to idle when
not under load



\$2499.99



2000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2001i

- **Powerful 3 HP**, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output



\$699.99

4000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-4000i

- **Powerful 7.5 HP**, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



**Remote
control
start**



\$1249.99



METAL LATHES & ACCESSORIES

7" X 12"

5.5 Amp.
(110V)

VARIABLE SPEED MINI METAL LATHE

KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, steady rest, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator, 4"-3 jaw chuck, emergency stop button, chuck key and hex. keys

\$1099.99

10" X 22"

12 Amp.
(110V)

BELT DRIVE METAL LATHE

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, chuck key and hex. keys

\$3199.

12" X 36"

1.5 HP
(220V)

GEARHEAD METAL LATHE

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(2 - 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, chuck keys and hex. keys

KC-1236ML/SS-1236

\$5799.

WITH TAPER ATTACHMENT

KC-1236ML/KM-053/SS-1236

\$6299.

14" X 40"

2 HP
(240V)

GEARHEAD METAL LATHE

- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I.) 26(4 - 7mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-4 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, JT#5-MT#3 sleeve, chip tray, tool box, halogen lamp, chuck keys, hex. keys, and cabinet stand with foot brake

KC-1440ML-2

\$8499.

WITH TAPER ATTACHMENT

KC-1440ML-2/KM-054

\$8999.

16" X 40"

4 HP
(600V)

HIGH PRECISION "TOOL ROOM" METAL LATHE

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (DI-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, halogen light, coolant system, full length splash guard, manual micrometer carriage stop, tool box and wrenches

KC-1640ML

\$15499.

WITH TAPER ATTACHMENT

KC-1640ML/KM-055

\$15999.

**OPTIONAL
CABINET
STAND
SS-1022**




\$349.99

**CABINET STAND WITH
FOOT BRAKE INCLUDED**

**CABINET STAND WITH
FOOT BRAKE INCLUDED**

FAGOR DIGITAL READOUT SYSTEMS



20i-T-840
(Fits KC-1440ML-6
& KC-1440ML-2)

**2 AXIS with
8" x 40" scales
\$2299.**

20i-T-1040
(Fits KC-1640ML)

**2 AXIS with
10" x 40" scales
\$2599.**

LIVE CENTERS



**Very
Accurate**

KLC-2M
TAPER SHANK - MT#2

\$69.99

KLC-3M
TAPER SHANK - MT#3

\$79.99

7 PC. DELUXE CUTTER HOLDER SETS

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. inserts (2pc.)
- Kit comes in a wooden box with screwdriver



KM-047
3/8" Shank

\$189.

Fits Models:
KC-0712ML, KC-1022ML

KM-057
5/8" Shank

\$199.

Fits Models:
KC-1236ML, 14440ML-2
14440ML-6, KC-1640GH,
KC-1640ML & KC-1660GH

TAPER ATTACHMENTS



**Taper Attachment must be
ordered together with Lathe**

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models

KC-1236ML, KC-1440ML-2 & KC-1640ML

7PC. QUICK CHANGE TOOL POST KITS



KQCT-0012
Fits most lathes up to 0 to 12" swing

\$299.99

KQCT-1015
Fits most lathes between 10" to 15" swing

\$349.99

KQCT-1318
Fits most lathes between 13" to 18" swing

\$499.99