# SPRING & SUMMER

PRICES IN EFFECT UNTIL IUNE 30TH, 2023

### 550 CFM AIR MOVER

#### 8500AM

- 3 speed switch for airflow control
- Comes with two on-board 120V outlets to connect up to 3 Air Movers together for bigger jobs Stackable design with interlocking intake guards 10 ft. power cord
- for longer reach Convenient top handle for power cord



7 1/4" 12 AMP. **CIRCULAR SAW** 

#### 8307N

Durable steel shoe with depth adjustment and adjustable bevel stops at 0° and 45°

Comes with 24 tooth carbide tipped blade, arbor hex. key and adjustable edge guide

5" DISC HOOP AND LOOP SANDING PAPER KIT



#### 5" RANDOM ORBIT **SANDER**

**\$49.**99

- 1.5 Amp. motor
- · Comes with 9 PC. accessories



## **WET-DRY VACUUM**

#### Double filtration system 8530LPN

Power cord wrap for

12 ft. power cord Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

8 30 LITERS GALLON US


# Think KING when RENOVATING

# THE TOOL & EQUIPMENT STORE



2205, Robertson Road, Nepean, ON K2H 5Z2
700-3020 Hawthorne Rd. Ottawa, ON K1G 3J6

Ph: (613) 828-5311





#### VARIABLE SPEED RECIPROCATING **SAW KIT** Powerful

#### 8354N

- 7.5 Amp. motor Variable speed 0-2900 SPM
- Tool-less blade clamp system Accepts standard 1/2" shank blades





PORTABLE PLANER STAND \$59.99 SS-426

#### **OPTIONAL**

PLANER DUST HOOD KW-076 Fits 12 1/2" planer

12 1/2" REVERSIBLE PLANER **KNIVES** 



#### **LOG SPLITTERS** HORIZONTAL/VERTICAL GAS LOG SPLITTERS KCG-20LS Quick split 8 second 5 TON - 20" LOG SPLITTER ROWS 2 LP (120V) MOTOR KC-5LSN cycle time cylinder 20 1/2" x 12" capacity for splittling firewood Can be used Splits logs up to 21" in lengti Log cradle keeps on floor logs from dropping to the ground or bench or maximum 65 HP 4 stroke air cooled OHV engine versatility **20 Ton** OPTIONAL splitting force STAND SS-5LSN KCG-26LS 10 TON KINETIC FLYWHEEL Fits: KC-5LSN \$69 Quick split 8 second cycle time cylinder LOG SPLITTER Splits logs up to 24' in length Log cradle keeps KC-10LS 1 second cycle time logs from dropping With no hydraulic oil or pump, kinetic flywheel log splitters are much easier to maintain 26 TON/TONNES to the ground Automatic ram retraction leaving your hands free to load the 6.5 HP 4 stroke air next log Hardened steel pinion gear transfers energy from the flywheels UNIVERSAL ANTI-WEAR HYDRAULIC OIL 26 Ton splitting force Splits logs up to 21" long with a diameter up to 12" KW-127 6-1/2" wheels to easily move 850ml around your work space Tile Saws 16" DIGITAL ANGLE **FINDER** 7" PORTABLE TILE SAW KW-400 KC-3003N Digital LCD display indicates precise degree Adjustable cutting table tilts from 0°-45° 1 U. measurements Water reservoir for cooling the blade Comes with adjustable rip fence, V-push block for miter cuts and adjustment keys KC-15CM Powered by a 9V battery · 3.5 cubic feet drum capacity **\$99.**99 24" TILE CUTTER is designed to mix two 60 lbs bags of dry cement or mortar mix with water 7" PORTABLE TILE SAW KC-24TC • Scores and snaps wall and floor tiles KC-3004ST Adjustable cutting table tilts from 0°.45° Increased cutting capacity up to 14" to the right of the blade **1/3**IIP up to 24" straight, 16" tiles diagonally, up to 1/2" thick **2500**FB Dual chrome-plated steel rails offer smooth scoring Comes equipped with a replaceable 16mm tungsten carbide and up to 18" to the left Comes with adjustable rip fence, V-push block cutting wheel for miter cuts and adjustment keys adjustment DRYWALL AND PANEL PORTABLE CLAMPING 14" max rip capacity (right) 18" max rip capacity (left) LIFT **WORKSTATION** 10" SLIDING TILE SAW KDL-11 K-2800 KC-3310TS Hangs drywall in sizes up to Maximum clamping width 38" 4 ft. x 16 ft. on Powerful heavy duty 2.5 HP, 15 Amp. motor with GFCI protected power cord Full coverage wrap around Height of clamping table 31 1/2" any ceiling Maximum clamping force 1metric ton or wall up Folds quickly for storing to 11 ft. Replacement 16mm tungsten cabide cutting wheel splash guards 24" rip capacity at 90 Head tilts 0°-45° for bevel cuts high 13" PROFESSIONAL LAMINATE FLOORING Plunge head **CUTTER** allows controlled cuts for KC-13LCT 25 IIP Cuts a variety of materials, up to 13" wide and 19/32" thick Table miter gauge for angled cuts from 0-45° electrical outlets. Maximum weight \$699.99 drains and AC capacity 220 lbs registers Cuts with 13" H.S.S. knife LOG JAWS ATTACHMENT FOR PORTABLE CLAMPING

13" HSS KNIFE

KW-133 Replacement Blade

WORKSTATION \$19.99

Folding stand with

quick release latch



щини

Handles materials from 5/16" to 1 1/4" thick,

and widths up to 12"

Unit includes 1/2" aluminum template

\$119.99



VARIABLE
SPEED PLUNGE
CUT TRACK SAW
KC-8365

Powerful 12 Amp. 120V variable
speed "soft-start" motor with
"constant torque" technology
Comes with efficient 1L dust
management system, dust bag,
dust chute, set of carbon brushes
and hex. key with on cord storage

This Plunge Cut Track Saw accepts
Makita®, Dewalt®, Kreg® or Festool®
6-1/2" x 20mm arbor blades

OPTIONAL Accessories

50" Track

Storage Bag

Track Connector
kit

KW-302

\$29.99

KW-303 **\$39** 

\$29.99

\$79.99

KW-301





# 14" CUT-OFF SAW

- Standard 14" abrasive wheel
- Spark deflector for safe operation
- Ouick release vise for holding workpiece, allows cuts up to a 45° angle

Onboard abrasive wheel wrench storage





#### VARIABLE SPEED HAND-HELD **BLOWER/VACUUM**

8317

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM) Trigger lock-on button for
- operation Comes complete with soft flexible rubber

1/2" IMPACT WRENCH



7.5 Amp. motor Impacts 2700 BPM

Maximum Torque

240 /ft.-lbs

Comes with

11/16", 3/4", 13/16", and 7/8"

4 sockets

8311N

continuous



### 180 PC. **ROTARY TOOL ACCESSORY KIT**

8,000 - 30,000 RPM Comes with 40" Flex

accessories & adjustable stand

Shaft, 135 PC. assorted

KW-145

# 16 PC. 3.6V QUICK SELECT SCREWDRIVER KIT

KIT COMES WITH

1 x 3.6V Li-ion Screwdriver, 1 x Charger, 2 x Magnetized bit holders, 12 x 1/4" Hex. shank bits (2 x PH1, 2 x PH2,

#### **NEVER LOOSE A** SCREWDRIVER BIT AGAIN

The two 6 magnetized bit cartridges keep your most popular bits at hand



#### 10" RANDOM ORBIT POLISHER

**\$19**.99

- Ball Bearing construction
- 10" Tapered foam applicator pad

KM-030

Double Insulation



**\$9**.99

\$99.99



### 1/4" DRYWALL SCREWDRIVER

8315N

- Powerful 5 Amp. motor
- Variable speed control trigger with lock-on button No load speed 0-4,000 RPM
- Comes with two 1/4" Phillips #2 screwdriver bits



#### 7" POLISHER/SANDER KIT 8369N

REPLACEMENT APPLICATOR

& BUFFING BONNETS KIT

Variable speed dial (1,000 - 3,000 RPM) Comes with 7" polishing backing pad, wool bonnet, 7" sanding hook-and loop backing pad, 7" hook-and loop 80 grit sanding paper and wrench



C KING CANAD

REPLACEMENT WOOL BONNET

#### 3/8" ELECTRIC **DRILL** 8302N · 3.3 Amp. motor • 3/8" Keyless chuck Forward/reverse switch · Non-Slip soft grip

#### 1/2" HAMMER DRILL 8309N

- Forward/reverse switch
- · Drill or hammer mode switch · Depth stop gauge for depth drilling



# 5 sanding discs

8208AG



12 PC. 4 1/2" ANGLE GRINDER & MULTI-PURPOSE DISC KIT

#### 5" ANGLE DISC GRINDER KIT

8364N

· 8 Amp. motor • 11,000 RPM

Double Insulation







# AIR COMPRESSORS

# ULTRA-QUIET OIL-FREE AIR COMPRESSORS

# ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-2020A

- •3.8 CFM @ 40 PSI •2.35 CFM @ 90 PSI
- •Extra long pump life of over 3000 hours
- •125 PSI maximum tank pressure

2 GALLON 2 HP (PEAK) (60 Decibels)



# ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-4620A

- •3.80 CFM @ 40 PSI •2.35 CFM @ 90 PSI
- Extra long pump life of over 3000 hours
- 120 PSI maximum tank pressure

4.6 GALLON (2 X 2.3) 2 HP (PEAK) (60 Decibels)



# ULTRA-QUIET OIL-FREE AIR COMPRESSOR

KC-10020SO

- 125 PSI maximum tank pressure
- 150 PSI max pressure 5.6 CFM @ 40 PSI
- 4.4 CFM @ 90 PSI

10 GALLON 3 HP (PEAK) (64 Decibels)



# **5 PEAK HP** 20 GALLON AIR COMPRESSOR

#### 8498

- Durable oil lubricated pump



#### ARCTIC FLEX

#### RETRACTABLE AIR HOSE **REEL WITH HYBRID POLYMER AIR HOSE**



K-5038FRL 50 ft. x 3/8" All-Weather Flexibility (-40°C to 65°C) Comes with wall mounting hardware \$109.<sup>99</sup>

#### MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE



K-10014FRL 100 ft. x 1/4" All-Weather Flexibility (-40°C to 65°C)

360° swivel base

**\$109.**99

(-40°C to 65°C)



#### **HYBRID POLYMER** INDUSTRIAL AIR HOSES

HYBRID POLYMER INDUSTRIAL AIR HOSES									
K-2514H	25' x 1/4"	\$21.99							
K-2538H	25' x 3/8"	\$29.99							
K-5014H	50' x 1/4"	\$33.99							
K-5038H	50' x 3/8"	\$44.99							
K-10014H	100' x 1/4"	\$54.99							
K-10038H	100' x 3/8"	\$65.99							

300 PSI MAXIMUM PRESSURE

### PREMIUM HYBRID POLYMER

**GARDEN HOSES** K-5058GH 5/8" x 50 ft. 450 PSI (Burst)



K-10058GH 5/8" x 100 ft.

**5 GALLON TWIN** 

COMPRESSOR

**COMBO KIT** 

& BRAD NAILER

8488C/8200NH25

**TANK AIR** 

Extreme All-Weather Flexibility Kink resistant

#### 3 GALLON OIL FREE 3 GALLON OIL FREE AIR COMPRESSOR

#### 8438

- 1.0 CFM @ 40 PSI 0.60 CFM @ 90 PSI
- Air pressure regulator and
- easy to read pressure gauges Convenient reset feature

#### 3 US Gallon tank

## **AIR COMPRESSOR &** 2" BRAD NAILER KIT

8438/8200B

Kit includes:

Kit comes with powerful 18 ga. x 2" brad nailer (70-100 PSI) which drives standard 18 ga. brad nails from 5/8" to 2", 1/4" x 25ft. coil air hose, 1/4" female couplers, 1/4" male fitting, tire inflator, air blower, air blower adaptor, inflating nozzle and inflating needle.

### 2 GALLON AIR COMPRESSOR

### 8449C

- Durable oil lubricated pump 2.70 SCFM @ 40 PSI 2.30 SCFM @ 90 PSI

- Air pressure regulator and easy to read pressure gauges

2 US Gallon tank

#### 2 GALLON AIR COMPRESSOR COMBO KIT

8449C/8200NH25

- Kit includes:
- •1- 1.5 HP air compressor (8449C) •1- 18 gauge x 2" brad nailer kit
- •1-3/8" x 25' air hose 300 PSI (KAH-3825)

#### 5 GALLON TWIN TANK AIR COMPRESSOR

- 3,400 RPM, 13 Amp. motor
- 5.0 CFM @ 40 PSI 4.0 CFM @ 90 PSI

2 air tools

- Dual 1/4" universal "one touch" quick connect couplers allow user to connect up to

# Kit includes: •1- 5 gallon air compressor •1- 18 gauge x 2" brad nailer kit (8200B)



ASME safety valve

ASME safety valve

ASME safety valve

COMBO KIT

6 COMPRESSOR ONLY COMBO KIT

COMPRESSOR ONLY

**COMBO KIT** 

COMPRESSOR ONLY



# **PORTABLE & GASOLINE GENERATORS & ACCESSORIES 1800W** GASOLINE GENERATOR KCG-1501GX KCG-1501GA • Powerful 3 HP, 4 stroke air cooled motor \$399.99 Duplex Outlet: 120V/11.6 Amp. AC output Terminals: 12V, 8 Amp. DC output AC and DC circuit breakers for safe operation **5100W** GASOLINE GENERATOR WITH WHEEL KIT KCG-5100G

Propane Tank

Not Included

KCG-2001i

Sine wave digital inverter generator provides stable current to power voltage-sentitive electronics

**GENERATORS** 

Powerful 3 HP, 4 stroke air cooled OHV engine DC output for charging smartphones, tablettes or any USB powered equipment

DC Cigarette Lighter Socke 12V/8 Amp DC output AC Duplex Outlet: 120V/ 13.3 Amp AC output

Powerful 3 HP

**GASOLINE DIGITAL INVERTER** 

4 stroke air cooled OHV engine

**\$699.**99

KCG-4500i

- Sine wave digital inverter generator provides stable current to power
- voltage-sensitive electronics DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output

Powerful 8 HP, 4 stroke air cooled



2000W

4,5(0)(0)(0)

GENERATOR HOME CONNECTION KIT K-X7500

Outdoor to indoor receptacle kit Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10 Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C)

K-L1430R-25 Extension cord length:

25 feet

Gauge (AWG)/Cord: Resets

K-L1430-25-4T Extension cord length: 25 fee
Gauge (AWG)/Cord: Lighted 10 (SJTW 4/C)

K-L1430-25EXT Extension cord length: 25 feet Gauge (AWG)/Cord:

\$99

50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R Female receptacle with lighted end K-1450P-2 Cord length: 1.5 feet

K-1450P-2

Gauge (AWG)/Cord: 10 (SJTW 4/C)



### GASOLINE WATER PUMPS

92' Total head lift (total height at sea level, to which water can be raised above original water level) Oil sensor shuts off engine when oil level is low

Comes with 3 wire clamps, 4 hose adaptors, 4 rubber gaskets, strainer basket and strainer Easy start recoil starter



4 stroke air cooled OHV engine





### WATER PUMP HOSE KITS

Each hose kit comes with a type A threaded camlock adaptor FLAT PVC DISCHARGE HOSES

CLEAR PVC REINFORCED SUCTION

KW-252 2" X 25 ft **\$119**.99 KW-253 3" X 25 ft **\$199**.99

803

KW-502 2" X 50 ft KW-503 3" X 50 ft



 Powerful 8 HP, 4 stroke air cooled OHV engine AVR system and electronic ignition Duplex outlet: 120V/20 Amp. AC Twist lock outlet: 120V/240V/30 Amp. AC AC double throw circuit breaker and resets

DUAL FUEL 5100W DUAL/FUE GASOLINE/PROPANE GENERATOR

KCG-5101GE-DF

WITH ELECTRIC START

Powerful 8 HP, 4 stroke air cooled motor
AVR system and electronic ignition
Two duplex outlets: 120V/20 Amp. AC
Twist lock outlet: 120V/240V/30 Amp. AC

AC double throw circuit breaker and resets

Comes with propane tank connection cable

# **6500W** GASOLINE GENERATOR WITH ELECTRIC START

KCG-6502GE

- Powerful 10 HP. 4 stroke air cooled motor

- AVR system and electronic ignition
   Two duplex outlets: 120V/20 Amp. AC
   Twist lock outlet: 120V/240V/30 Amp. AC
- AC double throw circuit breaker and resets for safe operation

# **10000W** GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

Powerful 15 HP, 4 stroke air cooled motor

- AVR system and electronic ignition
   Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp and 120V/240V/30 Amp AC
- AC double throw circuit breaker and resets for safe operation

#### **12000W** GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled motor
   AVR system and electronic ignition
   Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet:120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC AC double throw circuit breaker and resets

### 12000W DUAL/FUEL


GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

IDUAL FUEL

Not Included

KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets



# **15000W** V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

Powerful 20 HP, V-Twin horizontal shaft 4 stroke air cooled OHV engine

• AVR system and electronic ignition

• Two duplex outlets: 120V/20 Amp. AC

- Twist lock outlet: 120V/30 Amp. AC

Outlet: 120V/240V/50 Amp. AC
AC double throw circuit breaker and resets Terminals: 12V/8.3 Amp. DC with DC reset



















EXTENDABLE UNIVERSAL **MOBILE BASE** KMB-1250





\$559 99

KING



CLEANER

K-1306

chute adaptor and sturdy





1/2" spindle, 5 drums (3/4", 1", 1-1/2", 2", 3"), 6 sanding sleeves (1/2", 3/4", 1", 1-1/2", 2", 3"-80 Grit), 6 table inserts, washers and adjustment wrench

**\$199**.99



6" STICK-ON ADHESIVE DISCS				4"x 36" SANDING BELTS					
Model	Disc size	Grit	Units/Kits	Price	Model	Belt Size	Grit	Units/Kits	Price
SD-6-K-60	6"	60	3	\$6.99	SB-436-K-60	4"x36"	60	2	\$7.99
SD-6-K-80	6"	80	3	\$6.99	SB-436-K-80	4"x36"	80	2	\$7.99
SD-6-K-100	6"	100	3	\$6.99	SB-436-K-100	4"x36"	100	2	\$7.99
SD-6-K-120	6"	120	3	\$6.99	SB-436-K-120	4"x36"	120	2	\$7.99

### **COMPOUND MITER SAWS**

#### 10" COMPOUND MITER SAW WITH LASER 8324NS

15 Amp. motor, 4,800 RPM Rotating table has 9 position stops at 0°, 15°, 22.5°, 30° and 45° right and left Comes complete with 80 tooth carbide blade, extension wings, 2 position hold down

vise, dust

wrench

bag and arbor

**\$169** 

10" SLIDING DUAL COMPOUND MITER SAW WITH TWIN LASER 8385NS 15 Amp. motor, 4,800 RPM

Dual compound cuts miter and bevel up to 45° left and right Comes with retractable extension wings, vertica

hold down vise, and dust bag **E**nhance

Twin Laser **Fffect** 

Includes 10"

### 12" SLIDING DUAL COMPOUND

MITER SAW WITH TWIN LASER 8390NS

15 Amp. motor 4.200 RPM belt drive motor

Dual compound cuts

(miter and bevel) up to 45°left & right

Comes with dust bag, extension bars and table vise

Enhanced Twin Laser Effect

> Includes 12" carbide blade

### UNIVERSAL FOLDING MITER SAW STANDS

Includes 10"

carbide blade

Enhanced



#### 9" WOOD **BANDSAW** WITH LASER KC-902C

Laser guide system indicates the cut line for reliable

cuts every time 0° to 45° square tilting table Comes with blade, miter gauge, rip fence, work light nhanced and light bulb

#### 59 1/2" WOOD CUTTING BANDSAW BLADES Model | Length | Width | TPI | Thickness | Price 59 1/2" 1/4" 6 .014' \$22.99 KBB-9-6 59 1/2" 3/8" .014 \$22.99 18

# **BENCH GRINDERS**

KC-690 •3.5 Amp. motor •3500 RPM

KC-890 •7 Amp. motor •3450 RPM

KC-895LS •7 Amp. motor •1750 RPM



MULTI PURPOSE BENCH **ELECTRIC SHARPENER** KC-3900S



GRINDER **STAND** SS-150 32 3/4" high



SHARPENER KIT

**OPTIONAL** 4 pc. Accessory Kit

10" WET/DRY

KC-4900S

KM-130 (Short knife jig, long knife jig,scissors jig & axe jig) We reserve the right to limit quantities. We reserve the right to correct any typographical and pictorial errors without notice. Articles may vary from illustration shown. Some retailers may not stock all products due to space restrictions and product availability





\$89.99