# SPRING & SUMMER





KING

Marathon® 6.5 peak

HP motor with reset

# THE TOOL & EQUIPMENT STORE

KING RULES THE METAL SHOP



700-3020 Hawthorne Rd. Ottawa, ON K1G 3J6

Ph: (613) 828-5311

Email: sales@ottawafastenersupply.com • www.ottawafastenersupply.com

## PRICES IN EFFECT UNTIL JUNE 30<sup>TH</sup>, 2023 STATIONARY 6.5 PEAK HP

60 GALLON AIR COMPRESSOR KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI 11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

**\$1099**.

#### 8" LOW SPEED **LONG SHAFT BUFFER** KC-899LSB

- Powerful 1/2 HP motor Arbor shaft diameter: 5/8"
- Motor no load speed: 1,750 RPM
- Comes with two 8" x 1/2" spiral sewn cloth buffing



# 29 PC. TITANIUM DRILL BIT SET KDB-29T 29 (1/16"-1/2" x 1/64")

## \$39.99 12" BENCH VARIABLE

# SPEED DRILL PRESS

KC-12HS-VS

Θ

Digital Readout

Mechanical

system

variable speed

\$449,99

KC-1620CLM

16" X 20" COMBO LATHE/MILL

Comes with 5"- 3 jaw chuck, imperial & metric change gears,

quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres,

Two powerful 3/4 HP 110V motors

1/2" drill chuck and tool box

with adjusting tools

- Powerful 1/2 HP, 5 Amp motor. Variable speeds (580 - 3200 RPM)
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys



# SPEED DRILL PRESS KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor 4" stroke capacity allows drilling workpieces up to 4" thick Variable speeds 2 (280 1100/ 900-3300) RPM
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

\$69999

# The Most Innovative Drill Presses



#### 16" NOVA VIKING DVR DRILL PRESS 83705

- Powerful direct drive 1 HP high torque motor
- no pulleys or belts Spindle taper MT # Comes with 5/8

**\$1699** 

# 18" NOVA VOYAGER **DVR DRILL PRESS**

- 58006 Powerful direct driv 1.75 HP high torque moto
- no pulleys or b Spindle taper MT



#### **PDM-30**

- 16 1/2" swing 1 1/4" Drilling capacity 3" Face mill capacity 5" stroke

- Spindle taper R8 12 speeds (150-2500 RPM)



BONUS PACKAGE FREE Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and face mill arbor

d face mill arbor MILLING DRILLING MACHINE STAND SS-45



\$399. **OPTIONAL** 

\$199. (7-7/8" x 5-7/8" x 5")

\$59.99

# 7" X 12" METAL CUTTING BANDSAW

- KC-712BC • 11.5 Amp. motor • Coolant system
- Adjustable ball bearing guides
  4 speeds (85-130-180-235 FPM)



KM-124 Elevating block with 7/16" T-slots 5 PC. CUTTER HOLDER SET KM-046 3/8" Shank Fits: KC-0712M KC-1022ML KC-1620CLM

3/4" H.S.S. 3/4" Bi-Metal 3/4" Bi-Metal

### PREMIUM HYBRID POLYMER **GARDEN HOSES** Extreme All-Weather Flexibility Kink resistant

K-10058GH K-5058GH 5/8" x 100 ft.

5/8" x 50 ft. \$45.

150 PSI (Working) / 450 PSI (Burst)

\$2999.



K-2514H 25'x1/4 \$21.99 K-2538H 25'x3/8' \$2999 K-5014H 50'x1/4" \$33.99 K-5038H 50'x3/8" \$44.99 K-10014H 100'x1/4" \$54.99 K-10038H | 100x3/8" \$65.99

RETRACTABLE AIR HOSE 50 FT. × 3/8" REEL WITH HYBRID POLYMER AIR HOSE K-5038FRL All-Weather Flexibility

K-10014FRL 360° swivel base



(-40°C to 65°C) Comes with wall mounting hardware 300 PSI MAXIMUM PRESSURE

· All-Weather Flexibility (-40°C to 65°C)



\$179.99

\$69.99

# **MAGNETIC SWITCHES**



Comes with twist lock emergency stop button

> Comes with padlock and 2 spare keys

\$119.99 ea.

KMAG-110-811 110V (8-11 Amp.) KMAG-110-1114 110V (11-14 Amp.) KMAG-110-1417 110V (14-17 Amp.) KMAG-220-811 220V (8-11 Amp.) KMAG-220-1114 220V (11-14 Amp.) KMAG-220-1417 220V (14-17 Amp.) KMAG-220-1721 220V (17-21 Amp.)

# 10" WET/DRY SHARPENER KI

#### KC-4900S

1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening Comes with angle guide

honing compound and a square edge jig for sharpening a variety of blades and wood chisels



# OPTIONAL

4 pc. Accessory Kit

KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)



# 2 HP **METAL DUST COLLECTOR**

#### KC-7300C

- · Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- · Large metal chips colection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- · Comes with large paper filter and iron activated carbon filter

\$1699.



#### BENCH GRINDER BENCH GRINDER **STAND** KC-690

#### SS-150

· Made of cast iron with coolant reservoir

• 32 3/4" high

\$89.99

• 3.5 Amp. motor • 3500 RPM



### 8" LOW SPEED BENCH GRINDER WITH LIGHT KC-895LS

Comes complete with diamond wheel dressing tool, tool rests, eye shields, course 60 grit and fine 120 grit 8" x 1" white



\$159.99



KM-102 Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")

COLLECTION HOSES KIT



· Converts to inches (decimal and fractional)

and metric readings
• Waterproof to IP54 standards

Two 3V Lithium batteries included

\$35.

KING



#### **Comes with Canadian** "X 79" METAL BELT SANDER made 80 Grit pure zirconia KC-379MS sanding belt Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control Head pivots up or down on base for easy and safe work heights Horizontal working height of 36" Hinged top cover 2 HP for access to entire (220V)length of belt for larger pieces

000

3"x 79" PURE ZIRCONIA SANDING BELTS Price Belt Size Grit Unit Model SB-379-60 3"x79" 60 \$19.99 3"x79" 3"x79" SB-379-80 \$19.99 80 SB-379-120 120 \$19.99





**Direct Drive Motor** 

\$1099. \$1699.











# **FAGOR DIGITAL READOUT SYSTEMS**

GEARHEAD MILLING DRILLING MACHINE

20i-M-1836 2099. (Fits 1050VS) 2 AXIS with 18" x 36" scales

WITH SAFETY GUARD

SS-20VS

\$349.<sup>99</sup>

30i-M-183616 (Fits 1050VS) 3 AXIS with 18" x 36" x 16" scales

\$3099.

\$2349.





S HP Motor • ISO-40 Spindle taper Size of table 10" x 50" • Table travel 36" Saddle travel 16 1/2 • Knee travel 16" Quill travel 5" · 2 speed variable speed drive (70-500, 600-4200 RPM)

KING

Max. distance spindle

to table 18' Distance spindle

to column 24' Quill power feed (.0015" .003"

.006") Ram

**TURRET HEAD SWIVELS 360°** 

## 18 PC. COLLET SETS Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015



**12" SLOW** 

SPEED COLD

12" COLD CUT SAW BLADE

\$359

Straight shank taper R8

Draw Bar 7/16" NF 20

\$399.99



# KC-DPRT-6 Size 6"

KC-DPRT-8 Size 8"

\$159.99



KMV-6M KMV-8M KMV-3M KMV-4M \$129. \$199. \$259. \$369.

HORIZONTAL & VERTICAL **ROTARY TABLES** KC-HVRT-6 KC-HVRT-8



5.2 Amp.

(600V)

Size 8' \$659





## FAGOR DIGITAL READOUT SYSTEMS



**20i-T-840** (Fits KC-1440ML-6 & KC-1440ML-2)

20i-T-1040 (Fits KC-1640ML)

2 AXIS with 8" x 40" scales 2 AXIS with 10" x 40" scales

\$2399.

MT#2

\$2699.

# **LIVE CENTERS**



KLC-3M

TAPER SHANK -TAPER SHANK

## 7 PC. CARBIDE **CUTTER HOLDER**

• H.S.S. inserts (2pc.)

INCLUDED Screwdriver and 3 adjustment keys

KM-047 3/8" Shank \$199.

KM-057 5/8" Shank

Fits Models KC-0712ML, KC-1022ML KC-1236ML, 14440ML-2 14440ML-6,KC-1640GH, KC-1640ML & KC-1660GH

# TAPER ATTACHMENT



These Taper Attachments are designed to fit our 12" x 36" , 14" x 40" & 16" x 40" Metal Lathes models KC-1236ML, KC-1440ML-2 & KC-1640ML

# 7 PC. QUICK CHANGE TOOL POST KITS



**KQCT-0012** Fits most lathes up to 0 to 12" swing

KOCT-1015

Fits most lathes between 10" to 15" swing

KOCT-1318

Fits most lathes between \$499.99

# **METAL LATHES & ACCESSORIES**

7" X 12"

## VARIABLE SPEED MINI METÄL LÄTHE KC-0712ML

3/4" spindle bore

Variable speeds 2 (0-1100, 0-2500 RPM)

· Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

# 10" X 22"

#### **BELT DRIVE METAL LATHE** KC-1022ML

• 1" spindle bore

Spindle speeds 6 (150-2400) RPM

• Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

# 12" X 36"

**GEARHEAD METAL LATHE** 

• 1 1/2" spindle bore

• Spindle speeds 9 (60-1500) RPM

40(4-112 T.P.I) 30(.2 - 4.5mm) thread cutting

Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

WITH TAPER ATTACHMENT KC-1236ML/KM-053/SS-1236

> 2 HP (240V)

1.5 HP

(220V)

\$5999.

\$6499.

# 14" X 40"

#### GEARHEAD METAL LATHE

Spindle speeds 8(70-2000 RPM)

2" Spindle Bore 34(4-56 T.P.I) 26(.4 - 7mm) thread cutting

Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake

KC-1440ML-2

KC-1440ML-2/KM-054 \$9499.

\$9999

4 HP (600V)

# 16" X 40" **HIGH PRECISION**

"TOOL ROOM" METAL LATHE


Spindle speeds 16(45-1800 RPM)

2" spindle bore diameter

45(2-72 T.P.I) thread cutting

Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches

KC-1640ML \$16999.



**CABINET STAND WITH FOOT BRAKE INCLUDED** 



**INCLUDES - 4"- 3 JAW CHUCK & STEADY REST** 

Θ

**OPTIONAL** 

CABINE

\$379.<sup>99</sup>


STAND

SS-1022









#### KCG-2001i

• Powerful 3 HP, 4 stroke air cooled motor

• Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics

• DC USB port: 5V/2.1 Amp.

• DC cigarette lighter socket: 12V/8 Amp. DC output • AC duplex outlet: 120V/13.3 Amp. AC output

Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
• DC USB port: 5V/2.1 Amp.

AC twist lock outlet: 120V/30 Amp. AC output

#### KCG-4500i <del>USB</del>er Powerful 8 HP, 4 stroke air cooled motor

- DC cigarette lighter socket: 12V/8 Amp. DC output · AC duplex outlet: 120V/20 Amp. AC output

# control start

# **GENERATOR WITH ELECTRIC** START

#### KCG-15000GE

- Powerful 20 HP, V-Twin horizontal
- shaft 4 stroke air cooled motor
- AVR system and electronic ignition • Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC

**AUTO-IDLE DOWN FUNCTION** extends running time by automatically adjusting engine speed to idle when





# **DUAL/FUEL GASOLINE/PROPANE GENERATORS**



\$1299.99

# 5100W DUAL/FUEL

**GASOLINE/PROPANE GENERATOR WITH ELECTRIC START** KCG-5101GE-DF

· Powerful 8 HP, 4 stroke air cooled OHV engine

- · AVR system and electronic ignition Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation



# 12000W DUAL/FUEL

GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- · Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC Twist lock outlet: 120V/240V 30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC



\$599.99

# PORTABLE GASOLINE GENERATORS

1800W GASOLINE GENERATOR

KCG-1501GX

- Powerful 3 HP, 4 stroke air cooled OHV engine
  Low oil shut-off with indicator light
- Duplex Outlet: 120V/11.6 Amp. AC output
   Terminals: 12V, 8 Amp. DC output



**10000W** GASOLINE GENERATOR WITH ELECTRIC START

12000W GASOLINE GENERATOR

#### KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
   AVR system and electronic ignition

WITH ELECTRIC START

AVR system and electronic ignition Low oil shut-off with indicator light

Powerful 18 HP, 4 stroke air cooled OHV engine

- · Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 120V/240V/30 Amp. AC

\$959.99

KCG-12000GE

protects the engine Two duplex outlets: 120V/20 Amp. AC

120V/240V/30 Amp. AC

120V/240V/50 Amp. AC

Twist lock outlet:

Outlet:







- cooled OHV engine
- AVR system and electronic ignition
  Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



#### KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$659.99



\$1099.99

# GENERATOR EXTENSION CORDS Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10 Extension cord length: 10 feet Gauge (AWG)/Cord: 12 (SJTW 4/C)

K-L1430R-25 Extension cord length 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)

K-L1430-25-4T Extension cord length 25 feet Gauge (AWG)/Cord: 10 (SJTW 4/C)



#### K-L1430-25EXT Extension cord

length: 25 feet Gauge (AWG)/Cord:



### 50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle

K-1450P-2

Cord length: 1.5 feet Gauge (AWG)/Cord: 10 (STW 4/C)


















# **METAL CUTTING BANDSAWS**

### PORTABLE VARIABLE SPEED 5" x 6" METAL CUTTING BANDSAW

#### KC-8377 • Variable speed 0-420 SFPM

• Cutting capacity of 5" x 5" • Blade tension lever Comes with standard 44-7/8" x 1/2" blade





	BI-METAL BLADES							
mental glasses	Model	Length	Width	TPI	Thickness	Price		
(e150)	KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$22.99		
	KBB-8376-BM-1418	44 7/8"	1/2"	14-18	.020"	\$22.99		

# METAL CUTTING BANDSAW KC-129C

3 speeds (80-120-200 FPM)

· Comes with wheels for portability





				BI-METAL BLA			
1000	Model	Length	Width	Blade Material	TPI	Thickness	
THE RESERVE	KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025"	\$17.99
(7)	KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$17.99
	KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$17.99
	KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025"	\$17.99
	KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$39.99
	KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$39.99
	KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$39.99



8 Amp. (110V)

\$949.

KING

# 10" x 18"

### METAL CUTTING BANDSAW KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guide
- Control panel with automatic shut-off
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible

Coolant system with regulator valves





# 10" x 18" VARIABLE SPEED SWIVEL METAL **CUTTING BANDSAW**

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

11.5 Amp. @ 220V 2.6 Amp. @ 600V Swivel base from 0° to 45°

KING

· Position adjustable control panel and automatic shut-off Adjustable hydraulic down feed control
Carbide ball bearing blade guides



# **METAL CUTTING BANDSAWS**

# 7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

6 Amp. (220V)





# 7" x 12" NOVA DVR METAL CUTTING BANDSAW

- Smart metal bandsaw features state of the art technology
- · Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control<sup>TM</sup> Software
- · Constant torque under load and electronic braking emergency stop

• Includes a 240V conversion components kit



# 9" x 18" METAL CUTTING SWIVEL BANDSAW

VARIABLE SPEED

#### KC-918S-V

- Returning coolant system

  Variable speeds (80-250 FPM)

  Carbide ball bearing blade guides with rollers

  Centralized control panel and automatic shut-off

  Adjustable hydraulic downfeed control

  Precision blade tension adjustment

- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

# VARIABLE SPEED METAL/WOOD CUTTING **BANDSAW** KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (wood): 540 5600 SFPM
  Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide

Rlade

speed digital readout

23 1/2" x 17" cast iron table Tilts 5° to the left & 45° to the right

KING

2- 4" Dust chutes for

hook-up

# 18" METAL CUTTING BANDSAW

#### KC-450

- Variable speed
- Handwheel controls speed Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light





