



KING RULES THE METAL SHOP

SPRING & SUMMER



THE TOOL & EQUIPMENT STORE

2205, Robertson Road, Nepean, ON K2H 5Z2
700-3020 Hawthorne Rd. Ottawa, ON K1G 3J6
Phone: (613) 828-5311

Sale ends
June 30th, 2024

OTTAWA FASTENER SUPPLY

Email: sales@ottawafastenersupply.com • www.ottawafastenersupply.com

2024⁺



1983-2023

Drill Presses with Digital Readout

12" BENCH VARIABLE SPEED DRILL PRESS

KC-12HS-VS

- Powerful 1/2 HP, 5 Amp motor.
- Variable speeds (580 - 3200 RPM)
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

Mechanical variable speed system



Mechanical variable speed system



\$449.99

15" FLOOR VARIABLE SPEED DRILL PRESS

KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor
- 4" stroke capacity allows drilling workpieces up to 4" thick
- Variable speeds 2 (280 - 1100/ 900-3300) RPM
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

\$649.99

16" X 20" COMBO LATHE/MILL

KC-1620CLM

- Two powerful 3/4 HP 110V motors
- Comes with 5" - 3 jaw chuck, imperial & metric change gears, quick change tool post with 1/2" capacity, steady rest, follow rest, thread chasing dial indicator, MT#3 & MT#4 dead centres, 1/2" drill chuck and tool box with adjusting tools

\$3499.



OPTIONAL STAND

SS-1620CLM

(41-3/8" x 19-1/4" x 30-1/2")

\$399.

OPTIONAL KM-124

Elevating block with 7/16" T-slots (7-7/8" x 5-7/8" x 5")

\$199.

11 PC. METAL LATHE CUTTER SET

KM-146

3/8" Shank
Fits: KC-0712ML, KC-1022ML, KC-1620CLM

\$59.99

The Most Innovative Drill Presses

DVR WITH ADAPTIVE CONTROL™ SOFTWARE

Safety Guard with Limit Switch



83750
Fits #83705

\$399.

Safety Guard with Limit Switch



58501
Fits #58006

\$399.

16" NOVA VIKING DVR DRILL PRESS

83705

- Powerful direct drive 1 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill

\$1699.

18" NOVA VOYAGER DVR DRILL PRESS

58006

- Powerful direct drive 1.75 HP high torque motor with no pulleys or belts
- Spindle taper MT #2
- Comes with 5/8" drill

\$2399.

MILLING DRILLING MACHINE with SAFETY GUARD & LIMIT SWITCH

PDM-30


- 16 1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 5" stroke
- Spindle taper R8

OPTIONAL TABLE POWERFEED ATTACHMENT PFM-32 For # PDM-30 \$679.

5 PC. ACCESSORY BONUS PACKAGE FREE INCLUDED WITH THE PURCHASE OF A PDM-30 MILLING DRILLING MACHINE

Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and face mill arbor

MILLING DRILLING MACHINE STAND SS-45 \$399.99



\$2999.

PRICES IN EFFECT UNTIL JUNE 30TH, 2024

3200 PSI GASOLINE HIGH PRESSURE WASHER

KPW-3200

- 3200 PSI, 2.5 GPM maximum water flow
- Low oil shut-off system
- Comes with stainless steel wand, 30" high pressure hose, garden hose inlet with screen filter, 12" wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

Powerful 7 HP, 4 stroke air cooled OHV engine

\$379.99



NEW

STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-6160V2

- 150 PSI max pressure
- 13.4 CFM @ 40 PSI
- 11.2 CFM @ 90 PSI

2 cylinder cast iron single stage oil lubricated pump

\$1099.



Thermally protected Marathon® 6.5 peak HP motor with reset ASME safety valve

7" X 12" METAL CUTTING BANDSAW

KC-712BC

- 11.5 Amp. motor • Coolant system
- Adjustable ball bearing guides
- 4 speeds (85-130-180-235 FPM)



\$1999.



300 PSI MAXIMUM PRESSURE

HYBRID POLYMER INDUSTRIAL AIR HOSES		
K-2514H	25x1/4"	\$21.99
K-2538H	25x3/8"	\$29.99
K-5014H	50x1/4"	\$33.99
K-5038H	50x3/8"	\$44.99
K-10014H	100x1/4"	\$54.99
K-10038H	100x3/8"	\$65.99

RETRACTABLE AIR HOSE 50 FT. x 3/8" REEL WITH HYBRID POLYMER AIR HOSE

- K-5038FRL
- All-Weather Flexibility (-40°C to 65°C)
- Comes with wall mounting hardware



\$109.99

MANUAL AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE

- K-10014FRL
- 360° swivel base
- All-Weather Flexibility (-40°C to 65°C)



\$109.99

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-712-10	93"	3/4"	H.S.S.	10	.032"	\$27.99
KBB-712-14	93"	3/4"	H.S.S.	14	.032"	\$27.99
KBB-712-18	93"	3/4"	H.S.S.	18	.032"	\$27.99
KBB-712-BM-610	93"	3/4"	Bi-Metal	6-10	.032"	\$79.99
KBB-712-BM-1014	93"	3/4"	Bi-Metal	10-14	.032"	\$79.99

5.5 PEAK HP 20 GALLON AIR COMPRESSOR

KC-2051H2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump



\$749.

ASME
safety
valve

5.5 PEAK HP 24 GALLON AIR COMPRESSOR

KC-3124V2

- 150 PSI max pressure
- 7.6 CFM @ 40 PSI
- 6.0 CFM @ 90 PSI

2 cylinder cast iron
single stage oil
lubricated pump



\$875.

ASME
safety
valve

AIR TOOL KIT

8171

- Comes with 1/2" Impact Wrench, 3/8" Ratchet Wrench, Air Hammer and 1/4" Die Grinder

71 PC.

\$149.99



HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

3 cylinder cast iron
single stage oil
lubricated pump



\$1499.

ASME
safety
valve

TIRE INFLATION GUN WITH PRESSURE GAUGE

K-1630



\$23.99

COMPRESSOR OIL BOTTLE

KW-077

(850ml)

\$9.99



AIR COMPRESSORS & ACCESSORIES



SPRAY GUN KITS

8180



\$37.99

8182



\$49.99

8185



\$69.99

8190 HVLP



\$79.99

8195



\$99.99

INDUSTRIAL 2-STAGE AIR COMPRESSORS

2-STAGE 5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-5280V3-MS

- 200 PSI max pressure
- 19 CFM @ 175 PSI



2 cylinder cast iron
2-stage oil
lubricated pump



\$3499.

Comes with
magnetic
starter

ASME
safety
valve

2-STAGE 7.5 RUNNING HP 80 GALLON AIR COMPRESSOR

KC-7280V3-MS

- 200 PSI max pressure
- 24 CFM @ 175 PSI



2 cylinder cast iron
2-stage oil
lubricated pump



\$3999.

Comes with
magnetic
starter

ASME
safety
valve

HEPA CARTRIDGE FILTERS

HEPA (high-efficiency particulate air) filters are designed to capture all particles that are 0.3 microns or smaller

KVAC-1145

FITS: 8520LP, 8530LPN,
8531LP-B, 8540LST

KVAC-1150

Fits: 8560LST



\$39. EA.

8520LP

- Powerful 3.5 Peak HP motor
- 5 US Gallon (20L)
- Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool



\$69.99

Tank
water
drain

8530LPN

- Powerful 4 Peak HP motor
- 8 US Gallon (30L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$89.99

8540LST

- Powerful 5 Peak HP motor
- 10 US Gallon (40L)
- Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



\$179.99

Tank
water
drain

Double filtration system

8560LST

- Powerful 6.5 Peak HP motor
- 16 US Gallon (60L)
- Convenient 18 ft. power cord
- Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag



\$299.99

2" X 42" BELT & 8" DISC SANDER KC-770FX

- Both a 1" and a 2" sanding belt can be installed
- Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys



\$499.

2" x 42" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-242-60Z	2"x42"	60	1	\$9.99
SB-242-80Z	2"x42"	80	1	\$9.99
SB-242-100Z	2"x42"	100	1	\$9.99
SB-242-120Z	2"x42"	120	1	\$9.99

PURE ZIRCONIA 8" SANDING DISCS

Model	Disc Size	Grit	Unit	Price
SB-8-60Z	8"	60	1	\$9.99
SB-8-80Z	8"	80	1	\$9.99
SB-8-100Z	8"	100	1	\$9.99
SB-8-120Z	8"	120	1	\$9.99

10" WET/DRY SHARPENER KIT KC-4900S

- 1.6 Amp. motor quietly rotates at 115 RPM for maximum precision during sharpening
- Comes with angle guide honing compound and a square edge jig for sharpening a variety of blades and wood chisels



\$229.99

OPTIONAL

4 pc. Accessory Kit

KM-130

(Short knife jig, long knife jig, scissors jig & axe jig)



\$69.99

8" LOW SPEED LONG SHAFT BUFFER KC-899LSB

- Powerful 1/2 HP motor
- Arbor shaft diameter: 5/8"
- Motor no load speed: 1,750 RPM
- Comes with two 8" x 1/2" spiral sewn cloth buffing wheels



2PC. 8" X 1/2" BUFFING WHEEL KIT KM-131

\$39.99

\$159.99

BENCH GRINDER STAND SS-150N

- Made of cast-iron & alloy steel
- Height of 31-1/2" from the floor
- Water reservoir for quenching workpieces



\$79.99

BENCH GRINDERS KC-690

- 3.5 Amp. motor
- 3500 RPM

\$69.99

- 7 Amp. motor
- 3450 RPM

\$125.

8" LOW SPEED BENCH GRINDER WITH LIGHT KC-895LS

Comes complete with diamond wheel dressing tool, tool rests, eye shields, course 60 grit and fine 120 Grit 8" x 1" white aluminum oxide grinding wheels

\$159.99

3" X 79" METAL BELT SANDER

Comes with Canadian made 80 Grit pure zirconia sanding belt



2 HP (220V)

\$999.

KC-379MS

- Sanding belt rotates on 7-1/2" vented drive wheel and solid rubber rear wheel for maximum tracking and sanding control
- Head pivots up or down on base for easy and safe work heights
- Horizontal working height of 36"

Hinged top cover for access to entire length of belt for larger pieces



3"x 79" PURE ZIRCONIA SANDING BELTS

Model	Belt Size	Grit	Unit	Price
SB-379-60	3"x79"	60	1	\$19.99
SB-379-80	3"x79"	80	1	\$19.99
SB-379-120	3"x79"	120	1	\$19.99

2 HP METAL DUST COLLECTOR KC-7300C

- Powerful 2 HP, 220V motor
- 2 Step activation safety switch with line voltage interruption
- Ideal for collection of metal chips and abrasive dust produced by metal sanders, grinders, cold cut saws, deburring and chamfering machines
- Large metal chips collection drawer
- 6" inlet with Y-inlet adaptor with two 3" dust inlets allowing up to connect up to two metalworking machines
- Comes with large paper filter and iron activated carbon filter



\$1699.

DIGITAL FRACTIONAL CALIPER KM-106

- Converts to inches (decimal and fractional) and metric readings
- Waterproof to IP54 standards
- Two 3V Lithium batteries included



\$35.

FIREPROOF 3" METAL DUST COLLECTION HOSES KIT KM-102

Kits Includes: 2 - 8ft. (2.5M) Fireproof hoses 4 - hose clamps (3")



\$79.99

RATED 130°C



1.5 HP (220V) Direct Drive Motor

\$1699.

12" HEAVY-DUTY BENCH GRINDER WITH FLOOR STAND KC-1295

- Cast-iron wheel guards and dust vents with 2-1/2" T-fitting adaptor for dust collection
- Built-in cast-iron quench tray, 36 Grit and 60 Grit 12" x 2" grinding wheels

MAGNETIC SWITCHES

Comes with twist lock emergency stop button

\$129.99 ea.

KMAG-110-811	110V (8-11 Amp.)
KMAG-110-1114	110V (11-14 Amp.)
KMAG-110-1417	110V (14-17 Amp.)
KMAG-220-811	220V (8-11 Amp.)
KMAG-220-1114	220V (11-14 Amp.)
KMAG-220-1417	220V (14-17 Amp.)
KMAG-220-1721	220V (17-21 Amp.)

SANDBLAST CABINETS WITH LED LIGHT

- 4 different sized ceramic nozzles
- 2 rubber gauntlet gloves
- Dual large access doors allow user to sandblast longer pieces of metal (KSB-350-LED only)
- Comes with 5 replacement adhesive window protectors

LED light for improved visibility



KSB-110N-LED
\$199.99

KSB-350-LED
\$699.

ADHESIVE WINDOW PROTECTORS
KM-097 KM-098
Fits: KSB-110N-LED Fits: KSB-350-LED
5 PC. KIT 5 PC. KIT


\$27.

\$27.

REPLACEMENT CERAMIC NOZZLES
KM-036
Fits:
KSB-110N-LED
& KSB-350-LED
4 PC. KIT

\$27.

LED WORK LIGHTS



15W Work light emits 1500 lumens
KC-1501LED

\$35.99

KC-3002LED-ST
40W work light emits 6000 lumens
• Quick release latch
• For indoor and outdoor use in dry locations

\$219.99

KC-4002LED-ST
72W work light emits 8000 lumens
• Quick release latch
• For indoor and outdoor use in dry locations

36W Work light emits 4000 lumens
KC-4001LED

\$99.99

20W Work light emits 3000 lumens
KC-3001LED

\$59.99

10W Work light emits 1500 lumens
KC-1502LED-C

CORDLESS

\$59.99

RECIRCULATING PARTS WASHERS

CLEANING BRUSH FOR PARTS WASHERS
KM-059



\$19.99



5 GALLON
KPW-205

- Safety lever has fusible link
- Durable pump included

\$89.99

20 GALLON
KPW-220

- Safety lever has fusible link
- Durable pump included

\$199.99

40 GALLON
KPW-240

- Safety lever has fusible link
- Durable pump included

\$299.99

VARIABLE SPEED HAND-HELD BLOWER/VACUUM

8317

- 116 CFM, max air speed 195 km/h (121 mph)
- Variable speed (6,000-14,000 RPM)
- Trigger lock-on button for continuous operation
- Comes complete with soft flexible rubber blower nozzle and a vacuum dust bag.



\$29.99

Vacuum mode

PRESSURE ABRASIVE SANDBLASTERS

- Safety pressure relief valve
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8 ft abrasive feed hose
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

KSB-10
10 GALLON



\$249.99

KSB-20
20 GALLON



Protective blast hood included

\$299.99



2 TON FOLDING SHOP CRANE
KFC-2TC

- 8 ton hydraulic ram features top-of-stroke and safety overload bypass system for maximum pump protection
- Compact design with retractable boom and foldable legs
- Fold-up legs with safety pins extend to 65"

\$379.

14" CUT-OFF SAW

8342LN

- Quick release vise for holding workpiece, allows cuts up to a 45° angle

Powerful 15 Amp motor

\$169.99



HYDRAULIC SHOP PRESSES WITH GRID GUARD

- Great for straightening, pressing, bending or stamping
- Used to install or remove gears, bushings or bearings
- Adjustable bed height with support rods
- Comes with 2 pressure plates

Optional
9 PC. PUNCH & DIE KIT
KM-045
\$129.99



KHP-10T-GGN
\$349.99

KHP-20T-GGN
\$559.99

METAL FORMING MACHINES




3 IN 1 METAL FORMING MACHINES

52" FOOT SHEAR

KC-F5216

- Cutting length 52"
- Capacity 16 Gauge
- Weight 1080 lbs

\$2499.



SHEAR, BRAKE AND ROLL

KC-1220

- Max. length 12"
- Maximum thickness 20 Gauge
- Weight 95 lbs

\$659.

KC-3020

- Max. length 30"
- Maximum thickness 20 Gauge
- Weight 300 lbs

\$999.

KC-4020

- Max. length 40"
- Maximum thickness 20 Gauge
- Weight 387 lbs

\$1599.

SLIP ROLLS

KC-S5016

- Max. length 50"
- Capacity 16 Gauge
- Weight 540 lbs

\$1849.



KC-S3622

- Max. length 36"
- Capacity 22 Gauge
- Weight 176 lbs

\$779.

KC-S2422

- Max. length 24"
- Capacity 22 Gauge
- Weight 81 lbs

\$679.

16 GAUGE BOX AND PAN BRAKE

KC-BP4816

- Bending length 48 1/2"
- Capacity 16 Gauge
- Weight 380 lbs

\$1199. NEW HEAVIER DUTY MODEL



12" HAND SHEAR

KC-HS12

- Level arm with compensating spring

\$245.




4 TON HAND NOTCHER

KC-N616

- 16 Gauge notching capacity (mild steel)
- 18 Gauge piercing capacity (mild steel)
- Maximum notch (6" X 6" x 90°)
- Weight 165 lbs

\$749.



ARBOR PRESS

KAP-3

- Capacity: 3 Ton
- Diameter of work: 12 1/2"
- Capacity over table: 12"

\$349.



COMBINATION ROTARY MACHINE

KC-RM22

- Cutting capacity (mild steel): 22 Gauge
- Distance between shaft centers: 2"
- Depth of throat to frame: 7"
- Includes 6 dies for hooking (2), burring, wiring, ogee beads and crimping

\$749.



FLOOR MODEL BOX AND PAN BRAKE

KC-BP4812

- Bending length 48"
- Capacity 12 Gauge
- Weight 1140 lbs



\$3999.

MILLING DRILLING MACHINES



FAGOR DIGITAL READOUT SYSTEMS

20i-M-1836
(Fits 1050VS)
2 AXIS with 18" x 36" scales



\$2099.

30i-M-183616
(Fits 1050VS)
3 AXIS with 18" x 36" x 16" scales



\$3099.

18 PC. COLLET SETS

Includes straight shank, 15 collets, wrench and plastic case.

KCS-4015
• Straight shank taper ISO 40
• Draw Bar 5/8" WII



KCS-R8-15
• Straight shank taper R8
• Draw Bar 7/16" NF 20

\$399.99 ea.

DIVIDING PLATES FOR ROTARY TABLE

KC-DPRT-6
Size 6"



KC-DPRT-8
Size 8"

\$159.99 ea.

K-TYPE SWIVEL BASE MILLING VISES



3" 4" 6" 8"
KMV-3M KMV-4M KMV-6M KMV-8M
\$129. \$199. \$259. \$369.

HORIZONTAL & VERTICAL ROTARY TABLES

KC-HVRT-6
Size 6"

KC-HVRT-8
Size 8"



\$499. \$659.

MINI MILLING DRILLING MACHINE KC-15VS

- Variable speed gear drive
- Spindle depth fine feed control with micro downfeed dial
- Adjustable depth stop
- Chuck guard
- Emergency stop button
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches and hex. keys

POWERFUL
3/4 HP
MOTOR




Column tilts 45° to the right or left

\$999.

MILLING DRILLING MACHINE WITH DIGITAL READOUT, SAFETY GUARD & LIMIT SWITCH KC-20VS-2

- 1 HP Motor
- 13" Max. distance spindle nose to table
- 13" swing
- R8 Spindle taper
- 2" Spindle stroke
- Speeds 2(50-1125 / 100-2250 RPM)
- 7 1/16" x 27 1/2" Table dimensions
- 1/2" Size of T-Slot on table
- Comes with 1/2" chuck, chuck key, R8 chuck arbor, safety guard, 2 T-bolts, oil bottle, adjustment wrenches, hex. keys and tool box



HEADS TILTS 90° TO THE LEFT AND RIGHT

\$2299.



OPTIONAL MILLING DRILLING MACHINE STAND SS-20VS

\$319.99

12" SLOW SPEED COLD CUT SAW KC-315CS

- 4.5 HP motor
- Low 52 RPM blade speed is ideal for cutting ferrous metals
- Mitering head pivots to the right or left with positive stops at 45° and 90°


Blade not included



\$3299.

OPTIONAL 12" COLD CUT SAW BLADE

KM-1200
(Made in Italy)
\$359.



GEARHEAD MILLING DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH KC-45

- 1.5 HP Motor
- Forward & Reversing Switch
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" X 32 1/4" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8

\$5999.

OPTIONAL TABLE POWERFEED ATTACHMENT PFM-32 For # KC-45

\$679.



OPTIONAL MILLING DRILLING MACHINE STAND SS-45

\$399.99

FAGOR DIGITAL READOUT SYSTEMS



20i-T-840
(Fits KC-1440ML-6
& KC-1440ML-2)

2 AXIS with
8" x 40" scales

\$2499.

20i-T-1040
(Fits KC-1640ML)

2 AXIS with
10" x 40" scales

\$2699.

LIVE CENTERS



\$69.

KLC-2M
TAPER SHANK -
MT#2

\$79.

KLC-3M
TAPER SHANK -
MT#3

7 PC. CARBIDE CUTTER HOLDER

- 2 positions carbide indexable Cutter Inserts (5pc.)
- H.S.S. Inserts (2pc.)

INCLUDED
Screwdriver and
3 adjustment keys



KM-047
3/8" Shank

\$199.

KM-057
5/8" Shank

\$219.

Fits Models: KC-0712ML, KC-1022ML
Fits Models: KC-1236ML, 14440ML-2, 14440ML-6, KC-1640GH, KC-1640ML & KC-1660GH

TAPER ATTACHMENT



Taper Attachment must be ordered together with

These Taper Attachments are designed to fit our 12" x 36", 14" x 40" & 16" x 40" Metal Lathes models

KC-1236ML, KC-1440ML-2 & KC-1640ML

7 PC. QUICK CHANGE TOOL POST KITS



KQCT-0012
Fits most lathes up to 0 to 12" swing

\$279.99

KQCT-1015
Fits most lathes between 10" to 15" swing

\$349.99

KQCT-1318
Fits most lathes between 13" to 18" swing

\$499.99

METAL LATHES & ACCESSORIES



7" X 12"

VARIABLE SPEED MINI METAL LATHE

KC-0712ML

- 3/4" spindle bore
- Variable speeds 2 (0-1100, 0-2500 RPM)
- Comes complete with quick change gear box, face plate, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator

\$1099.

5.5 Amp.
(110V)

INCLUDES - 4" - 3 JAW CHUCK & STEADY REST



10" X 22"

BELT DRIVE METAL LATHE

KC-1022ML

- 1" spindle bore
- Spindle speeds 6 (150-2400 RPM)
- Comes complete with 5"-3 jaw chuck, 6-1/2"-4 jaw chuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, and chuck key

\$2999.

12 Amp.
(110V)

OPTIONAL CABINET STAND
SS-1022



\$379.99



12" X 36"

GEARHEAD METAL LATHE

KC-1236ML/SS-1236

- 1 1/2" spindle bore
- Spindle speeds 9 (60-1500) RPM
- 40(4-112 T.P.I.) 30(.2 - 4.5mm) thread cutting
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, imperial and metric gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, MT#3 arbor taper, 1/2" drill chuck, full length splash guard, tool box, and chuck keys

KC-1236ML/SS-1236

\$5999.

WITH TAPER ATTACHMENT
KC-1236ML/KM-053/SS-1236

\$6499.

1.5 HP
(220V)



BONUS CABINET STAND INCLUDED

14" X 40"

GEARHEAD METAL LATHE

- Spindle speeds 8(70-2000 RPM)
- 34(4-56 T.P.I.) 26(.4 - 7mm) thread cutting
- Comes complete with 7"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-5 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, MT#6-MT#3 sleeve, tool box, chuck keys, and cabinet stand with foot brake


KC-1440ML-2

\$9499.

WITH TAPER ATTACHMENT
KC-1440ML-2/KM-054

\$9999.

2 HP
(240V)



CABINET STAND WITH FOOT BRAKE INCLUDED

16" X 40"

HIGH PRECISION "TOOL ROOM" METAL LATHE

- Spindle speeds 16(45-1800 RPM)
- 2" spindle bore diameter
- 45(2-72 T.P.I.) thread cutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 12"-4 jaw chuck, quick change tool post and two 3/4" tool holders, steady and follow rests with roller guides, 14" (D1-6) camlock face plate, MT #4 standard dead centre, MT #4 carbide tipped dead centre, MT #4 to MT #6 spindle sleeve adapter, coolant system, manual micrometer carriage stop, tool box and wrenches


KC-1640ML

\$16999.

WITH TAPER ATTACHMENT
KC-1640ML/KM-055

\$17499.

4 HP
(600V)



CABINET STAND WITH FOOT BRAKE INCLUDED

2000W GASOLINE DIGITAL INVERTER GENERATOR

KCG-2001i

- **Powerful 3 HP**, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output



\$649.99

Optional K-X2P

Parallel Cable Kit for connectivity between two inverters

\$99.99



3800W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR



KCG-3800i-DF

- **Powerful 5 HP**, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- Duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- DC USB ports (A & C): 5V/2.1 Amp. DC output for charging smartphones, tablets or any USB powered equipment



\$849.99

Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor

5000W DUAL FUEL GASOLINE/PROPANE DIGITAL INVERTER GENERATOR



KCG-5000i-DF

- **Powerful 8 HP**, 4 stroke air cooled motor
- Sine wave digital inverter generator provides stable current to power voltage-sensitive electronics
- DC USB port: 5V/2.1 Amp.
- DC cigarette lighter socket: 12V/8 Amp. DC output
- AC duplex outlet: 120V/20 Amp. AC output
- AC twist lock outlet: 120V/30 Amp. AC output



Remote control start



\$1199.99

Comes with propane tank connection cable, Nema L5-30P/Nema TT30R RV adaptor

PALLET TRUCKS

KC-2145N-NYL
(21" X 45")

Nylon wheels

429.99

KC-2748N-NYL
(27" X 48")

Nylon wheels

429.99

KC-2748NP
(27" X 48")

Poly wheels

429.99



3 postion control handle

Max. raised height of forks 7 1/2"
Min. height of forks 2.95"

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL

QUICK RELEASE FOOT PEDAL

15000W V-TWIN GASOLINE GENERATOR WITH ELECTRIC START

KCG-15000GE

- **Powerful 20 HP**, V-Twin horizontal shaft 4 stroke air cooled motor
- AVR system and electronic ignition
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC with DC reset

AUTO-IDLE DOWN FUNCTION extends running time by automatically adjusting engine speed to idle when not under load



\$2499.99



GASOLINE ENGINES WATER PUMP HOSE KITS

- Ideal for compressors, generators, pressure washers, go-karts and log splitters
- Counterclockwise drive shaft direction

KCG-65
Powerful 6.5 HP,
4 stroke air cooled OHV engine
\$229.



KCG-130
Powerful 13 HP,
4 stroke air cooled OHV engine
\$449.



Each hose kit comes with a type A threaded camlock adaptor

\$119.99

CLEAR PVC REINFORCED SUCTION HOSES



KW-252

2" X 25 ft

\$199.99

KW-253

3" X 25 ft

\$89.99

KW-502

2" X 50 ft

\$119.99

KW-503

3" X 50 ft

FLAT PVC DISCHARGE HOSES



GASOLINE WATER PUMPS

- 105' (KCG-2WPG) or 92' (KCG-3WPG) total head lift (total height at sea level, to which water can be raised above original water level)

- Oil sensor shuts off engine when oil level is low
- Comes with 3 wire clamps, 2 hose adapters, 2 rubber gaskets, strainer basket and strainer basket adapter



Standard accessories

KCG-2WPG
\$339.99



Standard accessories

KCG-3WPG
\$399.99

GASOLINE/PROPANE GENERATORS

PORTABLE GASOLINE GENERATORS

1800W GASOLINE GENERATOR

KCG-1501GX

- Powerful 3 HP, 4 stroke air cooled OHV engine
- Low oil shut-off with indicator light
- Duplex Outlet: 120V/11.6 Amp. AC output
- Terminals: 12V, 8 Amp. DC output

\$399.99



5100W GASOLINE GENERATOR WITH WHEEL KIT

KCG-5100G

- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp AC
- Twist lock outlet: 120V/240V/30 Amp AC

\$449.99



5100W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START KCG-5101GE-DF



- Powerful 8 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets for safe operation

\$599.99



6500W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-6502GE

- Powerful 10 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC

\$659.99



10000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-10001GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Two twist lock outlets: 120V/30 Amp. and 120V/240V/30 Amp. AC

\$959.99



12000W GASOLINE GENERATOR WITH ELECTRIC START

KCG-12000GE

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light protects the engine
- Two duplex outlets: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V/30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC

\$1099.99



12000W DUAL/FUEL GASOLINE/PROPANE GENERATOR WITH ELECTRIC START

KCG-12001GE-DF

- Powerful 18 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Low oil shut-off with indicator light
- Duplex outlet: 120V/20 Amp. AC
- Twist lock outlet: 120V/240V 30 Amp. AC
- Outlet: 120V/240V/50 Amp. AC
- Keyed electric start and easy start recoil starter
- AC double throw circuit breaker and resets
- Terminals: 12V/8.3 Amp. DC and DC reset

\$1299.99



GENERATOR EXTENSION CORDS

Converts a Nema L14-30P 240V 30 Amp Twist Lock plug into Nema 5-15/20R 120V 20A receptacles

K-L1430-10

Extension cord length: 10 feet
Gauge (AWG)/Cord: 12 (SJTW 4/C)



\$39.99

K-L1430R-25

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (SJTW 4/C)



\$99.99

K-L1430-25-4T

Extension cord length: 25 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$99.99

K-L1430-25EXT

Extension cord length: 25 feet
Gauge (AWG)/Cord:



\$99.99

50 AMP. GENERATOR ADAPTOR CORD

Nema 14-50P 120/240V plug to Nema L14-30R 120/240V twist lock receptacle
K-1450P-2
Cord length: 1.5 feet
Gauge (AWG)/Cord: 10 (STW 4/C)



\$69.99

GENERATOR HOME CONNECTION KIT

K-X7500

Outdoor to indoor receptacle kit
Comes with 6 outlet power panel, generator power inlet box, 1/2" rigid PVC conduit, 1-1/4" spade bit, 1/2" PVC sleeve connector, 2 insulating gaskets and mounting hardware



\$109.99

MILLING DRILLING MACHINES & ACCESSORIES

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS

17" DRILL PRESS



DRILL PRESS CHUCK SAFETY GUARD KM-118 Fits KC-118FC

\$29.99

KC-118FC
 • 12.5 Amp. motor
 • 16 speeds (240-3400 RPM)
 • 17" swing
 • 3 1/4" stroke
 • 5/8" chuck

\$799.

17" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



KC-118FC-LS
 • 12.5 Amp. motor
 • 16 speeds (240-3400 RPM)
 • 17" swing
 • 3 1/4" stroke
 • 5/8" chuck

\$899.

17" LONG STROKE DRILL PRESS with SAFETY GUARD



LONG 6" STROKE

KC-119FC-LS
 • 12.5 Amp. motor
 • 12 speeds (255-2750 RPM)
 • Spindle taper MT #3
 • 16 15/16" swing
 • 6" stroke
 • 3/4" chuck

\$1099.

22" DRILL PRESS



DRILL PRESS CHUCK SAFETY GUARD KM-122 Fits KC-122FC

\$29.99

KC-122FC
 • 12.5 Amp. motor
 • 1 1/4" capacity
 • Spindle taper MT #4
 • 12 speeds (180-4200 RPM)
 • 4 3/4" stroke
 • 3/4" chuck

\$1199.

22" DRILL PRESS with SAFETY GUARD & LIMIT SWITCH



KC-122FC-LS
 • 12.5 Amp. motor
 • 1 1/4" capacity
 • Spindle taper MT #4
 • 12 speeds (180-4200 RPM)
 • 4 3/4" stroke
 • 3/4" chuck

\$1299.

15" VARIABLE SPEED INDUSTRIAL DRILL PRESS



Variable speed handwheel with digital readout



Safety guard with limit switch protection



LONG 6" STROKE

KC-30HS-VS
 • Powerful 1 HP motor
 • E-stop 2 step activation safety switch with line voltage interruption
 • Variable speeds: 400-5,000 RPM
 • 5/8" drill chuck and key

\$2999.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



21" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HS (220V)
KC-40HS-6 (600V)
 • 1.5 HP Motor
 • Forward & Reversing Switch
 • 1 1/4" Drilling Capacity
 • 20 7/16" Swing
 • Spindle Taper MT#3
 • 6 Speeds (60-1500 RPM)
 • Face Mill Capacity 4"
 • End Mill capacity 3/4"

\$4999.

HEAD TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



21" GEARHEAD DRILLING/MILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-40HC (220V)
KC-40HC-6 (600V)
 • 1.5 HP Motor
 • Forward & Reversing Switch
 • 1 1/4" Drilling Capacity
 • 20 7/16" Swing
 • Spindle Taper R-8
 • 6 Speeds (60-1500 RPM)
 • Face Mill Capacity 4"
 • End Mill capacity 3/4"
 • Working surface of table 23"x 7 1/2"

\$5999.

POWER DOWNFEED & TAPPING



RECIRCULATING COOLANT SYSTEM



28" GEARHEAD DRILLING MACHINE WITH SAFETY GUARD & LIMIT SWITCH

KC-50
 • 2 HP motor
 • 27 1/2" swing
 • 7" stroke
 • Speeds (60-870 / 120-1740)
 • 1 1/2" capacity
 • Spindle taper MT#4
 • 5/8" Chuck & key included

\$6999.

RADIAL DRILLING MACHINE WITH SAFETY GUARD


KC-35/SS-35
 • 1.5 HP Motor
 • 21 1/4" Max. distance spindle nose to table
 • Speeds 5(340-3000 R.P.M.)
 • 5 1/4" Spindle stroke
 • MT #3 Spindle taper
 • 38 1/2" swing
 • 4 1/2" Column diameter
 • 21 5/8" x 19 5/8" Table dimensions
 • 14" Head travel
 • 5/8" Size of T-Slot on table
 • Forward reverse switch
 • 1/2" chuck with key, safety guard and stand

\$4999.

HEAD SWIVELS 180°

29 PC. TITANIUM DRILL BIT SET

KDB-29T



\$39.99

10 16"-1/2" x 1/16 4"

CROSS SLIDE VISES



4"- KCV-4N \$69.99

5"- KCV-5N \$99.99

6"- KCV-6N \$129.99

DRILL PRESS VISES



3"-KPV-3 \$19.99

4"-KPV-4 \$24.99

5"-KPV-5 \$39.99

6"-KPV-6 \$49.99

KEYLESS DRILL CHUCKS



KDC-12X 1/2"JT#33 \$79.99

KDC-58X 5/8"JT#3 \$99.99

KDC-34X 3/4"JT#4 \$129.99

COMPOUND SLIDE TABLE



KCT-618 \$249.99

6" X 18 1/2" - 1/2" T- slots

52 PC. CLAMPING KITS



KCL-5212 \$89.99

Fits 1/2" table slots

KCL-52 \$89.99

Fits 5/8" table slots

20 PC. TITANIUM COATED END MILL SET



KM-120

\$199.99

2 & 4 Flute (10 pcs. each)

Imperial, Single End

METAL CUTTING BANDSAWS

PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW

KC-8377

- Variable speed 0-420 SFPM
- Cutting capacity of 5" x 5"
- Blade tension lever
- Comes with standard 44-7/8" x 1/2" blade

\$199.99



OPTIONAL

Miter Stand turns this Bandsaw into a Cut-off Saw

SS-8377

\$99.99

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$24.99
KBB-8376-BM-1418	44 7/8"	1/2"	14-18	.020"	\$24.99

5" x 6" METAL CUTTING BANDSAW

KC-129C

- 3 speeds (80-120-200 FPM)
- Comes with wheels for portability

8 Amp. (110V)



\$699.

H.S.S. & BI-METAL BLADES						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-115-10	64 1/2"	1/2"	H.S.S.	10	.025"	\$19.99
KBB-115-14	64 1/2"	1/2"	H.S.S.	14	.025"	\$19.99
KBB-115-18	64 1/2"	1/2"	H.S.S.	18	.025"	\$19.99
KBB-115-24	64 1/2"	1/2"	H.S.S.	24	.025"	\$19.99
KBB-115-BM-10	64 1/2"	1/2"	Bi-Metal	10	.025"	\$39.99
KBB-115-BM-14	64 1/2"	1/2"	Bi-Metal	14	.025"	\$39.99
KBB-115-BM-18	64 1/2"	1/2"	Bi-Metal	18	.025"	\$39.99

PRECISION PRESSURE GAUGE INDICATES THE BLADE TENSION



10" x 18" METAL CUTTING BANDSAW

KC-227-2 (220V)

KC-227-6 (600V)

- 4 speeds (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guide
- Control panel with automatic shut-off
- Adjustable hydraulic downfeed control
- Both adjustable control arms can be positioned as close to the cut as possible
- Coolant system with regulator valves

H.S.S. BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-10	122"	1"	10	.032"	\$39.99
KBB-225-14	122"	1"	14	.032"	\$39.99

**11.5 Amp. @ 220V
2.6 Amp. @ 600V**



PATENTED TRU-LOCK™ quick locking vise system.

Exclusive 24 Volt control panel

\$5899.

5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch



8 Amp. (110V)

\$899.

ADJUSTABLE HYDRAULIC CYLINDER



10" x 18" VARIABLE SPEED SWIVEL METAL CUTTING BANDSAW

KC-228S-V-2 (220V)

KC-228S-V-6 (600V)

**11.5 Amp. @ 220V
2.6 Amp. @ 600V**

- Swivel base from 0° to 45°
- Position adjustable control panel and automatic shut-off
- Adjustable hydraulic down feed control
- Carbide ball bearing blade guides
- Coolant system with regulator valves

BI-METAL BLADES					
Model	Length	Width	TPI	Thickness	Price
KBB-225-BM-610	122"	1"	6-10	.032"	\$99.99
KBB-225-BM-812	122"	1"	8-12	.032"	\$99.99



PATENTED TRU-LOCK™ quick locking vise system.

Exclusive 24 Volt control panel

\$7999.

METAL CUTTING BANDSAWS

nova™

7" x 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

6 Amp.
(220V)

- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

PATENTED
TRU-LOCK™ quick
locking vise system.



\$3599.

7" x 12" NOVA DVR METAL CUTTING BANDSAW

59001

- Smart metal bandsaw features state of the art technology
- Digital Variable Reluctance (DVR) Direct Drive 1 HP motor with Adaptive Control™ Software
- Constant torque under load and electronic braking emergency stop
- Includes a 240V conversion components kit

**DVR
Smart**
THE WORLD FIRST
SMART BANDSAW
WITH DIGITAL
DISPLAY

NEW



\$3499.

9" x 18" METAL CUTTING SWIVEL BANDSAW

KC-918S-V (8 Amp. 220V)

KC-918S-V- 600 (2.5 Amp. 600V)

- Returning coolant system
- Variable speeds (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Precision blade tension adjustment
- Head swivels 0° to 45° in one direction
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles

VARIABLE
SPEED



\$8499.

17" VARIABLE SPEED METAL/WOOD CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
- Variable speeds (metal): 100-650 SFPM
- Voltage (input power): 220V, 1 phase, 60 Hz
- Comes with a 1/2" x 6 TPI wood cutting blade, 1/2" x 10 TPI metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide



2HP
(8 Amp. @ 220V)

\$4499.

18" METAL CUTTING BANDSAW

KC-450

- Variable speed
- Handwheel controls speed
- Speed changes while the machine is in operation
- Comes complete with 4-way tilting table, and work light



7.5 Amp.
(220V)

\$5499.

H.S.S. & BI-METAL BLADES ("SKIP TOOTH")						
Model	Length	Width	Blade Material	TPI	Thickness	Price
KBB-918-10	131 3/4"	1"	H.S.S.	10	.032"	\$39.99
KBB-918-14	131 3/4"	1"	H.S.S.	14	.032"	\$39.99
KBB-918-BM-610	131 3/4"	1"	Bi-Metal	6-10	.032"	\$99.99
KBB-918-BM-812	131 3/4"	1"	Bi-Metal	8-12	.032"	\$99.99