FALL & WINTER SINCE 1983

USE WHAT THE **PROS** USE



Θ

\$1799.









WITH 22 CUTTER INSERTS Replacement cutter inserts KW-104 (see p.5)

omes with 2 safety push blocks, cutter insert adjustment Cutterhead speed 12,000 RPM

MAGNETIC DIGITAL ANGLE GAUGE \$39.99 **KW-180N**



1200 CFM DUST COLLECTORS

Noise level reading at 36": 66-77dE Static pressure (inch of water): 9.5 Dust port opening: 2 x 4" / 1 x 6"

1 Micron canister filter, offering optimum air flow





10" CABINET TABLE SAW KC-10HCX

Riving knife blade guard with anti-kickback fingers and laser

0 1.75 HP Motor

\$1399

CAPACITY BARS KIT KRF-H50 \$992

\$199.

\$59

SWITCH FOR KC-10HCX \$89.

Prewired for 120V

Cast iron table extensions

designed to increase the rip capacity from 30" to 50"

3 GALLON 3000 hours **ULTRA-QUIET** OIL-FREE AIR COMPRESSOR KC-1030A

KING

3.5 CFM @ 40 PSI

2.8 CFM @ 90 PSI 135 PSI maximum

KING

tank pressure 1.1 HP (PEAK)

\$199.99

14" WOOD CUTTING **BANDSAW WITH** RIP FENCE KC-1402FX

Large 21-3/8" x 15-5/8" cast iron tilting table with rack & pinion adjustment

Powerful 1 HP 120V motor

- Dust chute accepts 2", 3" and 4" dust collector hoses
- Comes complete with cast aluminum miter gauge, rip fence with 5" high face, push stick, adjustment wrench and hex. kevs
- Quick release lever blade tension system

100 5/8" WOOD CUTTING BANDSAW							
1000		Model	Length	Width	TPI	Thickness	Price
100 57 1111	300	KBB-1318-14	100 5/8"	1/8"	14	.025"	\$29.99
(10)		KBB-1336-10	100 5/8"	13/16"	10	.025"	\$29.99
1 100	- 1	KBB-1314-6	100 5/8"	1/4"	6	.025"	\$29.99
	7	KBB-1338-6	100 5/8"	3/8"	6	.025"	\$29.99
	1	KBB-1312-6	100 5/8"	1/2"	6	.025"	\$29.99
	1	KBB-1334-4	100 5/8"	3/4"	4	.025"	\$29.99

22" PROFESSIONAL SCROLL SAW

KXL-22

- Professional quality scroll saw with 1.3 Amp DC motor
- Built-in dust blower system
 Variable speed (550-1550 strokes/min)
- Head tilts to 45° to the left and to the right Large 13-3/4" x 27-5/8" stationary table
 Comes with two 5" pinless blades and adjustment hex. keys

\$549









13" PLANER / MOULDER

KC-235PM

- Powerful 1.5 HP motor
- Double drive belt system
- 6 1/8" max. planing /moulding thickness







MÖÜLDING KNIFE SET K-4509K ALSO AVAILABLE: 20 INDIVIDUAL MOULDING KNIFE SETS \$279

H.S.S. PLANER KNIVES

KKC-13PM Fits: KC-235PM

15" KKC-15 20" KKC-20

\$99.99 **\$169**.99



PLANERS WITH SPIRAL CUTTERHEADS 15" PLANER WITH

SPIRAL CUTTERHEAD

KC-390FX

- Powerful 3 HP motor (220V motor)
- A spiral cutterhead is 50% quieter than
- a conventional cutterheadh Anti-kickback fingers in front of the
- infeed roller to prevent wood kickback Magnetic safety switch Comes complete with cabinet stand and 4" dust collector outlet

25 Charles

4 Row spiral cutterhead with 74 replaceable cutter inserts

\$3199.



KING

PLANERS

13" PLANER WITH HELICAL CUTTERHEAD

KC-13HPC

- Powerful 15 Amp. motor
- Pre-set depth stops for repeat cuts at 1/8", 1/4", 1/2", 3/4", 1", 1-1/4", 1-1/2" and 1-3/4"

HELICAL CUTTERHEAD WITH 26 CUTTER INSERTS

\$689.99



\$59.⁹⁹



- Powerful 5 HP motor (220V motor)
 A spiral cutterhead is 50% quieter
 than a convenience. than a conventional cutterhead
- Anti-kickback fingers in front of th infeed roller prevents wood kickback Magnetic safety switch Comes with 5" dust chute

4 Row spiral cutterhead with 98 replaceable

\$4899



CARBIDE CUTTER INSERT KITS

KW-140

- on all 4 sides
- Cutter size: 14mm x 14mm x 2mm
- Fits KC-526FX / KC-530FX / KC-630FX-2/ KC-630FX-6

KING

- KW-104
 Carbide inserts cut on all 4 sides
 Cutter size: 15mm x 15mm x 2.5mm
 Fits: KC-10HJC/KC-525FX/ KC-530FXR/ KC-12HJPC

0000 \$99.99 EA.

3 in 1

FOLDING

15" PLANER

KC-382CFX 3 HP motor

- 6" max planing thickness
- Includes cabinet stand, planing knife, setting gauge and 4" dust collector outlet

\$1899.









20" HEAVY-DUTY **PLANER**

0

KC-520C

- Powerful 5 HP (220V motor)Cuts per inch: 104-83
- Feed rate: (16-20 FPM)
- 8" max. planing thickness
 Magnetic safety switch

\$3199.





OSCILLATING SPINDLE SANDERS & ACCESSORIES

OSCILLATING SPINDLE SANDER KC-OVS-TL

- Table can be tilted downwards up to a maximum of 45° to allow the sanding of beveled parts
- Comes standard with 3 spindles (1/4", 1/2" and 5/8") and 2 drums (1-1/2" and 2")



Model	Sleeve Size	Grit	Units/Kits	Price
SL-514-K-80	5 9/16" x 1/4"	80	2	\$14.99
SL-514-K-120	5 9/16" x 1/4"	120	2	\$14.99
SL-512-K-80	5 9/16" x 1/2"	80	2	\$14.99
SL-512-K-120	5 9/16" x 1/2"	120	2	\$14.99
SL-534-K-80	5 9/16" x 3/4"	80	2	\$14.99
SL-534-K-120	5 9/16" x 3/4"	120	2	\$14.99
SL-515-K-80	5 9/16" x 1 1/2"	80	2	\$14.99
SL-515-K-120	5 9/16" x 1 1/2"	120	2	\$14.99
SL-520-K-80	5 9/16" x 2"	80	2	\$14.99
SL-520-K-120	5 9/16" x 2"	120	2	\$14.99





SLEEVES 5"x 1/4" to 9"x 4" Sleeve Size Grit Unit/Kit \$6.99 \$1-638-80 6" x 3/8 120 \$6.99 SL-638-120 6" x 3/8" \$6.99 SL-612-120 SL-658-80 6" x 1/2' 6" x 5/8' 120 80 \$6.99 \$6.99 SL-658-120 6" x 5/8 120 1 \$6.99 \$9.99 \$9.99 80 1 120 1 SL-934-80 6" x3/4" SL-934-120 6" x 3/4 SL-910-80 SL-910-120 \$9.99 \$9.99 80 120 SL-915-80 9" x 1 1/2" \$9.99 SL-915-120 9" x 1 1/2" 120 1 \$9.99 SL-920-80 \$9.99 9" x 2' \$9.99 \$14.99 SL-920-120 120 9" x 3' 80 1 SL-930-80 9" x 3" 120 1 \$14.99



2" X 42" BELT & 8" DISC SANDER

- Powerful 1 HP, 6.2 Amp direct drive motor
- Both a 1" and a 2" sanding
- belt can be installed Comes with 1" x 42" sanding belt, 2" x 42" sanding belt, 1" & 2" belt platens, 2 x 8" adhesive sanding discs, miter gauge and adjustment hex. keys

\$499.









point, enclosed stand and adjustment hex. keys

(D)



6" x 48" BELT & 9" DISC SANDER

KC-760L

80 1 120 1

\$24.99 \$24.99

Two 2-1/2" dust chutes with 2-1/2" to 4" adaptor for dust collector hook-up Comes complete with miter gauge, 2-1/2"to 4" dust chute adaptor and sturdy enclosed cabinet stand

ABRASIVE CLEANER K-1306

1 1/2" x 1 1/2" x 8 1/2"







- Powerful 1.5 HP direct ball bearing drive motor
 Heavy-duty cast-iron tilting tables and frame
 Adjustable belt unit operates vertically, horizontally or at any set angle in between
 2 dust chutes (2" & 2-1/4") for vacuum ordust collector hook-up
 Sturdy, explored traded.
- Sturdy cabinet stand Quick belt release mechanism
- Both sanders comes complete
- with heavy-duty miter gauge and back







9" STICK-ON ADHESIVE DISC KITS

Model	Disc size	Grit	Units/Kits	Price
SD-9-K-60	9"	60	3	\$7.99
SD-9-K-80	9"	80	3	\$7.99
SD-9-K-100		100	3	\$7.99
SD-9-K-120	9"	120	3	\$7.99





KC-1632DS

- 10 Amp, motor
- Drum speed: 1,720 RPM
- 2 1/2" dust chute
- Easy clamping sanding belt loading system







can sand a **32"** wide piece in 2 passes







OPTIONAL **4 PC. ACCESSORY KIT**

(Short knife jig, long knife jig, scissors jig & axe jig)

\$69.99



& ACCESSORIES

- Precision ground cast-iron tables
- Magnetic switch and top mounted emergency stop button
- Comes with miter gauge, work stop, three end-table inserts and three 4-1/2" spindle drums and sanding sleeves (1-1/2", 2" and 3")







2 x 4" Wire Hose Clamps

DUST COLLECTION HOSE KIT #2





4" Y-FITTING \$9.99 K-1015 4" ELBOW \$9.99 K-1017 4" SPLICE \$9.99 K-1019

1"- 6" UNIVERSAL ADAPTOR — K-1039

K-1013

\$9.99

5"-K-1318

\$3.49

WIRE HOSE CLAMPS 4"-K-1317 **\$2**.79

DUST COLLECTION SEPARATOR with ELBOW / K-1056/

K-1017 To maximize the cyclonic \$49.99

4" DUST COLLECTION **HOOK-UP SYSTEM**



KW-270 27 pc Kit includes:

27 pc Nt Inticutes; • 4 pc- 4" x 36" Clear tubes • 1 pc- 4" x 7" Clear tube • 2 pc- 4" 45 degree elbows • 2 pc- 4" 90 degree elbows • 7 pc- 4" adaptor fittings • 2 pc- 4" Blast gates

• 1 pc- 4" Y-fitting • 8 pc- retaining Brackets (including 16 screws and 16 wall plugs)

1 MICRON FELT \$69.99 **UPPER BAG** KDCB-3108T-1MIC Fits: KC-3105C, KC-3108C & KC-3109C

CLOTH BOTTOM DUST BAG

\$59.99 KDCB-3105B

Fits KC-3105C, KC-3108C, KC-3109C SEE THROUGH PLASTIC **BOTTOM DUST BAGS** KDCB-5



\$175.

CYCLONE SEPARATOR DUST COLLECTORS WITH 1 MICRON CANISTER FILTERS 1200 CFM 2280 CFM 700 CFM clonic force removes 99% of dust and wood chips before DUST COLLECTOR WITH CANISTER FILTERS **DUST COLLECTOR** DUST COLLECTOR it reaches your dust collector WITH CANISTER FILTER WITH CANISTER FILTER Recommended for 1.5 to 3 HP dust collectors Cyclonic action separates heavy debris from the fine particles KC-2405C/KDCF-2400 KC-3109C/KDCF-3500 KC-4045C/KDCF-3500 and directs them into the steel drum •Noise level reading at 36": 66-77 dB •Static pressure (inch of water): 9.5 •Noise level reading at 36": 75-85 dB •Static pressure (inch of water): 11.8 •Noise level reading at 36": 75-85 dB •Static pressure (inch of water): 6.1 6" Inlet with 2 x 4" adaptor 7" Outlet with 6" adaptor 29 Gallon •Dust port opening: 3 x 4" / 1 x 8' Dust port opening: 4" •Dust port opening: 2 x 4" / 1 x 6" and additional 1" to 6" 1 HP steel drum 2 HP 9 Amp. @ 220V 3 HP 10 Amp. @ 220V 7 Amp. @ 120V Drum bag included Turn vour dust KING heavy-duty two-stage cyclone dust KING 1 Micron Canister filter 1 Micron Canister filters collection system KING 1 Micron Canister filter -KING KING KING KING NG AIRFORCE \$599.99 \$1499. \$399.99 \$899 **KAC-410** KAC-1200 **KAC-1400 SPEED** 9 Amp. motor 3 Amp. motor IR CLEANERS Air suction Air suction Air suction capacity capacity capacity 2 stage filtration, one disposable 410 CFM 720, 1115, 950, 1085 electrostatic 5 Microns outer filter and 1 Micron inner 1290 CFM 1400 CFM \$599.99 COMES WITH 3-SPEED REMOTE CONTROL \$289.99 COMES WITH 3-SPEED REMOTE CONTROL \$399.99 two pocket filter COMES WITH 3-SPEED REMOTE CONTROL **HP CYCLONE CYCLONE DUST COLLECTORS & ACCESSORIES** DUST COLLECTOR 1.5 HP CYCLONE DUST 2 HP CYCLONE DUST COLLECTOR COLLECTOR 3 HP CYCLONE DUST OPTIONAL COLLECTOR GPC. HEAVY-DUTY KC-8500C Noise level reading at 36": 76 dB Static pressure (inch of water): 14.5 54 Gallon steel drum with quick release handle and castor wheels for easy disposal Complete with 4 locking caster wheels for portability Canister filter insulation panels with foam insulation lowers noise level BAG KITS KC-8150C KC-8200C KC-8300C Noise level reading at 36": 78 dB Static pressure (inch of water): 9.7 29 Gallon steel drum with quick release handle and castor wheels Noise level reading at 36": 78 dB Static pressure (inch of water): 10.9 29 Gallon steel drum with quick release handle and castor wheels KDCB-82 Noise level reading at 36": 79 dB Static pressure (inch of water): 11 54 Gallon steel drum with quick (Fits: KC-8150C KC-8200C) release handle and castor wheels Pin. Canister like: mass lowers noise level Dust port opening: 5 x 4" / 1 x 10" Auto Canister \$39. for easy disposal Complete with 4 locking caster for easy disposal Complete with 4 locking caster wheels for portability Dust port opening: 3 x 4" / 1 x 8" for easy disposal Complete with 4 locking caster wheels for portability 2701/4400 CFM KDCB-83 wheels for portability • Dust port opening: 2 x 4" / 1 x 6" Filter Cleaner Dust port opening: 2 x 4" / 1 x 7" (Fits: KC-8300C) \$59. 988/1320 CFM 1071/1650 CFM 1942/2900 CFM









NAILERS & STAPLERS

23 GA. X 1 3/8" HEADLESS PIN NAILER KIT 8223PN 1/2" to 1-3/8" Pin range Comes with 1/4" Air inlet, 2

removable non-marring tip oiler, hex. keys and sturdy carrying case \$59.99

23 GA. X 2" HEADLESS PIN NAILER KIT

8251PN

1/2" to 2" Pin nail range Comes with 1/4" Air inlet, 2 removable non-marring tips oiler, hex. keys and sturdy carrying case

\$119.99

18 GA. X 1/4" NARROW CROWN STAPLER KIT

8101S3/8" to 1" Staple rangeComes with 1/4" air inlet oiler, hex. keys, & sturdy carrying case

16 GA. X 2" MEDIUM CROWN STAPLER KIT

8216S-2

3/4" to 2" Staple range Comes with 1/4" air inlet, oiler, hex. keys, & sturdy carrying case

\$99.99

18 GA. NAILER/ STAPLER KIT

8210NS

18 Ga. x 1/4" (3/8" to 1 5/8") stapler 18 Ga. (3/4" to 2") nailer Comes with 1/4" air inler oiler, hex. keys and sturdy carrying case

\$69.⁹⁹











ULTRA-QUIET OIL-FREE AIR COMPRESSORS 5.5 PEAK HP 20 GALLON AIR COMPRESSOR 5.5 PEAK HP 24 GALLON AIR COMPRESSOR ULTRA-QUIET OIL-FREE **ULTRA-QUIET OIL-FREE ULTRA-QUIET OIL-FREE** KC-2051H2 KC-3124V2 2 cylinder cast iron AIR COMPRESSOR AIR COMPRESSOR AIR COMPRESSOR • 150 PSI max pressure • 7.6 CFM @ 40 PSI • 6.0 CFM @ 90 PSI 150 PSI max pressure7.6 CFM @ 40 PSI6.0 CFM @ 90 PSI single stage oil lubricated pump KC-10020SO KC-2020A KC-4620A ASME safety valve 5.6 CFM @ 40 PSI 4.4 CFM @ 90 PSI ASME safety valve 3.8 CFM @ 40 PSI 2.35 CFM @ 90 PSI 3.80 CFM @ 40 PSI 2.35 CFM @ 90 PSI 125 PSI maximum tank pressure 125 PSI maximum tank pressure • 125 PSI maximum tank pressure 2 cylinder cast iron single stage oil lubricated pump 2 GALLON 4.6 GALLON (2 X 2.3) 10 GALLON 3000 hours 2 HP (PEAK) 2 HP (PEAK) 3 HP (PEAK) 3000 hours (60 Decibels) 3000 hours (60 Decibels) (64 Decibels) KING KING

\$499.99

STATIONARY 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-6160V2

• 150 PSI max pressure

\$259.99 ASME safety valve

- 13.4 CFM @ 40 PSI • 11.2 CFM @ 90 PSI
- High efficiency reed valves

2 cylinder cast iron single stage oil lubricated pump

HIGH OUTPUT 6.5 PEAK HP 60 GALLON AIR COMPRESSOR

KC-5160V2

- 150 PSI max pressure
- 22.6 CFM @ 40 PSI
- 18.5 CFM @ 100 PSI

KING

225 0日 中華

\$1599

· High efficiency reed valves

3 cylinder cast iron single stage oil lubricated pump



TIRE

GAUGE

K-1630

KW-077 (850ml)₂

\$9

COMPRESSORS 2- STAGE

2-STAGE 5 RUNNING HP **80 GALLON AIR COMPRESSOR**

KC-5280V3-MS

200 PSI max pressure19 CFM @ 175 PSI

ASME

safety valve

2 cylinder cast iron 2- stage oil lubricated pump

\$775. ASME safety valve

2-STAGE 7.5 RUNNING HP **80 GALLON AIR** COMPRESSOR

safety

KC-7280V3-MS

• 200 PSI max pressure • 24 CFM @ 175 PSI

2 cylinder cast iron 2- stage oil lubricated pump



ARCTIC FLEX

KING

RETRACTABLE AIR HOSE REEL WITH HYBRID POLYMER AIR HOSE



\$1199.

Comes with wall mounting

K-5038FRL 50 ft. x 3/8" • All-Weather Flexibility (-40°C to 65°C)

\$109.99

MANUAL AIR HOSE REEL **WITH HYBRID POLYMER AIR HOSE**



K-10014FRL 100 ft. x 1/4" • All-Weather Flexibility (-40°C to 65°C) • 360° swivel \$109.99

(-40°C HYBRID POLYMER to **INDUSTRIAL AIR HOSES** 65°C) HYBRID POLYMER INDUSTRIAL AIR HOSES

KING

5.0 80



\$21.99 \$29.99 \$33.99 \$44.99 \$54.99 K-10038H | 100' x 3/8" | \$65.99

300 PSI MAXIMUM PRESSURE

PREMIUM HYBRID POLYMER **GARDEN HOSES**

150 PSI (Working) 450 PSI (Burst)





\$45. K-10058GH 5/8" x 100 ft. \$77.

Extreme All-Weather Flexibility Kink resistant 11

WET-DRY VACUUMS Double filtration system

8520LP

Powerful 3.5 Peak HP motor 5 US Gallon (20L)

Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 20L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool



8530LPN

Powerful 4 Peak HP motor

8 US Gallon (30L) Comes complete with 6 ft. x1-1/4" hose, 2 pc. plastic extension wand, 30L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

\$89.99

8540LSTN

Powerful 4 Peak HP motor

10 US Gallon (40L)

Comes complete with 6 ft. x1-1/4" hose, 2 pc. stainless extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

8560LST

Powerful 6.5 Peak HP motor

16 US Gallon (60L)

Convenient 18 ft. power cord Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

\$299.99

HEPA CARTRIDGE **FILTERS** KVAC-1145 FITS: 8520LP, KVAC-1150 \$39



550 CFM AIR MOVER 8500AM

3 speed switch

3 Air Movers together for bigger jobs



30 PC VARIABLE SPEED OSCILLATING **MULTI-TOOL KIT & ACCESSORIES** 8349QR

Each kit includes a sanding back-up pad with hook and loop backing, 24 sanding papers (60, 80 and 120 grit) with hook and loop backing, 35mm Tru-cut narrow offset









\$79.99

carbide KW-4823 \$14.99

\$19.99



PORTABLE VARIABLE SPEED METAL CUTTING BANDSAW \$199.99

KC-8377

Variable speed dial for 0-420 SFPM

Comes with standard 44-7/8" x 1/2" x 0.025 14 TPI metal



OPTIONAL

Miter Stand turns this Bandsaw SS.

o a Cut-off Saw ·8377		99	
В	I-MET	AL BL	ADE

BI-METAL BLADES							
Model	Length	Width	TPI	Thickness	Price		
KBB-8376-BM-1014	44 7/8"	1/2"	10-14	.020"	\$24.99		
KBB-8376-BM-1418	44 7/8"	1/2"	14-18	.020"	\$24.99		

DRYWALL & PANEL LIFT







1600 CFM AIR MOVER WITH DIGITAL READOUT KC-1600AM

· Powerful 1600 CFM Air Mover, ideal for creating air circulation to dry floors, carpets, walls or ceilings

3 speed settings for airflow control

10 ft. power cord





Digital readout with

LED DUAL-HEAD **LED WORK LIGHTS**

> KC-1502LED-C 10W Work light emits 1500 lumens

\$49.99 Cordless

KC-1501LED 15W Work light emits 1500 lumens

\$35.99

KC-3001LED 20W Work light emits 3000 lumens

\$59.99

KC-4001LED 36W Work light

\$199.99 \$149.99 emits 4000 lumens KC-4002LED-ST KC-3002LED-ST \$99.99

Emits 6000

lumens

50 FT. 5 LED STRING LIGHT **5,000 Lumens**

K-5016-5LED

Emits 8000 lumens

50 foot 16 AWG /3 conductor grounded SJT power cord 75 linear feet of coverage at 10 feet in height Waterproof to IP44 standards



\$159.99

1/2" DRILLING & MIXING KIT KC-8316

paddles (10mm he) shank), wrench_ and sturdy





Motor: 7 Amp. 10,800 RPM
Robust fence with 0 to 90° and 90° to 135° tilt

adjustments with positive stops at 45° & 90° Kit includes 4"

carbide tipped blade, dust bag hex. key and plastic carrying case













8" LOW SPEED LONG SHAFT **BUFFER** KC-899LSB

1/2 HP motor

- 1,750 RPM • Two 8" x 1/2" cloth buffing wheels

\$159.99





MAGNETIC SWITCHES









XL-312 \$49.99







(1/4", 1/2", 1-3/8", 2-1/2") XL-076 \$99 99

\$1999.₁₃





11-3/4" x 9-1/4" \$99.99



Router Table Kits







17" WOOD BANDSAW KC-1702FXB

- 2 speeds (1600/3300) SFPM
- Rack and pinion height adjustment system
 Cast-iron table tilts 10° to the left & 45° to the right
- Miter gauge system

17" x17" cast iron table 14 Amp. @ 110V - 7 Amp. @ 220V





88 3/16" WOOD CUTTING BANDSAW BLADES							
The same of the sa	Model		Width	TPI	Thickness	Price	
May be the same	KBB-1218-14			14	.025"	\$29.99	
(10)	KBB-1236-10			10		\$29.99	
(新)		88 3/16"		6		\$29.99	
(10)		88 3/16"		6		\$29.99	
	KBB-1212-6	88 3/16"	1/2"	6	.025"	\$29.99	

21" WOOD BANDSAW KC-2102FXB

- 2 speeds (1890/3800) SFPM
- Cast-iron table tilts 10° to the left & 45° to the right
- Rack and pinion height adjustment system
- Miter gauge system

21" x21" cast iron table 16 Amp. @ 110V - 8 Amp. @ 220V





17" VARIABLE SPEED WOOD & METAL CUTTING BANDSAW

KC-1700WM-VS

- Variable speeds (wood): 540-3600 SFPM
 Variable speeds (metal): 100-650 SFPM
 Voltage (input power): 220V, 1 phase, 60 Hz
 Cast-iron table tilts 5° to the left & 45° to the right

23 1/2" x17" cast iron table 2 HP 7 Amp. @ 220V



metal cutting blade, laser guide, work lamp, miter gauge and a precision "TRU-RIP" aluminum rip fence with resaw guide





DRILL PRESSES & ACCESSORIES







1 O



83750 Fits #83702 & #83705 \$399

Safety Guard

Limit Switch

with

0

- Powerful direct drive
- 1 HP high torque motor with no pulleys or belts Spindle taper MT #2 Comes with 5/8" drill chuck & key, firmware USB cable

Powerful direct drive

1.75 HP high torque motor with no pulleys or belts Spindle taper MT #2 Comes with 5/8" drill chuck & key, firmware USB cable

\$1799 \$2499

Digital Readout



KC-12HS-VS

- Variable speeds (580 -
- Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and



SPEED DRILL PRESS KC-15HS-VS

- Powerful 3/4 HP, 8.6 Amp. motor 4" stroke capacity allows drilling workpieces up to 4" thick Variable speeds 2 (280 1100/
- 900-3300) RPM Comes with 5/8" drill chuck, chuck key, onboard chuck key storage and adjustment hex. keys

\$699.99

17" LONG STROKE **DRILL PRESS with** SAFETY GUARD



\$1099.

\$1599.99 29 PC. TITANIUM DRILL BIT SET

BENCHTOP DVR

Powerful direct drive 1 HP

high torque motor with no pulleys or belts Spindle taper MT #2

DRILL PRESS

Comes with 5/8" drill chuck


& key, firmware

USB cable

83702

KDB-29T \$39.99

0







\$499.99



15" VARIABLE SPEED **INDUSTRIAL DRILL PRESS**



17" DRILL PRESS 17" **DRILL PRESS** KC-118FC KC-118FC-LS • 12.5 Amp. motor • 16 speeds 12.5 Amp. motor 16 speeds (240-3400 RPM) • 17" swing • 3 1/4" stroke 240-3400 RPM) • 17" swing

with SAFETY GUARD & LIMIT SWITCH

☺

• 5/8" chuck

\$899

DRILL PRESS VISES

MA-511

• 3 1/4" stroke

• 5/8" chuck

Kit comes with chisel holder, holddown arms, holddown bracket, fence, ring bushing adaptors, 4 pc. 1/2" shank mortising chisels & bits and carrying case \$119.99

WOOD MORTISING ATTACHMENT

KPV-3 3" **\$19**.99 KPV-5

KPV-4 KPV-6

\$59.99

\$44.99

CROSS SLIDE VISES

Makes lateral or longitudinal adjustments simple KCV-4N KCV-5N KCV-6N

\$2999.

\$79.⁹⁹ \$99.⁹⁹ \$129.⁹⁹



We reserve the right to limit quantities. We reserve the right to correct any typographical and pictorial errors without notice. Articles may vary from illustration shown. Some retailers may not stock all products due to space restrictions and product availability.